MOEN®

FOR THE LOVE OF WATER

RETAIL PRODUCT CATALOG

Moen® brings the infinitely essential, infinitely alluring element of water to life. Through the creation of innovative faucets and accessories designed to make life easier, more enjoyable and more beautiful, Moen harnesses the incomparable power and astounding beauty of water in every product, for every lifestyle. Because water is at the *center of our lives*.

Moen helps fill them with what we love.

Contents

Let us help you discover innovations, define your style and make decisions you'll love.

FAUCETS
Leave a lasting impression with kitchen and bathroom faucets that blend unparalleled quality with stunning style.

10

ACCESSORIES
Discover how thoughtfully designed accessories bring just the right touch to kitchens and baths.

72

4 Innovative Features That Are Uniquely Moen®
7 Exceptional Durability

8 Flo by Moen™

Faucets

10 Kitchen Faucets
11 Pulldown Faucets
16 Pullout Faucets
18 One-Handle High-Arc Faucets
19 One-Handle Low-Arc Faucets
22 Two-Handle Low-Arc Faucets
23 Two-Handle Mid- And High-Arc Faucets
26 One-Handle Bar Faucet
26 Two-Handle Bar Faucet
26 Two-Handle Laundry Faucet

28 Sinks

30 Garbage Disposals
31 EX Series
31 GX Series
33 GX PRO Series
34 Garbage Disposal Accessories

36 Bathroom Faucets
37 One-Handle Bathroom Faucets
39 Two-Handle Bathroom Faucets
44 Two-Handle Widespread Bathroom Faucets

48 Tub & Shower / Shower-Only
49 One-Handle Tub Showers
51 Two- and Three-Handle Tub Showers
52 Shower-Only
53 Roman Tubs

54 Showering
55 Nebia by Moen™ Shower Rail
56 Moen X INLY™ Aromatherapy Shower
57 Wallmount Showerheads
58 Handshowers
60 Rainshowers
61 Combination Showers

64 Replacement Parts & Accessories

Accessories

72 Accessories Collections
73 Ashville™
73 Aspen™
74 Banbury®
75 Boardwalk™
75 Bradshaw™
76 Caldwell®
76 Danbury®
77 Danika™
77 Darcy™
78 Ellsworth™
79 Halle™
80 Press & Mark™
81 Hilliard™
82 Iso™
84 Kasey™
84 Lindor™
85 Lounge™
85 Madison™
86 Oxby™
86 Preston™
87 Retreat®
88 Sage®
90 Stockton®
91 Tiffin™
91 Vale™
92 Wembley®
92 Whitley™
93 Yorkshire™
93 Decorative Triple Hooks

94 Shower Rods & Rings
95 Permanent Double Curved Shower Rods
96 Curved Shower Rods
97 Tension Shower Rods
98 Shower Rings

99 Donner Collection
100 Contemporary
102 Stainless Steel
103 Economy Metal
104 Hotel/Motel
105 Recessed Fixtures

106 Bath Safety
107 Grab Bar Buying Guide/ SecureMount™ System
108 Designer Grab Bars
109 Concealed Grab Bars
110 Peened and Exposed Grab Bars
112 Integrated Grab Bars
113 SecureMount Anchors
114 Bath Safety Furniture
116 Hand Grips
117 Handshowers

118 Merchandising

120 Index
121 Faucets
129 Accessories

Sperry™ with MotionSense™ High-Arc Pulldown Kitchen Faucet / 87696EWSRS

Innovative Features That Are Uniquely Moen®

Year after year, our commitment is to make all Moen products durable, reliable and worry-free. With Moen, you'll always find the perfect balance between style, innovation and durability.

MotionSense™ Hands-Free Faucets

Provide the convenience of a kitchen faucet that can literally sense what you're trying to accomplish and will respond to what you need, the moment you need it. Moen faucets with MotionSense provide hands-free control, making it easy to accomplish tasks quickly and more efficiently. True hands-free operation helps you control the spread of dirt and germs. MotionSense activates three ways: Wave Sensor, Ready Sensor and handle.

MotionSense Wave™

MotionSense Wave™ single sensor touchless faucets allow you to easily turn water on and off with the wave of a hand, keeping messes and germs at bay.

Power Clean™ — More Force, Less Splash™

Power Clean technology provides 50 percent more spray power versus most Moen pulldown and pullout faucets without the Power Clean technology, while containing splashing and minimizing mess. Now, users can clean dishes faster while reducing the amount of residual water in and around the sink. Greater force means faster cleanup with less water used.

Power Boost™

Power Boost Technology provides a boosted stream that fills pots and pitchers faster and provides 50% more spray power* for quick clean up.

**Compared to Moen pulldown and pullout faucts without Power Clean™ Power Boost technology*

Spot Resist™ Finish

Moen developed Spot Resist Brushed Nickel and Stainless finishes with you in mind, giving you one less thing to worry about cleaning daily. Spot Resist does just what it says — resists fingerprints and water spots. This innovative finish maintains the brilliance of your kitchen and bathroom faucets to help you spend more time enjoying your home and less time cleaning it. Look for the fingerprint throughout this catalog for availability.

Press & Mark™

Moen Press & Mark bath hardware features a washable ink stamp to show you exactly where to drill — eliminating the need for a traditional paper template. Select accessories with Press & Mark even include a self-adhesive level, helping to ensure proper and accurate installation.

Reflex® System

Only Moen pullout and pulldown faucets include Reflex — a comprehensive system of features and design elements that improve the way your faucet functions. Engineered specifically for select pullouts and pulldowns, these improvements work in concert to enhance overall functionality and usability. Because Reflex was created based on input from actual users, faucets with Reflex naturally respond to the way you work, and the way you want your faucet to work.

Magnetix™

Magnetix showers feature an innovative magnetic docking system. The handshower detaches effortlessly, then returns with a telltale snap that lets you know it's securely docked.

Flo by Moen™

Flo by Moen monitors your whole home water system for big leaks, microleaks and even invisible leaks behind your walls. Advanced sensors can detect leaks, some as small as one drop of water per minute. Daily health tests keep your home leak free and alert you when there's an issue. Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline. On-call experts help you identify and troubleshoot detected leaks. Save water and money while protecting your home and possessions from water damage.

DURALOCK® | Duralock® Quick Connect

Moen's Duralock Quick Connect system assures quick, secure and hassle-free installation for select Moen® kitchen and bath faucets. This new solution helps save valuable time for plumbers and DIY installers alike.

DURALAST® | Duralast® Cartridge

The 1255 and 1234 Duralast cartridges combine innovative engineering and the highest quality materials, rigorously tested to stand up to generations of use. Duralast provides a consistently smooth handle feel for the life of the faucet and is backed by Moen's Limited Lifetime Warranty. The smooth handle movement offers precise control, allowing you to fine-tune temperature balance. Turn it on. Turn it off. Every time, the faucet will feel and perform like new.

WaterSense®

Interest in eco-friendly products continues to grow, so every Moen lavatory faucet meets EPA WaterSense certification criteria. Plus, we offer a collection of eco-performance showerheads that conserve water without sacrificing performance.

QuickMount™ | QuickMount™

The innovative QuickMount installation hardware allows users to pre-install the clips onto the sink and tightens quickly and easily underneath with the provided installation tool — allowing installers to spend minimal time under the sink.

ADA

Meets Americans with Disability Act requirements for the physically challenged.

Pivoting Paper Holders

Now there's no excuse to leave the bath tissue roll empty! Many Moen paper holders feature an innovative, spring-free design that makes changing the roll quick and easy. Simply lift the arm, insert the roll and set the arm back into place. The pivoting arm remains attached so there's no spring to lose and no extra parts to drop.

Limited Lifetime Warranty

Most Moen faucets come with a Limited Lifetime Warranty against leaks, drips and finish defects. For complete details, call 1-800-BUY-MOEN or visit us at moen.com.

The amount of lead in drinking water is regulated by the United States Environmental Protection Agency (USEPA) under the guidelines of the Federal Safe Drinking Water Act. In support of this, the California Assembly Bill 1953 (CA AB 1953) was enacted to prohibit the installation or repair of any pipe, plumbing fitting or fixture conveying water for human consumption that is not lead free after January 1, 2010. All Moen faucets are CA AB 1953 compliant and are manufactured to include no more than 0.25% weighted average lead content on wetted surfaces.

See page 80 to learn more.

Tiffin™ with Press & Mark™ Pivoting Paper Holder / MY4808BN

Exceptional Durability

With finishes that are designed to last a lifetime, Moen products set the standard for exceptional beauty, reliability and innovative design.

(CH) Chrome	(SRS) Spot Resist™ Stainless	(SRN) Spot Resist Brushed Nickel	(BN) Brushed Nickel
(BC) Brushed Chrome	(PW) Pewter	(BRB) Mediterranean Bronze	(ORB) Oil Rubbed Bronze
(OWB) Old World Bronze	(BL) Matte Black	(W) Glacier	

Actual colors/finishes may vary slightly from samples shown.

Flo by Moen™

The best way to avoid water damage is to prevent it.

The Smart Home Water Monitoring & Leak Detection System



Smart Water Shutoff
Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline.

Smart Water Detector
Stand-alone sensors that can be placed anywhere in a home to alert users if, when and where it detects moisture, temperature and humidity.

Microleak™ Technology
Advanced sensors detect leaks as small as one drop of water per minute.

Support
On-call experts to help you identify and troubleshoot detected leaks.

Proactive Protection
Daily health tests help keep your home leak-free and alert you when there's an issue.

Contact your Moen sales representative or visit moen.com/flo for additional information.

Savings
Save water and money while protecting your home and possessions from water damage.

Smart Water Shutoff

Smart Water Detector

MODEL NO.	DESCRIPTION	CASE QTY.
Smart Water Shutoff		
900-001*	0.75" Smart Water Shutoff	2
900-006*	1.00" Smart Water Shutoff	2
900-002**	1.25" Smart Water Shutoff	2
Smart Water Shutoff Accessories		
920-001***	Battery Back-Up Kit	14
920-003	25' DC Ext. Cable	10
930-001	0.75" NPT Spacer Kit	24
930-002	0.75" CC Spacer Kit	24
930-003	1.00" NPT Spacer Kit	24
930-004	1.00" CC Spacer Kit	24
930-005	1.25" NPT Spacer Kit	24
930-006	1.25" CC Spacer Kit	24
Smart Water Detector		
920-004****	Smart Water Detector 1pk	25
920-005****	Smart Water Detector 3pk	12
920-006	6' Leak Sensing Cable	24

*Can be installed on lines up to 1-1/4"
**Can be installed on lines up to 1-1/2"
***Applicable laws and regulations require that these materials be shipped via ground transportation rather than air.
****Comes with 48" detector extension cable for hard to reach areas.

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

PULLDOWN FAUCETS

ADLER™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

Application: One or Three Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream; Powerful Cleaning Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

MODEL NO.	FINISH	CASE QTY.
87233	Chrome	2
87233SRS	Spot Resist™ Stainless	2
87233BRB	Mediterranean Bronze	2
Ships Q2 87233BL	Matte Black	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

ANABELLE™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
CA87003SRS	Spot Resist Stainless	2
CA87003BRB	Mediterranean Bronze	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

BAYHILL™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
CA87094SRS	Spot Resist Stainless	2
CA87094BRB	Mediterranean Bronze	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

BENSON™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87304SRS	Spot Resist Stainless	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

Kitchen Faucets

Lucira™ One-Handle Pulldown Kitchen Faucet / 87699SRS

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

PULLDOWN FAUCETS

CARIS™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87402SRS	Spot Resist™ Stainless	2

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

POWERCLEAN | reflex | DURALAST® | ♿

DELANEY™ WITH MOTIONSENSE™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87359E2SRS	Spot Resist Stainless	2

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

motionsense | POWERCLEAN | reflex | DURALOCK® | DURALAST® | ♿

HADLEY™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

MODEL NO.	FINISH	CASE QTY.
87245	Chrome	2

Application: One to Four Hole
No. of Spray Functions: Four
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Boosted Stream, Boosted Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERBOOST | reflex | DURALOCK® | DURALAST® | ♿

IRVINE™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87355SRS	Spot Resist Stainless	2

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERCLEAN | reflex | ♿

PULLDOWN FAUCETS

KIPTON™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87910	Chrome	2

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST® | ♿

KIRAN™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87599SRS	Spot Resist™ Stainless	2

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST® | ♿

KLEO™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
CA87011SRS	Spot Resist Stainless	2
CA87011BL	Matte Black	2

Application: One or Three Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST® | ♿

LIZZY™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

MODEL NO.	FINISH	CASE QTY.
87519SRS	Spot Resist Stainless	2

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST® | ♿

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

PULLDOWN FAUCETS

LUCIRA™

ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 69"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

MODEL NO.	FINISH	CASE QTY.
87699SRS	Spot Resist™ Stainless	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

MORADO™

ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

Application: One or Three Hole
No. of Spray Functions: Four
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Boosted Stream, Boosted Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87394SRS	Spot Resist Stainless	2
87394BRB	Mediterranean Bronze	2

POWERBOOST | reflex | DURALOCK® | DURALAST®

NORI™

ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87066	Chrome	2
87066SRS	Spot Resist Stainless	2
87066BL	Matte Black	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

SPERRY™ WITH MOTIONSENSE WAVE™

ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87696EWSRS	Spot Resist Stainless	2

motionsense | POWERCLEAN | reflex | DURALOCK® | DURALAST®

Morado™ One-Handle Pulldown Kitchen Faucet / 87394BRB

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

PULLDOWN FAUCETS

SURIE™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

Application: One to Four Hole
No. of Spray Functions: Four
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Boosted Stream, Boosted Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

MODEL NO.	FINISH	CASE QTY.
87395SRS	Spot Resist™ Stainless	2

POWERBOOST | POWERCLEAN | reflex | DURALOCK® | DURALAST®

TULLIS™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

Application: One to Four Hole
No. of Spray Functions: Four
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Boosted Stream, Boosted Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 63"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87235SRS	Spot Resist Stainless	2

POWERBOOST | reflex | DURALOCK® | DURALAST®

WELLSLEY™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87022SRS	Spot Resist Stainless	2
87022BRB	Mediterranean Bronze	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

PULLOUT FAUCETS

BANBURY® — ONE-HANDLE PULLOUT KITCHEN FAUCET

Application: One or Three Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Hose Length: 56"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87017	Chrome	3
87017SRS	Spot Resist Stainless	3
87017W	Glacier	3

POWERCLEAN | DURALOCK® | DURALAST®

PULLOUT FAUCETS

KINZEL™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 59"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

MODEL NO.	FINISH	CASE QTY.
87035SRS	Spot Resist™ Stainless	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

MARBROOK™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

NEW!

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87377SRS	Spot Resist Stainless	2
87377BRB	Mediterranean Bronze	2

POWERCLEAN | reflex | DURALOCK® | DURALAST®

MEDINA™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

Application: One or Three Hole
No. of Spray Functions: Three
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Hose Length: 56"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
87039	Chrome	2
87039SRS	Spot Resist Stainless	2

POWERCLEAN | DURALOCK® | DURALAST®

RENZO™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

Application: One or Three Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Hose Length: 56"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

MODEL NO.	FINISH	CASE QTY.
CA87316C	Chrome	3
CA87316SRS	Spot Resist Stainless	3
CA87316W	Glacier	3
CA87316BL	Matte Black	2

POWERCLEAN | DURALOCK® | DURALAST®

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

PULLOUT FAUCETS

SHAYE™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

NEW!

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 68"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87454SRS	Spot Resist™ Stainless	2

SULLIVAN™ — ONE-HANDLE PULLOUT KITCHEN FAUCET

Application: One to Four Hole
No. of Spray Functions: Two
Wand Spray Type: Aerated Stream, Powerful Cleaning Rinse, Pause Function
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: Yes
Hose Length: 59"
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

POWERCLEAN | reflex | DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87047SRS	Spot Resist Stainless	2
87047BRB	Mediterranean Bronze	2

ONE-HANDLE HIGH-ARC FAUCETS

ANABELLE™ — ONE-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Two or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87650SRS	Spot Resist Stainless	2

BAYHILL™ — ONE-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Two or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87301SRS	Spot Resist Stainless	2
87301BRB	Mediterranean Bronze	2

ONE-HANDLE HIGH-ARC FAUCETS

BRAEMORE™ — ONE-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Two or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87230SRS	Spot Resist™ Stainless	2
87230BRB	Mediterranean Bronze	2

EDISON™ — ONE-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Two, Three or Four Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: Yes
Soap Dispenser Included: Yes
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87042SRS	Spot Resist Stainless	2
87042BRB	Mediterranean Bronze	2

WHITMORE™ — ONE-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Two, Three or Four Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: Yes
Soap Dispenser Included: Yes
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALOCK® | DURALAST®

MODEL NO.	FINISH	CASE QTY.
87044SRS	Spot Resist Stainless	2

ONE-HANDLE LOW-ARC FAUCETS

ADLER™ — ONE-HANDLE LOW-ARC KITCHEN FAUCET

Application: Three Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
CA87534	Chrome	3

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE LOW-ARC FAUCETS

	ONE-HANDLE LOW-ARC KITCHEN FAUCET	MODEL NO.	FINISH	CASE QTY.
ADLER™				
	Application: Three Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255® Duralast® Cartridge DURALAST®	CA87554C	Chrome	3
ADLER				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	CA87016	Chrome	2
ADLER				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** No **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	CA87530	Chrome	3
ADLER				
	Application: Three Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** No **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge 40% Faster Installation	87603	Chrome	3

ONE-HANDLE LOW-ARC FAUCETS

	ONE-HANDLE LOW-ARC KITCHEN FAUCET	MODEL NO.	FINISH	CASE QTY.
ADLER™				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255® Duralast® Cartridge 40% Faster Installation	87604	Chrome	2
ADLER™				
	Application: Three Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge 40% Faster Installation	87605	Chrome	3
LINDLEY™				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Hose Length:** 68" **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge DURALOCK® DURALAST®	CA87009 CA87009SRS	Chrome Spot Resist™ Stainless	2 2
MUIRFIELD®				
	Application: Three Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	CA87524SRS	Spot Resist Stainless	2

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE LOW-ARC FAUCETS

MUIRFIELD® — ONE-HANDLE LOW-ARC KITCHEN FAUCET

Application: Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
CA87520SRS	Spot Resist™ Stainless	2

TORRANCE™ — ONE-HANDLE LOW-ARC KITCHEN FAUCET

Application: Three Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
CA87484SRS	Spot Resist Stainless	2

TORRANCE — ONE-HANDLE LOW-ARC KITCHEN FAUCET

Application: Two or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
CA87480	Chrome	3
CA87480SRS	Spot Resist Stainless	2

TWO-HANDLE LOW-ARC FAUCETS

ADLER™ — TWO-HANDLE LOW-ARC KITCHEN FAUCET

Application: Three or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes; Optional Plug Included
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

DURALOCK®

MODEL NO.	FINISH	CASE QTY.
87046	Chrome	2

TWO-HANDLE LOW-ARC FAUCETS

ADLER™ — TWO-HANDLE LOW-ARC KITCHEN FAUCET

Application: Three Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: No
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

DURALOCK®

MODEL NO.	FINISH	CASE QTY.
CA87685	Chrome	2

TWO-HANDLE MID- AND HIGH-ARC FAUCETS

BANBURY® — TWO-HANDLE MID-ARC KITCHEN FAUCET

Application: Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

DURALOCK®

MODEL NO.	FINISH	CASE QTY.
CA87553	Chrome	3

BEXLEY™ — TWO-HANDLE HIGH-ARC KITCHEN FAUCET

Application: Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

DURALOCK®

MODEL NO.	FINISH	CASE QTY.
87403	Chrome	2
87403SRS	Spot Resist Stainless	2

TWO-HANDLE MID- AND HIGH-ARC FAUCETS

CALDWELL® — TWO-HANDLE MID-ARC KITCHEN FAUCET

Application: Three or Four Hole
No. of Spray Functions: One
Deckplate Included: Yes
Side Spray Included: Yes; Optional Plug Included
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

DURALOCK®

MODEL NO.	FINISH	CASE QTY.
CA87888	Chrome	3

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO-HANDLE MID- AND HIGH-ARC FAUCETS

	TWO-HANDLE HIGH-ARC KITCHEN FAUCET	MODEL NO.	FINISH	CASE QTY.
CALDWELL®				
	Application: Three or Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes; Optional Plug Included **Soap Dispenser Included:** No **Flexible Supply Lines Included:** No **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224® One-Piece Washerless Cartridge DURALOCK®	CA87060SRS	Spot Resist™ Stainless	2
HUTCHINSON™				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** No **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge DURALOCK®	87048SRS 87048BRB	Spot Resist Stainless Mediterranean Bronze	2 2
SOLIDAD™				
	Application: Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** No **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge DURALOCK®	CA87015 CA87015SRS	Chrome Spot Resist Stainless	2 2
STEVIE™				
NEW!	**Application:** Four Hole **No. of Spray Functions:** One **Deckplate Included:** Yes **Side Spray Included:** Yes **Soap Dispenser Included:** No **Flexible Supply Lines Included:** No **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge DURALOCK®	87292SRS	Spot Resist Stainless	2

Stevie™ Two-Handle High-Arc Kitchen Faucet / 87292SRS

Kitchen Faucets

All Moen® kitchen faucets are 1.5 gpm (5.7 L/min) at 60 psi. This flow rate meets Georgia SB370 and CalGreen requirements. All Moen faucets and faucet parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE BAR FAUCET

	ONE-HANDLE HIGH-ARC BAR FAUCET	MODEL NO.	FINISH	CASE QTY.
ANABELLE™				

Application: One or Two Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: No
Soap Dispenser Included: Yes
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255® Duralast® Cartridge

87682SRS | Spot Resist™ Stainless | 2

DURALAST®

	ONE-HANDLE HIGH-ARC BAR FAUCET	MODEL NO.	FINISH	CASE QTY.
SOLTANI™				

Application: One or Two Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: No
Soap Dispenser Included: Yes
Flexible Supply Lines Included: Yes
Connection Size: 3/8"
Connection Type: Compression
Cartridge Type: 1255 Duralast Cartridge

87593SRS | Spot Resist Stainless | 2

DURALAST®

TWO-HANDLE BAR FAUCET

	TWO-HANDLE HIGH-ARC BAR FAUCET	MODEL NO.	FINISH	CASE QTY.
CHATEAU®				

Application: Two Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: No
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

4903 | Chrome | 12

DURALAST®

TWO-HANDLE LAUNDRY FAUCET

	TWO-HANDLE LOW-ARC LAUNDRY FAUCET	MODEL NO.	FINISH	CASE QTY.
CHATEAU				

Application: Two Hole
No. of Spray Functions: One
Deckplate Included: No
Side Spray Included: No
Soap Dispenser Included: No
Flexible Supply Lines Included: No
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

74998 | Chrome | 12

DURALAST®

Anabelle™ One-Handle High-Arc Bar Faucet / 87682SRS

Sinks

Kelsa™ Stainless Steel Sink and Faucet Kit / 21538

Sinks

All Moen® kitchen faucets are limited to 1.5 gpm (5.7 L/min) at 60 psi.
All Moen sinks and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

SINKS

GALVIN™	STAINLESS STEEL SINK AND FAUCET KIT	MODEL NO.	FINISH	CASE QTY.
	Steel Gauge: 20 **Application:** Drop-in **Overall Sink Dimension:** 33 × 22 **No. of Bowls:** 2 - big/big **Bowl Size 1:** 14 × 16 × 8 **Bowl Size 2:** 14 × 16 × 8 **Sound Shield:** Yes **Drains Included:** Yes; 3 1/2" opening **Faucet Included:** Pullout **Soap Dispenser Included:** Yes **No. of Spray Functions:** Two **Wand Spray Type:** Aerated Stream, Powerful Cleaning Rinse **Hose Length:** 68" **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression POWERCLEAN ⋮ DURALOCK® ⋮	21579	Stainless Sink Spot Resist™ Stainless Faucet	1 1

KELSA™	STAINLESS STEEL SINK AND FAUCET KIT	MODEL NO.	FINISH	CASE QTY.
	Steel Gauge: 18 **Application:** Drop-in/Undermount **Overall Sink Dimension:** 33 × 22 × 9 **No. of Bowls:** 2 - offset big/medium **Bowl Size 1:** 14 × 18 × 9 **Bowl Size 2:** 14 × 16 × 9 **Sound Shield:** Yes **Drains Included:** Yes; 3 1/2" opening **Faucet Included:** Pulldown **Soap Dispenser Included:** Yes **No. of Spray Functions:** Three **Wand Spray Type:** Aerated Stream, Powerful Cleaning Rinse, Pause Function **Hose Length:** 68" **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression reflex ⋮ QuickMount™ ⋮ DURALOCK® ⋮ DURALAST® ⋮	21538	Stainless Sink Spot Resist Stainless Faucet	1 1

LODI™	STAINLESS STEEL SINK AND FAUCET KIT	MODEL NO.	FINISH	CASE QTY.
	Steel Gauge: 18 **Application:** Drop-in/Undermount **Overall Sink Dimension:** 33 × 22 × 9 **No. of Bowls:** 2 - offset big/medium **Bowl Size 1:** 14 × 18 × 9 **Bowl Size 2:** 14 × 16 × 9 **Sound Shield:** Yes **Drains Included:** Yes; 3 1/2" opening **Faucet Included:** Pulldown **Soap Dispenser Included:** Yes **No. of Spray Functions:** Three **Wand Spray Type:** Aerated Stream, Powerful Cleaning Rinse, Pause Function **Hose Length:** 68" **Flexible Supply Lines Included:** Yes **Connection Size:** 3/8" **Connection Type:** Compression reflex ⋮ QuickMount™ ⋮ DURALOCK® ⋮ DURALAST® ⋮	21595	Stainless Sink Spot Resist Stainless Faucet	1 1

The Chef Series

Designed for those who love to get creative in their kitchen and need the strongest cleanup possible.

The Host Series

Designed for those who frequently cook for guests and need advanced cleanup power.

The Prep Series

Designed for those who slice, dice and peel as part of basic meal prep, and need a little more help with cleanup.

The Lite Series

Designed for those who rarely cook from scratch and just want cleanup to be simple.

Garbage Disposals

Garbage Disposals

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

GARBAGE DISPOSALS

EX SERIES

NEW!

DESCRIPTION
- The Chef Series: for the strongest cleanup
- motion sensing technology activates 6 LED lights when cabinet door is open
- includes Fast Track™ enhanced features for faster installation
- 1 horsepower, 2800 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 13 lbs, 16" height
- grind component material: stainless steel
- includes light, simple snap tool, removable splash guard, stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 10-year limited warranty with in-home service

MODEL NO.
EXL100C

CASE QTY.
1

GX SERIES

DESCRIPTION
- The Chef Series: for the strongest cleanup
- 1 horsepower, 2800 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 13.00 lbs, 16" height
- grind component material: stainless steel
- includes removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 10-year limited warranty with in-home service

MODEL NO.
GX100C

CASE QTY.
1

DESCRIPTION
- The Host Series: for advanced cleanup power
- Stopper controlled operation ensures only grinding intended food scraps
- 3/4 horsepower, 2700 RPM, batch feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 11.00 lbs, 15 5/8" height
- grind component material: galvanized steel
- includes batch feed stopper, polished stainless steel sink flange, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 10-year limited warranty with in-home service

MODEL NO.
GXB75C

CASE QTY.
2

Fast Track™ Installation
-Simple Snap Tool quickly secures mounting assembly
-Easy Open Dishwasher Inlet. No additional tools required.

High-speed VORTEX POWERED™ motor
provides fast, powerful grinding

Permanent magnet motor
designed to help reduce jamming

Pre-installed power cord
a savings over separate purchase; removes easily for hardwire installations

Universal Xpress Mount™
fits Moen and most existing 3-bolt mounting assemblies

Continuous feed
grinds as long as power is on

SoundSHIELD™
designed to provide sound deadening insulation

Batch feed stopper
activates disposal for safer operation; no wall switch required

Garbage Disposals

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

GARBAGE DISPOSALS

GX SERIES

DESCRIPTION
- The Host Series: for advanced cleanup power
- 3/4 horsepower, 2700 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 10.25 lbs, 13 3/8" height
- grind component material: stainless steel
- includes removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 10-year limited warranty with in-home service

MODEL NO.
GXS75C

CASE QTY.
2

DESCRIPTION
- The Prep Series: for basic meal prep cleanup
- 1/2 horsepower, 2600 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 9.25 lbs, 13 3/8" height
- grind component material: stainless steel
- includes removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 5-year limited warranty with in-home service

MODEL NO.
GX50C

CASE QTY.
2

Fast Track™ Installation
-Simple Snap Tool quickly secures mounting assembly
-Easy Open Dishwasher Inlet. No additional tools required.

High-speed VORTEX POWERED™ motor
provides fast, powerful grinding

Permanent magnet motor
designed to help reduce jamming

Pre-installed power cord
a savings over separate purchase; removes easily for hardwire installations

Universal Xpress Mount™
fits Moen and most existing 3-bolt mounting assemblies

Continuous feed
grinds as long as power is on

SoundSHIELD™
designed to provide sound deadening insulation

Batch feed stopper
activates disposal for safer operation; no wall switch required

GARBAGE DISPOSALS

GX PRO SERIES

DESCRIPTION
- The Prep Series: for basic meal prep cleanup
- 1/2 horsepower, 2600 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 8.50 lbs, 13 3/8" height
- grind component material: galvanized steel
- includes removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 5-year limited warranty with in-home service

MODEL NO.
GXP50C

CASE QTY.
2

DESCRIPTION
- The Lite Series: for simple cleanup
- 1/3 horsepower, 1900 RPM, continuous feed
- 7/8" dishwasher connection with 1 1/2" drain outlet
- 7.75 lbs, 13 3/8" height
- grind component material: galvanized steel
- includes removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly
- pre-installed power cord removes easily for hardwire installations
- 5-year limited warranty with in-home service

MODEL NO.
GXP33C

CASE QTY.
2

Fast Track™ Installation
-Simple Snap Tool quickly secures mounting assembly
-Easy Open Dishwasher Inlet. No additional tools required.

High-speed VORTEX POWERED™ motor
provides fast, powerful grinding

Permanent magnet motor
designed to help reduce jamming

Pre-installed power cord
a savings over separate purchase; removes easily for hardwire installations

Universal Xpress Mount™
fits Moen and most existing 3-bolt mounting assemblies

Continuous feed
grinds as long as power is on

SoundSHIELD™
designed to provide sound deadening insulation

Batch feed stopper
activates disposal for safer operation; no wall switch required

Garbage Disposals

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

GARBAGE DISPOSAL ACCESSORIES

DISPOSAL AIR SWITCH CONTROLLER

DESCRIPTION
- compatible with: all disposals
- air tubing size: 1/8"
- mounting hole size: 1 3/8"
- air tube length: 10'
- ideal application for island countertops or where electrical switch is unavailable
- compatible with: All Disposals
- ARC-4200-CH/SN includes both chrome and satin nickel air switch buttons

MODEL NO.	FINISH	CASE QTY.
▲ ARC-4200		60
▲ ARC-4200-CH/SN	Chrome/Satin Nickel	6

DISPOSAL AIR SWITCH BUTTON

DESCRIPTION
- compatible with: all disposals
- diameter: 1 13/16"
- use with ARC-4200
- color assortment available to match faucet and sink

MODEL NO.	FINISH	CASE QTY.
▲ AS-4201-AL	Almond	100
▲ AS-4201-BIS	Biscuit	100
▲ AS-4201-WH	White	100
▲ AS-4201-BR	Polished Brass	100
▲ AS-4201-CH	Chrome	100
▲ AS-4201-BRB	Mediterranean Bronze	100
▲ AS-4201-SN	Satin Nickel	100
▲ AS-4201-BG	Brushed Gold	100
▲ AS-4201-NL	Polished Nickel	100
▲ AS-4201-BL	Matte Black	100
▲ AS-4201-BLS	Black Stainless	100

DRAIN STOPPER

DESCRIPTION
- compatible with all Moen disposals and most 3-bolt mount assemblies; including InSinkErator

MODEL NO.	FINISH	CASE QTY.
1011	Polished Stainless	24

REMOVABLE SPLASH GUARD

DESCRIPTION
- compatible with all Moen disposals and most 3-bolt mount assemblies; including InSinkErator

MODEL NO.	FINISH	CASE QTY.
1016	Polished Stainless	100

DISHWASHER CONNECTOR KIT

DESCRIPTION
- compatible with: Moen and Waste King

MODEL NO.	CASE QTY.
1023	24

▲ Wholesale Box

GARBAGE DISPOSAL ACCESSORIES

POWER CORD KIT

DESCRIPTION
- compatible with: All Disposals

MODEL NO.	CASE QTY.
1024	24

DRAIN ELBOW & GASKET

DESCRIPTION
- compatible with: Moen and Waste King

MODEL NO.	CASE QTY.
1026	6

DISPOSAL UNJAMMING WRENCH

DESCRIPTION
- compatible with: Moen and Waste King

MODEL NO.	CASE QTY.
1037	10

UNIVERSAL 3-BOLT MOUNT SINK FLANGE KIT

DESCRIPTION
- compatible with all Moen disposals and most 3-bolt mount assemblies; including InSinkErator

MODEL NO.	CASE QTY.
1039	1

PLASTIC DRAIN STOPPER

DESCRIPTION
- compatible with all Moen disposals and most 3-bolt mount assemblies; including InSinkErator

MODEL NO.	CASE QTY.
186589	2

Bathroom Faucets

Arlys™ One-Handle Bathroom Faucet / 84770BL

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE BATHROOM FAUCETS

ADLER™	ONE-HANDLE LOW-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1255® Duralast® Cartridge DURALAST®	WS84503 WSL84502SRN	Chrome Spot Resist™ Brushed Nickel	3 2

ARLYS™	ONE-HANDLE BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Centerset **Application:** 4" Centers, One or Three Hole **Deck Plate Included:** Yes **Drain Assembly Included:** Yes **Connection Size:** 3/8" **Connection Type:** IPS **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	84770 84770SRN 84770BL	Chrome Spot Resist Brushed Nickel Matte Black	2 2 2

BOARDWALK™	ONE-HANDLE BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Centerset **Application:** 4" Centers, One or Three Hole **Deck Plate Included:** Yes **Drain Assembly Included:** Yes **Connection Size:** 3/8" **Connection Type:** IPS **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	WS84805SRN	Spot Resist Brushed Nickel	2

CONWAY™	ONE-HANDLE BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Centerset **Application:** 4" Centers, One or Three Hole **Deck Plate Included:** Yes **Drain Assembly Included:** Yes **Connection Size:** 3/8" **Connection Type:** IPS **Cartridge Type:** 1255 Duralast Cartridge DURALAST®	WS84923 WS84923SRN	Chrome Spot Resist Brushed Nickel	2 2

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE BATHROOM FAUCETS

DANIKA™

ONE-HANDLE BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255® Duralast® Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
WSL84733	Chrome	2
WSL84733SRN	Spot Resist™ Brushed Nickel	2

HALLE™

NEW!

ONE-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
84970SRN	Spot Resist Brushed Nickel	2

HILLIARD™

ONE-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
84535	Chrome	2
84535SRN	Spot Resist Brushed Nickel	2
84535BRB	Mediterranean Bronze	2

LINDOR™

NEW!

ONE-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
84505SRN	Spot Resist Brushed Nickel	2

SARONA™

NEW!

ONE-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255® Duralast® Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
84144SRN	Spot Resist™ Brushed Nickel	2
84144BRB	Mediterranean Bronze	2

ZARINA™

NEW!

ONE-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers, One or Three Hole
Deck Plate Included: Yes
Drain Assembly Included: Yes
Connection Size: 3/8"
Connection Type: IPS
Cartridge Type: 1255 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
WSL84533	Chrome	2
L84533SRN	Spot Resist Brushed Nickel	2

TWO-HANDLE BATHROOM FAUCETS

ADLER™

TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALAST®

MODEL NO.	FINISH	CASE QTY.
84603	Chrome	3
84603SRN	Spot Resist Brushed Nickel	2

BANBURY®

TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84912	Chrome	3
WS84912SRN	Spot Resist Brushed Nickel	2

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO-HANDLE BATHROOM FAUCETS

BOARDWALK™ — TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84800	Chrome	2
WS84800SRN	Spot Resist™ Brushed Nickel	2

CONWAY™ — TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84922	Chrome	2
WS84922SRN	Spot Resist Brushed Nickel	2

DARCY™ — TWO-HANDLE LOW-ARC BATHROOM FAUCET

NEW!

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84550	Chrome	2
WS84550SRN	Spot Resist Brushed Nickel	2

HABER™ — TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
84768SRN	Spot Resist Brushed Nickel	2

TWO-HANDLE BATHROOM FAUCETS

HILLIARD™ — TWO-HANDLE LOW-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
84532	Chrome	2
84532SRN	Spot Resist™ Brushed Nickel	2
84532BRB	Mediterranean Bronze	2

AYDA™ — TWO-HANDLE HIGH-ARC BATHROOM FAUCET

NEW!

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
84728SRN	Spot Resist Brushed Nickel	2

BANBURY® — TWO-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84913	Chrome	3
WS84913SRN	Spot Resist Brushed Nickel	2
WS84913BRB	Mediterranean Bronze	2

GIBSON™ — TWO-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast® Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84228	Chrome	2
WS84228SRN	Spot Resist Brushed Nickel	2
WS84228BRB	Mediterranean Bronze	2

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO-HANDLE BATHROOM FAUCETS

GRAEDEN™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224® One-Piece Washerless Cartridge	84137SRN	Spot Resist™ Brushed Nickel	2

HALLE™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge	84971SRN	Spot Resist Brushed Nickel	2

HILLIARD™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge	84537 84537SRN 84537BRB	Chrome Spot Resist Brushed Nickel Mediterranean Bronze	2 2 2

LINDOR™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge	84506SRN	Spot Resist Brushed Nickel	2

TWO-HANDLE BATHROOM FAUCETS

OXBY™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224® One-Piece Washerless Cartridge	WS84660 WS84660SRN	Chrome Spot Resist™ Brushed Nickel	2 2

TIFFIN™	TWO-HANDLE HIGH-ARC BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Centerset **Application:** 4" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1224 One-Piece Washerless Cartridge	WS84876 WS84876SRN WS84876BRB	Chrome Spot Resist Brushed Nickel Mediterranean Bronze	2 2 2

Halle™ Two-Handle High-Arc Bathroom Faucet / 84971SRN

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO-HANDLE BATHROOM FAUCETS

WETHERLY™

TWO-HANDLE HIGH-ARC BATHROOM FAUCET

Mount Type: Centerset
Application: 4" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1224® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
WS84850SRN	Spot Resist™ Brushed Nickel	2

TWO-HANDLE WIDESPREAD BATHROOM FAUCETS

AYDA™

NEW!

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast® Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
84748SRN	Spot Resist Brushed Nickel	2

BANBURY®

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
WS84924	Chrome	2
WS84924SRN	Spot Resist Brushed Nickel	2
WS84924BRB	Mediterranean Bronze	2

BOARDWALK™

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
WS84820	Chrome	2
WS84820SRN	Spot Resist Brushed Nickel	2

TWO-HANDLE WIDESPREAD BATHROOM FAUCETS

DARCY™

NEW!

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast® Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
WS84551	Chrome	2
WS84551SRN	Spot Resist™ Brushed Nickel	2

HALLE™

NEW!

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
84972SRN	Spot Resist Brushed Nickel	2

HILLIARD™

TWO-HANDLE HIGH-ARC WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
84539	Chrome	2
84539SRN	Spot Resist Brushed Nickel	2
84539BRB	Mediterranean Bronze	2

GIBSON™

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

Mount Type: Widespread
Application: 8" – 16" Centers
Drain Assembly Included: Yes
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1234 Duralast Cartridge

DURALOCK® DURALAST®

MODEL NO.	FINISH	CASE QTY.
WS84229SRN	Spot Resist Brushed Nickel	2

Bathroom Faucets

All Moen® bath faucets are limited to 1.2 gpm (4.5 L/min) at 60 psi.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO-HANDLE WIDESPREAD BATHROOM FAUCETS

LINDOR™	TWO-HANDLE WIDESPREAD BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Widespread **Application:** 8" – 16" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1234 Duralast® Cartridge DURALOCK® DURALAST®	84504SRN	Spot Resist™ Brushed Nickel	2

OXBY™	TWO-HANDLE WIDESPREAD BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
NEW!	**Mount Type:** Widespread **Application:** 8" – 16" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1234 Duralast Cartridge DURALOCK® DURALAST®	WS84661 WS84661SRN	Chrome Spot Resist Brushed Nickel	2 2

WETHERLY™	TWO-HANDLE WIDESPREAD BATHROOM FAUCET	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Widespread **Application:** 8" – 16" Centers **Drain Assembly Included:** Yes **Connection Size:** 1/2" **Connection Type:** IPS **Cartridge Type:** 1234 Duralast Cartridge DURALOCK® DURALAST®	WS84855SRN	Spot Resist Brushed Nickel	2

Lindor™ Two-Handle Widespread Bathroom Faucet / 84504SRN

Tub & Shower

Most Moen® tub & shower/shower-only showerheads are limited to 1.75 gpm (6.6 L/min) max or 2.0 gpm (7.6 L/min).
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE TUB SHOWERS

ADLER™

POSI-TEMP® TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Four-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82603	Chrome	3
82603SRN	Spot Resist™ Brushed Nickel	3

ADLER

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Four-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82613SRN	Spot Resist Brushed Nickel	2

ARLYS™

NEW!

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82770	Chrome	2
82770SRN	Spot Resist Brushed Nickel	2
82770BL	Matte Black	2

BANBURY®

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82910	Chrome	2
82910SRN	Spot Resist Brushed Nickel	2
82910BRB	Mediterranean Bronze	2

Tub & Shower/Shower-Only

Hilliard™ Posi-Temp® Tub/Shower / 82537SRN

Tub & Shower

Most Moen® tub & shower/shower-only showerheads are limited to 1.75 gpm (6.6 L/min) max or 2.0 gpm (7.6 L/min).
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

ONE-HANDLE TUB SHOWERS

BOARDWALK™

POSI-TEMP® TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82830	Chrome	2
82830SRN	Spot Resist™ Brushed Nickel	2

CONWAY™

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82922	Chrome	2
82922SRN	Spot Resist Brushed Nickel	2

DARCY™

NEW!

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Five-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82550	Chrome	2
82550SRN	Spot Resist Brushed Nickel	2

GIBSON™

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Six-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82228	Chrome	2
82228SRN	Spot Resist Brushed Nickel	2

ONE-HANDLE TUB SHOWERS

HILLIARD™

POSI-TEMP® TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Five-Function
Connection Size: 1/2"
Connection Type: IPS
Cartridge Type: 1222® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82537	Chrome	2
82537SRN	Spot Resist™ Brushed Nickel	2
82537BRB	Mediterranean Bronze	2

TIFFIN™

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: Six-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MAGNETIX®

MODEL NO.	FINISH	CASE QTY.
82879	Chrome	2
82879SRN	Spot Resist Brushed Nickel	2
82879BRB	Mediterranean Bronze	2

WETHERLY™

POSI-TEMP TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1222 One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82850SRN	Spot Resist Brushed Nickel	2

TWO- AND THREE-HANDLE TUB SHOWERS

ADLER™

TWO-HANDLE TUB/SHOWER

Spout Type: Diverter
No. of Showerhead Functions: One-Function
Connection Size: 1/2"
Connection Type: IPS/CC
Cartridge Type: 1224® One-Piece Washerless Cartridge

MODEL NO.	FINISH	CASE QTY.
82602	Chrome	3

Tub & Shower

Most Moen® tub & shower/shower-only showerheads are limited to 1.75 gpm (6.6 L/min) max or 2.0 gpm (7.6 L/min).
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

TWO- AND THREE-HANDLE TUB SHOWERS

ADLER™	THREE-HANDLE TUB/SHOWER	MODEL NO.	FINISH	CASE QTY.
	Spout Type: Non-Diverter **No. of Showerhead Functions:** One-Function **Connection Size:** 1/2" **Connection Type:** IPS/CC **Cartridge Type:** 1224® One-Piece Washerless Cartridge	82663	Chrome	3

SHOWER-ONLY

ADLER	POSI-TEMP® SHOWER ONLY	MODEL NO.	FINISH	CASE QTY.
	No. of Showerhead Functions: Four-Function **Connection Size:** 1/2" **Connection Type:** IPS/CC **Cartridge Type:** 1222® One-Piece Washerless Cartridge	82604 82604SRN	Chrome Spot Resist™ Brushed Nickel	3 2

BANBURY®	POSI-TEMP SHOWER ONLY	MODEL NO.	FINISH	CASE QTY.
	No. of Showerhead Functions: One-Function **Connection Size:** 1/2" **Connection Type:** IPS/CC **Cartridge Type:** 1222 One-Piece Washerless Cartridge	82912SRN	Spot Resist Brushed Nickel	2

BOARDWALK™	POSI-TEMP SHOWER ONLY	MODEL NO.	FINISH	CASE QTY.
	No. of Showerhead Functions: One-Function **Connection Size:** 1/2" **Connection Type:** IPS/CC **Cartridge Type:** 1222 One-Piece Washerless Cartridge	82835EP 82835EPSRN	Chrome Spot Resist Brushed Nickel	2 2

ROMAN TUBS

BANBURY®	TWO-HANDLE ROMAN TUB	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Tub-Only Faucet **Application:** 10" Centers **Connection Size:** 1/2" **Connection Type:** CC **Cartridge Type:** 1248	86924 86924SRN 86924BRB	Chrome Spot Resist™ Brushed Nickel Mediterranean Bronze	2 2 2

CALDWELL®	TWO-HANDLE ROMAN TUB	MODEL NO.	FINISH	CASE QTY.
	Mount Type: Tub-Only Faucet **Application:** 10" Centers **Connection Size:** 1/2" **Connection Type:** CC **Cartridge Type:** 1248	86440 86440SRN 86440BRB	Chrome Spot Resist Brushed Nickel Mediterranean Bronze	2 2 2

Caldwell™ Two-Handle Roman Tub / 86440SRN

Showering

Nebia by Moen™ Shower Rail / N207C0CH

Some Moen® showerheads are limited to 2.5 gpm (9.5 L/min). WaterSense® certified showerheads are limited to 2.0 gpm (7.66 L/min) or 1.75 gpm (6.6L/min). All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

● = Meets EPA WaterSense criteria to conserve water without sacrificing performance.
See page 6 to learn more.

NEBIA BY MOEN™ SHOWER RAILS

NEBIA BY MOEN™ — TWO-FUNCTION SHOWER RAIL

Connection Size: 1/2"
Connection Type: IPS
Showerhead Functions: Two-Function
Showerhead Type: Rainshower with Handshower
Showerhead Size: 7.9" Diameter Spray Head
Type Of Function: Atomized Spray
Included: Double Check Valves for Backflow Prevention
23.5" Wall Bracket with 17" Height Range
Flow Rate: 1.75 gpm (6.6l/min) max.

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● N207C0CH	1.75 gpm (6.6 L/min) max	Chrome/White	2
● N207C0SRN	1.75 gpm (6.6 L/min) max	Spot Resist™ Brushed Nickel	2
● N207C0BL	1.75 gpm (6.6 L/min) max	Matte Black	2
● N207C0BLC	1.75 gpm (6.6 L/min) max	Matte Black/Chrome	2

NEBIA BY MOEN — ONE-FUNCTION SHOWER RAIL

Connection Size: 1/2"
Connection Type: IPS
Showerhead Functions: One-Function
Showerhead Type: Rainshower
Showerhead Size: 7.9" Diameter Spray Head
Type Of Function: Atomized Spray
Included: Double Check Valves for Backflow Prevention
23.5" Wall Bracket with 17" Height Range
Flow Rate: 1.35 gpm (5.1l/min) max.

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● N207R0CH	1.35 gpm (5.1 L/min) max	Chrome/White	2
● N207R0SRN	1.35 gpm (5.1 L/min) max	Spot Resist Brushed Nickel	2
● N207R0BL	1.35 gpm (5.1 L/min) max	Matte Black	2
● N207R0BLC	1.35 gpm (5.1 L/min) max	Matte Black/Chrome	2

NEBIA BY MOEN — ONE-FUNCTION HANDSHOWER

Showerhead Functions: One-Function
Showerhead Type: Handshower
Showerhead Size: 2-1/2" Diameter Spray Head
Type Of Function: Atomized Spray
Flow Rate: 0.4 gpm (1.35 L/min) max.
Hose Length: 59"
Only Compatible with Nebia by Moen Shower Rail

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● N207H0CH	0.4 gpm (1.35 L/min) max	Chrome/White	2
● N207H0SRN	0.4 gpm (1.35 L/min) max	Spot Resist Brushed Nickel	2
● N207H0BL	0.4 gpm (1.35 L/min) max	Matte Black	2
● N207H0BLC	0.4 gpm (1.35 L/min) max	Matte Black/Chrome	2

NEBIA BY MOEN — MAGNETIC DOCK

Includes: Magnetic Docking System
Only Compatible with Nebia by Moen Handshower
Includes: Two Installation Options- Permanent, Waterproof Adhesive Or Wall Bracket And Screws

MODEL NO.	FINISH	CASE QTY.
N207Z0GLC	White	6
N207Z0SRN	Spot Resist Brushed Nickel	6
N207Z0BL	Matte Black	6

Showering

Moen® showerheads are limited to 2.5 gpm (9.5 L/min). WaterSense® certified showerheads are limited to 2.0 gpm (7.6 L/min) and below. All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

● = Meets EPA WaterSense criteria to conserve water without sacrificing performance. See page 6 to learn more.

MOEN X INLY™ AROMATHERAPY SHOWER

MOEN X INLY™ — AROMATHERAPY HANDSHOWER

Infuses essential oils directly into your shower water when desired
Includes: INLY Shower Capsule Starter Pack with four unique, spa-inspired fragrances
Showerhead Functions: six spray settings and 4 aromatherapy dilution settings (high/med/low/off)
Showerhead Type: Eco-performance handshower
Hose Length: 60"
Hose Material: Metal

MAGNETIX®

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● IN208H2	1.75 gpm (6.6 L/min) max	Chrome	2
● IN208H2BN	1.75 gpm (6.6 L/min) max	Spot Resist™ Brushed Nickel	2

MOEN X INLY — AROMATHERAPY COMBINATION SHOWER

Infuses essential oils directly into your shower water when desired
Includes: INLY Shower Capsule Starter Pack with four unique, spa-inspired fragrances
Showerhead Functions: six spray settings and 4 aromatherapy dilution settings (high/med/low/off)
Showerhead Type: Eco-performance combination shower
Hose Length: 60"
Hose Material: Metal

MAGNETIX®

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● IN208C2	1.75 gpm (6.6 L/min) max	Chrome	2
● IN208C2BN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	2

MOEN X INLY — AROMATHERAPY SHOWER CAPSULE 5 PACKS

- Add an INLY Aromatherapy Shower Capsule to your routine and infuse the shower with essential oils and spa-inspired fragrances made in France.
- Select from 4 unique fragrances (5 capsules per fragrance pack)
- Dispense only using INLY compatible Moen Aromatherapy showering devices (sold separately)

MODEL NO.		CASE QTY.
INC20801	Energetic Morning	6
INC20802	Tropical Day	6
INC20803	Sweet Morning	6
INC20804	Zen Time	6

WALLMOUNT SHOWERHEADS

ADLER™ — FOUR-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 4
Connection Size: 1/2"
Connection Type: IPS

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
23026	2.5 gpm (9.5 L/min) max	Chrome	4
● 23026EP	1.75 gpm (6.6 L/min) max	Chrome	4
● 23026EPW	1.75 gpm (6.6 L/min) max	Glacier	4

ADLER — FOUR-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 4
Connection Size: 1/2"
Connection Type: IPS

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
23027SRN	2.5 gpm (9.5 L/min) max	Spot Resist™ Brushed Nickel	6
● 23027EPSRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	6

BANBURY® — FIVE-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
● 23045	1.75 gpm (6.6 L/min) max	Chrome	4
● 23045SRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	4
● 23045BRB	1.75 gpm (6.6 L/min) max	Mediterranean Bronze	4
● 23045W	1.75 gpm (6.6 L/min) max	Glacier	6

IGNITE™ — FIVE-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
20090	2.5 gpm (9.5 L/min) max	Chrome	3
20090SRN	2.5 gpm (9.5 L/min) max	Spot Resist Brushed Nickel	3
● 209W0SRN	1.75 gpm (6.6L/min)max	Spot Resist Brushed Nickel	2

Showering

Moen® showerheads are limited to 2.5 gpm (9.5 L/min). WaterSense® certified showerheads are limited to 2.0 gpm (7.6 L/min) and below.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

● = Meets EPA WaterSense criteria to conserve water without sacrificing performance.
See page 6 to learn more.

WALLMOUNT SHOWERHEADS

NURTURE™ — THREE-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 3
Connection Size: 1/2"
Connection Type: IPS

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	23333	1.75 gpm (6.6 L/min) max	Chrome	3
●	23333SRN	1.75 gpm (6.6 L/min) max	Spot Resist™ Brushed Nickel	3

REFRESH® — FIVE-FUNCTION WALLMOUNT SHOWERHEAD

Showerhead Type: Wallmount
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
26500SRN	2.5 gpm (9.5 L/min) max	Spot Resist Brushed Nickel	3

HANDSHOWERS

ADLER™ — EIGHT-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 8
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Plastic

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	23040W	2.5 gpm (9.5 L/min) max	Glacier	2
●	23040EPW	1.75 gpm (6.6 L/min) max	Glacier	2

BANBURY® — FIVE-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal: 23046, 23046SRN
Plastic: 23046BRB, 23046W

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	23046	1.75 gpm (6.6 L/min) max	Chrome	3
●	23046SRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	3
●	23046BRB	1.75 gpm (6.6 L/min) max	Mediterranean Bronze	2
●	23046W	1.75 gpm (6.6 L/min) max	Glacier	4

HANDSHOWERS

ENGAGE™ — SIX-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	26100EP	1.75 gpm (6.6 L/min) max	Chrome	2
●	26100EPSRN	1.75 gpm (6.6 L/min) max	Spot Resist™ Brushed Nickel	2
●	26100EPBL	1.75 gpm (6.6 L/min) max	Matte Black	2

ENGAGE — SIX-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
26100SRN	2.5 gpm (9.5 L/min) max	Spot Resist Brushed Nickel	2
26100BRB	2.5 gpm (9.5 L/min) max	Mediterranean Bronze	2
26100BL	2.5 gpm (9.5 L/min) max	Matte Black	2

ENGAGE — SIX-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	26112	2.5 gpm (9.5 L/min) max	Chrome	2
●	26112EP	1.75 gpm (6.6 L/min) max	Chrome	2
	26112SRN	2.5 gpm (9.5 L/min) max	Spot Resist Brushed Nickel	2
●	26112EPSRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	2

MAGNETIX™ ACCESSORIES

MAGNETIX™ — MAGNETIC REMOTE DOCKING SYSTEM

Remote Dock for Magnetix™ Showerheads
Includes: Magnetix docking system
(Showerhead sold separately)
Includes two installation options: permanent, waterproof adhesive or wall bracket and screws
Compatible with the following Magnetix SKUS only:
26009, 26010, 26013, 26100, 26112
Screw and wall bracket install option is required for use with Moen Aromatherapy Showers (Moen model series: IN208H2 & IN208C2)

MAGNETIX™

MODEL NO.	FINISH	CASE QTY.
186117	Chrome	6
186117SRN	Spot Resist Brushed Nickel	6
186117BL	Matte Black	6

Showering

Moen® showerheads are limited to 2.5 gpm (9.5 L/min). WaterSense® certified showerheads are limited to 2.0 gpm (7.6 L/min) and below.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

● = Meets EPA WaterSense criteria to conserve water without sacrificing performance.
See page 6 to learn more.

HANDSHOWERS

IGNITE™ — FIVE-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	20091	2.5 gpm (9.5 L/min) max	Chrome	2
●	209H0	1.75 gpm (6.6 L/min) max	Chrome	2
	20091SRN	2.5 gpm (9.5 L/min) max	Spot Resist™ Brushed Nickel	2

RENEWAL™ — FIVE-FUNCTION HANDSHOWER

Showerhead Type: Handshower
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	26034	1.75 gpm (6.6 L/min) max	Chrome	2
●	26034SRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	2

RAINSHOWERS

ENTHRALL™ — FIVE-FUNCTION RAINSHOWER

Showerhead Type: Rainshower
No. of Functions: 5
Connection Size: 1/2"
Connection Type: IPS

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	21532EP	1.75 gpm (6.6 L/min) max	Chrome	2
●	21532EPSRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	2

INSPIRE® — ONE-FUNCTION RAINSHOWER

Showerhead Type: Rainshower
No. of Functions: 1
Connection Size: 1/2"
Connection Type: IPS

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	21999	2.5 gpm (9.5 L/min) max	Chrome	2
●	21999EP	1.75 gpm (6.6 L/min) max	Chrome	2

RAINSHOWERS

TITAL™ — ONE-FUNCTION RAINSHOWER

Showerhead Type: Rainshower
No. of Functions: 1
Connection Size: 1/2"
Connection Type: IPS

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	202R2EP	1.75 gpm (6.6 L/min) max	Chrome	2

COMBINATION SHOWERS

ENGAGE™ — SIX-FUNCTION COMBINATION SHOWER

Showerhead Type: 3-Way Combination Wallmount with Handshower
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	26009	2.5 gpm (9.5 L/min) max	Chrome	2
	26009SRN	2.5 gpm (9.5 L/min) max	Spot Resist™ Brushed Nickel	2

ENGAGE — SIX-FUNCTION COMBINATION SHOWER

Showerhead Type: 3-Way Combination Wallmount with Handshower
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
●	26010	1.75 gpm (6.6 L/min) max	Chrome	2
●	26010SRN	1.75 gpm (6.6 L/min) max	Spot Resist Brushed Nickel	2

ENGAGE — SIX-FUNCTION COMBINATION SHOWER

Showerhead Type: Combination Rainshower with Handshower and Slidebar
No. of Functions: 6
Connection Size: 1/2"
Connection Type: IPS
Cradle and Hose Included: Yes
Hose Length: 60"
Hose Material: Metal

MAGNETIX™

MODEL NO.	FLOW RATE	FINISH	CASE QTY.
28501SRN	2.5 gpm (9.5 L/min) max	Spot Resist Brushed Nickel	2

Showering

Moen® showerheads are limited to 2.5 gpm (9.5 L/min). WaterSense® certified showerheads are limited to 2.0 gpm (7.6 L/min) and below.
All Moen faucets and parts carry a Limited Lifetime Warranty against leaks, drips and finish defects to the original consumer purchaser.

COMBINATION SHOWERS

IGNITE™	FIVE-FUNCTION COMBINATION SHOWER	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	Showerhead Type: 3-Way Combination Wallmount with Handshower **No. of Functions:** 5 **Connection Size:** 1/2" **Connection Type:** IPS **Cradle and Hose Included:** Yes **Hose Length:** 60" **Hose Material:** Metal	20016 20016SRN	2.5 gpm (9.5 L/min) max 2.5 gpm (9.5 L/min) max	Chrome Spot Resist™ Brushed Nickel	2 2

REFRESH®	SEVEN-FUNCTION COMBINATION SHOWER	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	Showerhead Type: 2-Way Combination Rainshower with Handshower **No. of Functions:** 7 **Connection Size:** 1/2" **Connection Type:** IPS **Cradle and Hose Included:** Yes **Hose Length:** 60" **Hose Material:** Metal	21005	2.5 gpm (9.5 L/min) max	Chrome	2

RENEWAL™	FIVE-FUNCTION COMBINATION SHOWER	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	Showerhead Type: Combination Wallmount with Handshower and Slidebar **No. of Functions:** 5 **Connection Size:** 1/2" **Connection Type:** IPS **Cradle and Hose Included:** Yes **Hose Length:** 60" **Hose Material:** Metal	● 26035SRN	1.75 gpm (6.6 L/min)	Spot Resist Brushed Nickel	2

SPRY™	FOUR-FUNCTION COMBINATION SHOWER	MODEL NO.	FLOW RATE	FINISH	CASE QTY.
	Showerhead Type: 2-Way Combination Wallmount with Handshower **No. of Functions:** 4 **Connection Size:** 1/2" **Connection Type:** IPS **Cradle and Hose Included:** Yes **Hose Length:** 60" **Hose Material:** Metal	● 26310	2.0 gpm (7.6 L/min) max	Chrome	2

Renewal™ Five-Function Combination Shower / 26035SRN

Replacement Parts

All Moen® faucets and faucet parts carry a Lifetime Limited Warranty against leaks, drips and finish defects to the original consumer purchaser. Replacement parts and accessories carry a one-year warranty.

SOAP/LOTION DISPENSERS

Model 3942

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Includes Soap/Lotion Bottle for All Finishes	3942	Chrome	6
	3942BC	Brushed Chrome	6
	3942BL	Matte Black	6
	3942CSL	Classic Stainless	6
	3942SL	Stainless	6
	3942V	Ivory	6
	3942W	Glacier	6

Model 3944 CSL

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Includes Soap/Lotion Bottle for All Finishes	3944	Chrome	6
	3944BB	Brushed Bronze	6
	3944CSL	Classic Stainless	6
	3944ORB	Oil Rubbed Bronze	6
	3944PW	Pewter	6
	3944SL	Stainless	6
	3944W	Glacier	6

CHOICEFLO® REPLACEMENT FILTER

DESCRIPTION	MODEL NO.	CASE QTY.
• Replacement Filter for F87254 Wickston Filtering Faucet and 77200 AquaSuite®	9501	6

AERATOR: FEMALE THREAD

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• GPM: 2.2	3924	Chrome	18
• GPM: 1.5	CA3924	Chrome	18

AERATOR: MALE THREAD

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• GPM: 2.2	3919	Chrome	18
• GPM: 1.5	CA3919	Chrome	18

AERATOR: SWING-N-SPRAY, FEMALE THREAD

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• GPM: 2.2 • Energy Saving Aerator • Aerator Swivels 360 Degrees • Includes Adapter to Fit Kitchen or Bathroom Faucets	20200	Chrome	18

Replacement Parts & Accessories

Sarona™ One-Handle Bathroom Faucet / 84144BRB | **Banbury® Towel Ring** / Y2686BRB

Replacement Parts

All Moen® faucets and faucet parts carry a Lifetime Limited Warranty against leaks, drips and finish defects to the original consumer purchaser. Replacement parts and accessories carry a one-year warranty.

MONTICELLO® AERATOR

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• GPM: 2.2	100112	Chrome	72
• GPM: 1.5	CA100112	Chrome	18

ONE-HANDLE REPLACEMENT BRASS CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• Fits Most Moen One-Handle Faucets (Excluding Posi-Temp® and ExactTemp®) • Durable, High Quality Construction	1200	36

ONE-HANDLE POSI-TEMP REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• Used in Moen Posi-Temp Tub/Shower Models	1222	18

TWO-HANDLE REPLACEMENT CARTRIDGE (HOT OR COLD)

DESCRIPTION	MODEL NO.	CASE QTY.
• Fits Most Moen Two-Handle Faucets (Except Roman Tubs)	1224	6

ONE-HANDLE REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• Fits Most Moen One-Handle Faucets (Excluding Posi-Temp and ExactTemp)	1225	36

TWO-HANDLE DURALAST® CERAMIC REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• Duralast Two-Handle Cartridge for Select Widespread and Centerset Faucets	1234	18

TWO-HANDLE ROMAN TUB REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• High Flow Roman Tub Cartridge for 4999 Valve	1248	18

ONE-HANDLE DURALAST CERAMIC REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• 1255® Duralast Cartridge • Fits Select Moen One-Handle Faucets	1255	72

KEROX 4000 ONE-HANDLE CERAMIC REPLACEMENT CARTRIDGE

DESCRIPTION	MODEL NO.	CASE QTY.
• Fits Select Moen One-Handle Kitchen Faucets	4000R	18

CARTRIDGE REPAIR KIT – POSI-TEMP

DESCRIPTION	MODEL NO.	CASE QTY.
• Fits 1222 Posi-Temp Replacement Cartridges	98040	18

CARTRIDGE PULLER – ONE-HANDLE

DESCRIPTION	MODEL NO.	CASE QTY.
• Cartridge Puller for 1200, 1222 & 1225 One-Handle Cartridges	104421	36

CARTRIDGE PULLER - TWO-HANDLE

DESCRIPTION	MODEL NO.	CASE QTY.
• Removal tool for 1224 and 1248 cartridges	179120	2

CARTRIDGE CLIP PACK

DESCRIPTION	MODEL NO.	CASE QTY.
• Cartridge Clip Pack for Kitchen, Lavatory and Tub/Shower Products	179107	36

MULTI-FIT SIDE SPRAY CHROME

DESCRIPTION	MODEL NO.	CASE QTY.
• Moen Multi-Fit Side Spray Chrome • Will Adapt to Threaded and Quick Connect Kitchen Faucets	179108	3

Replacement Parts

All Moen® faucets and faucet parts carry a Lifetime Limited Warranty against leaks, drips and finish defects to the original consumer purchaser. Replacement parts and accessories carry a one-year warranty.

KNOB HANDLE KIT – CHATEAU® LAVATORY

DESCRIPTION	MODEL NO.	CASE QTY.
• Chateau One-Handle Lavatory • Clear Knob with White and Chrome Insert	96782	18

KNOB HANDLE KIT – CHATEAU TUB/SHOWER

DESCRIPTION	MODEL NO.	CASE QTY.
• Chateau One-Handle Tub/Shower • Clear Knob with White and Chrome Insert	98039	18

KNOB HANDLE KIT – TOUCH CONTROL™

DESCRIPTION	MODEL NO.	CASE QTY.
• Touch Control One-Handle Tub/Shower Knob	98037	18

KNOB HANDLE INSERT – TOUCH CONTROL

DESCRIPTION	MODEL NO.	CASE QTY.
• Touch Control One-Handle Lavatory and Tub/Shower Knob Insert	98036	18

KNOB HANDLE KIT – LAVATORY

DESCRIPTION	MODEL NO.	CASE QTY.
• Handle Mechanism • Touch Control One-Handle Lavatory Knob	98035	18

KNOB HANDLE KIT – POSI-TEMP® – CHATEAU

DESCRIPTION	MODEL NO.	CASE QTY.
• Chateau One-Handle Tub/Shower with White and Chrome Insert for Posi-Temp Tub/Shower Valves	100710	18

HANDLE KIT – POSI-TEMP®

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Metal Lever Handle Works with All Posi-Temp Valves	179100	Chrome	3

HANDLE ADAPTER KIT – MONTICELLO®

DESCRIPTION	MODEL NO.	CASE QTY.
• Handle Adapter Service Kit That Will Repair Monticello Centerset, Mini-Wide and Roman Tub Applications	179103	18

HANDLE ADAPTER KIT – 1225 KITCHEN

DESCRIPTION	MODEL NO.	CASE QTY.
• Handle Mechanism Used with 1225 Cartridge • For One-Handle Kitchen Faucets • Includes Hex Wrench Tool	179104	18

HANDLE ADAPTER KIT – 1225 ONE-HANDLE

DESCRIPTION	MODEL NO.	CASE QTY.
• Handle Mechanism Used With 1225 Cartridge • For One-Handle Kitchen Faucets • Includes Hex Wrench Tool	100429	250

RETAINER PIVOT NUT ONE-HANDLE KITCHEN FAUCET, LEVER

DESCRIPTION	MODEL NO.	CASE QTY.
• For Select One-Handle Kitchen Faucets	14699	150

Replacement Parts

All Moen® faucets and faucet parts carry a Lifetime Limited Warranty against leaks, drips and finish defects to the original consumer purchaser. Replacement parts and accessories carry a one-year warranty.

TUB DRAIN WITH TRIP LEVER FOR 14" TO 16" TUBS

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Tub/Shower Drain Cover • Connection Size: 1-1/2" • Connection Type: Threaded Shoe • Tubing Size: 20 gauge brass • Fit Tubs: 14" – 16" • Type of Tee: Cast Brass	90410 90410BN 90410ORB	Chrome Spot Resist™ Brushed Nickel Oil Rubbed Bronze	10 10 10

TUB DRAIN WITH TRIP LEVER FOR 24" WHIRLPOOL TUBS

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Tub/Shower Drain Cover • Connection Size: 1-1/2" • Connection Type: Threaded Shoe • Tubing Size: 17 gauge brass • Fit Tubs: 24" • Type of Tee: Cast Brass	90480 90480BN 90480ORB	Chrome Spot Resist Brushed Nickel Oil Rubbed Bronze	8 8 8

TUB DRAIN WITH LIFT-N-DRAIN ASSEMBLY

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Connection Size: 1-1/2" • Connection Type: Threaded Shoe • Tubing Type: White PVC • Fit Tubs: 14" – 16"	90530	Chrome	10

SPOUT O-RING KIT

DESCRIPTION	MODEL NO.	CASE QTY.
• Used to Repair O-Rings in Most Kitchen Faucets with Rotating Spouts	96778	36

DECORATIVE METAL DIVERTER TUB SPOUT

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Adapts to 1/2" Slip Fit Connections • Includes Optional Decorative Metal Flange • All Metal Constructions	179101	Chrome	3

POSI-TEMP ESCUTCHEON PLATE

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Chrome Escutcheon Plate That Will Adapt to Any Posi-Temp Valve	179102	Chrome	6

ESCUTCHEON PLATE WITH HANDLE

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Escutcheon Plate With Handle Trim Kit	181119 181119SRN	Chrome Spot Resist™ Brushed Nickel	6 6

ONE-HANDLE TUB SHOWER POSI VALVE KIT

DESCRIPTION	MODEL NO.	CASE QTY.
• Posi-Temp 1/2" IPS or CC Connection Includes Pressure Balancing	82510	2

POP-UP DRAIN ASSEMBLY

DESCRIPTION	MODEL NO.	FINISH	CASE QTY.
• Replaces Most Standard Pop-Up Drain Assemblies • 1.25" Diameter	179110	Chrome	3

Accessories Collections

Banbury® Two-Handle Widespread Bathroom Faucet / WS84924SRN | **Banbury Towel Ring** / Y2686BN | **Banbury Mirror** / Y2692BN

Ashville™



Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Chrome	DN7903CH	12
	Brushed Nickel	DN7903BN	12
	Mediterranean Bronze	DN7903BRB	12

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
PIVOTING PAPER HOLDER	Chrome	DN7908CH	3
	Brushed Nickel	DN7908BN	3
	Mediterranean Bronze	DN7908BRB	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
18" TOWEL BAR	Chrome	DN7918CH	3
	Brushed Nickel	DN7918BN	3
	Mediterranean Bronze	DN7918BRB	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
24" TOWEL BAR	Chrome	DN7924CH	3
	Brushed Nickel	DN7924BN	3
	Mediterranean Bronze	DN7924BRB	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
TOWEL RING	Chrome	DN7986CH	2
	Brushed Nickel	DN7986BN	2
	Mediterranean Bronze	DN7986BRB	2

Aspen™



Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	5802CH	24
	White	5802W	24

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
PAPER HOLDER	Chrome	5808CH	3
	Chrome	BP5808CH	6
	White	5808W	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
18" TOWEL BAR	Chrome	5818CH	3
	White	5818W	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
24" TOWEL BAR	Chrome	5824CH	3
	Chrome	BP5824CH	6
	White	5824W	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
TOWEL RING	Chrome	5886CH	3
	Chrome	BP5886CH	6
	White	5886W	3

Banbury®



Faucet-Matching Collection

Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	TANK LEVER	Brushed Nickel	Y2601BN	12
		Mediterranean Bronze	Y2601BRB	12
	DOUBLE ROBE HOOK	Chrome	Y2603CH	12
		Brushed Nickel	Y2603BN	24
		Mediterranean Bronze	Y2603BRB	12
	PIVOTING PAPER HOLDER	Chrome	Y2608CH	3
		Brushed Nickel	Y2608BN	3
		Mediterranean Bronze	Y2608BRB	3
	18" TOWEL BAR	Chrome	Y2618CH	3
		Brushed Nickel	Y2618BN	3
		Mediterranean Bronze	Y2618BRB	3
	24" DOUBLE TOWEL BAR	Brushed Nickel	Y2622BN	2
	24" TOWEL BAR	Chrome	Y2624CH	3
		Brushed Nickel	Y2624BN	3
		Mediterranean Bronze	Y2624BRB	3
	TOWEL RING	Chrome	Y2686CH	3
		Brushed Nickel	Y2686BN	3
		Mediterranean Bronze	Y2686BRB	3
	GLASS SHELF	Brushed Nickel	Y2690BN	2
	MIRROR	Brushed Nickel	Y2692BN	2
	HOTEL SHELF	Brushed Nickel	Y2694BN	2
	3-PIECE KIT P Includes pivoting paper holder, 24" towel bar and towel ring.	Brushed Nickel	Y2633BN	4

Boardwalk™

Faucet-Matching Collection

Complies with Americans with Disabilities Act (ADA) specifications.

Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	DOUBLE ROBE HOOK	Chrome	Y3203CH	12
		Brushed Nickel	Y3203BN	12
	PIVOTING PAPER HOLDER P	Chrome	Y3208CH	3
		Brushed Nickel	Y3208BN	3
	18" TOWEL BAR	Chrome	Y3218CH	3
		Brushed Nickel	Y3218BN	3
	24" TOWEL BAR	Chrome	Y3224CH	3
		Brushed Nickel	Y3224BN	3
	TOWEL RING	Chrome	Y3286CH	3
		Brushed Nickel	Y3286BN	3
	16" GRAB BAR	Brushed Nickel	YG3216BN	3

Bradshaw™



Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	TANK LEVER	Oil Rubbed Bronze	DN3601ORB	12
	ROBE HOOK	Oil Rubbed Bronze	DN3603ORB	24
	PAPER HOLDER	Oil Rubbed Bronze	DN3608ORB	3
	18" TOWEL BAR	Oil Rubbed Bronze	DN3618ORB	3
	24" DOUBLE TOWEL BAR	Oil Rubbed Bronze	DN3622ORB	3
	24" TOWEL BAR	Oil Rubbed Bronze	DN3624ORB	3
	TOWEL RING	Oil Rubbed Bronze	DN3686ORB	3

Caldwell®

Faucet-Matching Collection

Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	Y3103CH	12
	Brushed Nickel	Y3103BN	12
	Mediterranean Bronze	Y3103BRB	12
PIVOTING PAPER HOLDER (P)	Chrome	Y3108CH	3
	Brushed Nickel	Y3108BN	3
	Mediterranean Bronze	Y3108BRB	3
18" TOWEL BAR	Chrome	Y3118CH	3
	Brushed Nickel	Y3118BN	3
	Mediterranean Bronze	Y3118BRB	3
24" DOUBLE TOWEL BAR	Chrome	Y3122CH	3
	Brushed Nickel	Y3122BN	3
	Mediterranean Bronze	Y3122BRB	3
24" TOWEL BAR	Chrome	Y3124CH	3
	Brushed Nickel	Y3124BN	3
	Mediterranean Bronze	Y3124BRB	3
TOWEL RING	Chrome	Y3186CH	3
	Brushed Nickel	Y3186BN	3
	Mediterranean Bronze	Y3186BRB	3

Danbury®



Spot Resist Finish, see page 5 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Brushed Nickel	DN6703BN	24
	Oil Rubbed Bronze	DN6703ORB	24
EUROPEAN PAPER HOLDER	Brushed Nickel	DN6708BN	3
	Oil Rubbed Bronze	DN6708ORB	3
18" TOWEL BAR	Brushed Nickel	DN6718BN	3
	Oil Rubbed Bronze	DN6718ORB	3
24" TOWEL BAR	Brushed Nickel	DN6724BN	3
	Oil Rubbed Bronze	DN6724ORB	3
TOWEL RING	Brushed Nickel	DN6786BN	3
	Oil Rubbed Bronze	DN6786ORB	3

Danika™



Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Brushed Nickel	BH2903BN	12
PIVOTING PAPER HOLDER (P)	Brushed Nickel	BH2908BN	3
18" TOWEL BAR	Brushed Nickel	BH2918BN	3
24" TOWEL BAR	Brushed Nickel	BH2924BN	3
TOWEL RING	Brushed Nickel	BH2986BN	3

Darcy™

Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS



DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	MY1503CH	12
	Brushed Nickel	MY1503BN	12
PAPER HOLDER	Chrome	MY1509CH	3
	Brushed Nickel	MY1509BN	3
18" TOWEL BAR	Chrome	MY1518CH	3
	Brushed Nickel	MY1518BN	3
24" TOWEL BAR	Chrome	MY1524CH	3
	Brushed Nickel	MY1524BN	3
TOWEL RING	Chrome	MY1586CH	3
	Brushed Nickel	MY1586BN	3

Ellsworth™

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	ROBE HOOK	Chrome	DN9103CH	12
		Brushed Nickel	DN9103BN	12
		Mediterranean Bronze	DN9103BRB	12
	PIVOTING PAPER HOLDER (P)	Chrome	DN9108CH	3
		Brushed Nickel	DN9108BN	3
		Mediterranean Bronze	DN9108BRB	3
	18" TOWEL BAR	Chrome	DN9118CH	3
		Brushed Nickel	DN9118BN	3
		Mediterranean Bronze	DN9118BRB	3
	24" TOWEL BAR	Chrome	DN9124CH	3
		Brushed Nickel	DN9124BN	3
		Mediterranean Bronze	DN9124BRB	3
	TOWEL RING	Chrome	DN9186CH	2
		Brushed Nickel	DN9186BN	2
		Mediterranean Bronze	DN9186BRB	2

Halle™



Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	ROBE HOOK	Brushed Nickel	MY0303BN	12
	PIVOTING PAPER HOLDER (P)	Brushed Nickel	MY0308BN	3
	18" TOWEL BAR	Brushed Nickel	MY0318BN	3
	24" TOWEL BAR	Brushed Nickel	MY0324BN	3
	TOWEL RING	Brushed Nickel	MY0386BN	3

PRESS&MARK™
DESIGNED FOR EASY INSTALLATION™

Ink stamp innovation makes installation fast, simple and easy.

OUR FAST AND EASY INSTALLATION! Moen® Press & Mark™ bath hardware features a washable ink stamp to show you exactly where to drill — eliminating the need for a traditional paper template. Select accessories with Press & Mark even include a self-adhesive level, helping to ensure proper and accurate installation.

1 Choose Location

2 Press & Mark

3 Drill & Mount

Washable ink stamp shows you exactly where to drill.



BONUS! Self-adhesive level included on select accessories.

Hilliard™

PRESS&MARK™
DESIGNED FOR EASY INSTALLATION™

Faucet-Matching Collection

Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	MY2703CH	12
	Brushed Nickel	MY2703BN	12
	Mediterranean Bronze	MY2703BRB	12

PIVOTING PAPER HOLDER (P)	Chrome	MY2708CH	2
	Brushed Nickel	MY2708BN	2
	Mediterranean Bronze	MY2708BRB	2

18" TOWEL BAR	Chrome	MY2718CH	2
	Brushed Nickel	MY2718BN	2
	Mediterranean Bronze	MY2718BRB	2

24" DOUBLE TOWEL BAR	Chrome	MY2722CH	2
	Brushed Nickel	MY2722BN	2
	Mediterranean Bronze	MY2722BRB	2

24" TOWEL BAR	Chrome	MY2724CH	2
	Brushed Nickel	MY2724BN	2
	Mediterranean Bronze	MY2724BRB	2

TOWEL RING	Chrome	MY2786CH	2
	Brushed Nickel	MY2786BN	2
	Mediterranean Bronze	MY2786BRB	2

Iso™

Complies with Americans with Disabilities Act (ADA) specifications.

Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

▲ Wholesale Box

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	DN0703CH	12
	Brushed Nickel	DN0703BN	12

PIVOTING PAPER HOLDER (P)	Chrome	DN0708CH	3
	Brushed Nickel	DN0708BN	3

SINGLE-POST PAPER HOLDER	Chrome	DN0709CH	3
	Brushed Nickel	DN0709BN	3

18" TOWEL BAR	Chrome	DN0718CH	3
	Brushed Nickel	DN0718BN	3

24" DOUBLE TOWEL BAR	Chrome	DN0722CH	3
	Brushed Nickel	DN0722BN	3

24" TOWEL BAR	Chrome	DN0724CH	3
	Brushed Nickel	DN0724BN	3

TOWEL RING	Chrome	DN0786CH	3
	Brushed Nickel	DN0786BN	3

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
GLASS SHELF	Chrome	DN0790CH	3
	Brushed Nickel	DN0790BN	3

MIRROR	Chrome	DN0792CH	3
	Brushed Nickel	DN0792BN	3

HOTEL SHELF	Chrome	▲ DN0794CH	2
	Brushed Nickel	▲ DN0794BN	2

12" GRAB BAR	Chrome	YG0712CH	6
	Brushed Nickel	YG0712BN	6
18" GRAB BAR	Chrome	YG0718CH	6
	Brushed Nickel	YG0718BN	6
24" GRAB BAR	Chrome	YG0724CH	6
	Brushed Nickel	YG0724BN	6
36" GRAB BAR	Chrome	YG0736CH	6
	Brushed Nickel	YG0736BN	6
42" GRAB BAR	Chrome	YG0742CH	6
	Brushed Nickel	YG0742BN	6

Kasey™

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	BH4603CH	12
PIVOTING PAPER HOLDER (P)	Chrome	BH4608CH	3
18" TOWEL BAR	Chrome	BH4618CH	3
24" TOWEL BAR	Chrome	BH4624CH	3
TOWEL RING	Chrome	BH4686CH	3

(P) Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

Lounge™



Spot Resist™ Finish, see page 5 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Chrome	DN7703CH	24
	Brushed Nickel	DN7703BN	24
EUROPEAN PAPER HOLDER	Chrome	DN7708CH	3
	Brushed Nickel	DN7708BN	3
18" TOWEL BAR	Chrome	DN7718CH	3
	Brushed Nickel	DN7718BN	3
24" DOUBLE TOWEL BAR	Chrome	DN7722CH	3
	Brushed Nickel	DN7722BN	3
24" TOWEL BAR	Chrome	DN7724CH	3
	Brushed Nickel	DN7724BN	3
TOWEL RING	Chrome	DN7786CH	3
	Brushed Nickel	DN7786BN	3
GLASS SHELF	Chrome	DN7790CH	3
	Brushed Nickel	DN7790BN	3

Lindor™

Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Brushed Nickel	MY8703BN	12
PIVOTING PAPER HOLDER (P)	Brushed Nickel	MY8708BN	3
18" TOWEL BAR	Brushed Nickel	MY8718BN	3
24" TOWEL BAR	Brushed Nickel	MY8724BN	3
TOWEL RING	Brushed Nickel	MY8786BN	3

Madison™

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Pewter	DN6903PW	24
PAPER HOLDER	Pewter	DN6908PW	3
18" TOWEL BAR	Pewter	DN6918PW	3
24" TOWEL BAR	Pewter	DN6924PW	3
TOWEL RING	Pewter	DN6986PW	3

Oxby™



Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Brushed Nickel	Y1203BN	12
PIVOTING PAPER HOLDER	Brushed Nickel	Y1208BN	3
18" TOWEL BAR	Brushed Nickel	Y1218BN	3
24" TOWEL BAR	Brushed Nickel	Y1224BN	3
TOWEL RING	Brushed Nickel	Y1286BN	3

Preston™



Spot Resist Finish, see page 5 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Chrome	DN8403CH	12
	Brushed Nickel	DN8403BN	12
EUROPEAN PAPER HOLDER	Chrome	DN8408CH	3
	Brushed Nickel	DN8408BN	3
18" TOWEL BAR	Chrome	DN8418CH	3
	Brushed Nickel	DN8418BN	3
24" DOUBLE TOWEL BAR	Chrome	DN8422CH	3
24" TOWEL BAR	Chrome	DN8424CH	3
	Brushed Nickel	DN8424BN	3
TOWEL RING	Chrome	DN8486CH	3
	Brushed Nickel	DN8486BN	3
GLASS SHELF	Chrome	DN8490CH	3
3-PIECE KIT Includes European paper holder, 18" towel bar and towel ring.	Chrome	DN8433CH	4
	Brushed Nickel	DN8433BN	4

Retreat®



Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Chrome	DN8303CH	24
	Brushed Nickel	DN8303BN	24
PIVOTING PAPER HOLDER	Chrome	DN8308CH	3
	Brushed Nickel	DN8308BN	3
18" TOWEL BAR	Chrome	DN8318CH	3
	Brushed Nickel	DN8318BN	3
24" DOUBLE TOWEL BAR	Chrome	DN8322CH	3
	Brushed Nickel	DN8322BN	3
24" TOWEL BAR	Chrome	DN8324CH	3
	Brushed Nickel	DN8324BN	3
TOWEL RING	Chrome	DN8386CH	3
	Brushed Nickel	DN8386BN	3
GLASS SHELF	Chrome	DN8390CH	3
	Brushed Nickel	DN8390BN	3

Sage®

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
TANK LEVER	Chrome	DN6801CH	3
	Brushed Nickel	DN6801BN	12
	Oil Rubbed Bronze	DN6801ORB	12

ROBE HOOK	Chrome	DN6803CH	3
	Brushed Nickel	DN6803BN	12
	Oil Rubbed Bronze	DN6803ORB	24

PAPER HOLDER	Chrome	DN6808CH	3
	Brushed Nickel	DN6808BN	3
	Oil Rubbed Bronze	DN6808ORB	3

PIVOTING PAPER HOLDER (P)	Brushed Nickel	DN6899BN	3

18" TOWEL BAR	Chrome	DN6818CH	3
	Brushed Nickel	DN6818BN	3
	Oil Rubbed Bronze	DN6818ORB	3

24" DOUBLE TOWEL BAR	Brushed Nickel	DN6822BN	3

24" TOWEL BAR	Chrome	DN6824CH	3
	Brushed Nickel	DN6824BN	3
	Oil Rubbed Bronze	DN6824ORB	3

FREESTANDING PAPER HOLDER	Brushed Nickel	DN6850BN	2

TOWEL RING	Chrome	DN6886CH	3
	Brushed Nickel	DN6886BN	3
	Oil Rubbed Bronze	DN6886ORB	3

GLASS SHELF	Brushed Nickel	DN6890BN	3

MIRROR	Brushed Nickel	DN6892BN	3

HOTEL SHELF	Brushed Nickel	BH5294BN	2

Stockton®



Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	DOUBLE ROBE HOOK	Brushed Nickel	DN4103BN	12
	PIVOTING PAPER HOLDER	Brushed Nickel	DN4108BN	3
	18" TOWEL BAR	Brushed Nickel	DN4118BN	3
	24" DOUBLE TOWEL BAR	Brushed Nickel	DN4122BN	3
	24" TOWEL BAR	Brushed Nickel	DN4124BN	3
	FREESTANDING PAPER HOLDER	Brushed Nickel	DN4150BN	3
	TOWEL RING	Brushed Nickel	DN4186BN	3
	GLASS SHELF	Brushed Nickel	DN4190BN	3

Tiffin™

Faucet-Matching Collection

Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	ROBE HOOK	Brushed Nickel	MY4803BN	12
		Mediterranean Bronze	MY4803BRB	12
	PIVOTING PAPER HOLDER	Brushed Nickel	MY4808BN	2
		Mediterranean Bronze	MY4808BRB	2
	18" TOWEL BAR	Brushed Nickel	MY4818BN	2
		Mediterranean Bronze	MY4818BRB	2
	24" TOWEL BAR	Brushed Nickel	MY4824BN	2
		Mediterranean Bronze	MY4824BRB	2
	TOWEL RING	Brushed Nickel	MY4886BN	2
		Mediterranean Bronze	MY4886BRB	2

Vale™



Spot Resist Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

	DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
	ROBE HOOK	Chrome	DN4403CH	12
		Brushed Nickel	DN4403BN	12
		Oil Rubbed Bronze	DN4403ORB	12
	PIVOTING PAPER HOLDER	Chrome	DN4408CH	3
		Brushed Nickel	DN4408BN	3
		Oil Rubbed Bronze	DN4408ORB	3
	18" TOWEL BAR	Chrome	DN4418CH	3
		Brushed Nickel	DN4418BN	3
		Oil Rubbed Bronze	DN4418ORB	3
	24" TOWEL BAR	Chrome	DN4424CH	3
		Brushed Nickel	DN4424BN	3
		Oil Rubbed Bronze	DN4424ORB	3
	TOWEL RING	Chrome	DN4486CH	2
		Brushed Nickel	DN4486BN	2
		Oil Rubbed Bronze	DN4486ORB	2

Wembley®



Spot Resist™ Finish, see page 5 to learn more.

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Brushed Nickel	DN8203BN	24
PIVOTING PAPER HOLDER	Brushed Nickel	DN8208BN	3
18" TOWEL BAR	Brushed Nickel	DN8218BN	3
24" DOUBLE TOWEL BAR	Brushed Nickel	DN8222BN	3
24" TOWEL BAR	Brushed Nickel	DN8224BN	3
TOWEL RING	Brushed Nickel	DN8286BN	3

Whitley™

Pivoting Technology, see page 6 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
ROBE HOOK	Mediterranean Bronze	DN1803BRB	12
PIVOTING PAPER HOLDER	Mediterranean Bronze	DN1808BRB	3
18" TOWEL BAR	Mediterranean Bronze	DN1818BRB	3
24" TOWEL BAR	Mediterranean Bronze	DN1824BRB	3
TOWEL RING	Mediterranean Bronze	DN1886BRB	3

Yorkshire™



Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DOUBLE ROBE HOOK	Chrome	5303CH	3
	Satin Nickel	BP5303SN	24
	Old World Bronze	BP5303OWB	24
PAPER HOLDER	Chrome	5308CH	3
	Satin Nickel	BP5308SN	6
	Old World Bronze	BP5308OWB	6
EUROPEAN PAPER HOLDER	Chrome	BP5380CH	3
	Satin Nickel	BP5380SN	6
	Old World Bronze	BP5380OWB	6
18" TOWEL BAR	Chrome	5318CH	3
	Satin Nickel	BP5318SN	6
	Old World Bronze	BP5318OWB	6
24" TOWEL BAR	Chrome	5324CH	3
	Satin Nickel	BP5324SN	6
	Old World Bronze	BP5324OWB	6
TOWEL RING	Chrome	5386CH	3
	Satin Nickel	BP5386SN	6
	Old World Bronze	BP5386OWB	6

Decorative Triple Hooks

Spot Resist Finish, see page 5 to learn more.

Product can be ordered in case quantity or individually.

FINISH OPTIONS

DESCRIPTION	FINISH	MODEL NO.	CASE QTY.
DECORATIVE TRIPLE HOOK	Chrome	7603CH	24
	Brushed Nickel	7603BN	24
	Chrome/Brass	7603CB	24
	Old World Bronze	7603OWB	24
	White	7603W	24

7603CH

7603BN

7603CB

7603OWB

7603W

Permanent Double Curved Shower Rods

PRODUCT DETAILS

- Provides up to 5.5" more elbow room in the shower
- Features decorative covers
- Separates the curtain and liner
- Adjusts from 57" to 60"
- Works with standard 72" × 72" shower curtains
- Corrosion-resistant
- Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® Shower Curtain Rings can be purchased separately. See page 80.

PERMANENT DOUBLE CURVED SHOWER RODS

Double Curved Shower Rod
DN2141CH

Double Curved Shower Rod
DN2141BN

Double Curved Shower Rod
DN2141OWB

MODEL NO.	DESCRIPTION	CASE QTY.
DN2141CH	Chrome Double Curved Shower Rod	2
DN2141BN	Brushed Nickel Double Curved Shower Rod	2
DN2141OWB	Old World Bronze Double Curved Shower Rod	2

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Shower Rods & Rings

Gibson™ Two-Handle High-Arc Bathroom Faucet / WS84228BRB | **Gibson Posi-Temp® Tub/Shower** / 82228BRB
Permanent Curved Shower Rod / DN2160OWB

Curved Shower Rods

In minutes, you can add up to an additional 5.5" of elbow room to your shower and transform your bath.

PRODUCT DETAILS

Easy installation: expand the bar to the correct size, apply tension and snap on the decorate covers

Tension rods adjust from 57" to 60"

Permanent rods extend up to 72"

Works with standard 72" × 72" shower curtains

Secure holding strength

Corrosion-resistant

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® Shower Curtain Rings can be purchased separately. See page 80.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

TENSION CURVED SHOWER RODS

Tension Curved Shower Rod
DN2171CH

Tension Curved Shower Rod
DN2171BN

Tension Curved Shower Rod
DN2170OWB

PERMANENT CURVED SHOWER RODS

Permanent Curved Shower Rod
DN2160CH

Permanent Curved Shower Rod
DN2160BN

Permanent Curved Shower Rod
DN2160OWB

TENSION OR PERMANENT CURVED SHOWER RODS WITH MAGNETIX™

Tension or Permanent Curved Shower Rod with Magnetix™
MDN2170CH

Tension or Permanent Curved Shower Rod with Magnetix™
MDN2170BN

MODEL NO.	DESCRIPTION	CASE QTY.
Tension Curved Shower Rods		
DN2171CH	Chrome Tension Curved Shower Rod	3
DN2171BN	Brushed Nickel Tension Curved Shower Rod	3
DN2170OWB	Old World Bronze Tension Curved Shower Rod	3
Permanent Curved Shower Rods		
DN2160CH	Chrome Permanent Curved Shower Rod	3
DN2160BN	Brushed Nickel Permanent Curved Shower Rod	3
DN2160OWB	Old World Bronze Permanent Curved Shower Rod	3
Tension or Permanent Curved Shower Rod with Magnetix™		
MDN2170CH	Chrome Tension or Permanent Curved Shower Rod with Magnetix™	3
MDN2170BN	Brushed Nickel Tension or Permanent Curved Shower Rod with Magnetix™	3

Tension Shower Rods



PRODUCT DETAILS

Adjusts from 44" to 72"

Adjustable straight rod

Corrosion-resistant

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen Shower Curtain Rings can be purchased separately. See page 80.

FEATURED INNOVATIONS

with FASTLOCK™ technology

No tools, no additional hardware, no long installation. In fact, our tension rods with FastLock™ technology can be up in a matter of minutes.

DECORATIVE TENSION SHOWER RODS

Tension Rod
TR1000CH

Tension Rod
TR1000BN

Tension Rod
TR1000OWB

SQUARE TENSION SHOWER RODS

Tension Rod
TR1032BN

MODEL NO.	DESCRIPTION	CASE QTY.
TR1000CH	Chrome Tension Straight Shower Rod	3
TR1000BN	Brushed Nickel Tension Straight Shower Rod	3
TR1000OWB	Old World Bronze Tension Straight Shower Rod	3
TR1032BN	Brushed Nickel Tension Square Straight Shower Rod	3

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Shower Rings



PRODUCT DETAILS

- Fits curved and straight shower rods
- Separates decorative shower curtain from your bath liner
- Offset hook design helps hide your bath liner from view
- Smooth-rolling ball bearings eliminate snagging, tugging and pulling
- Corrosion-resistant
- Includes 12 rings per package

DOUBLE SHOWER CURTAIN RINGS

Shower Rings
SR2201CH

Shower Rings
SR2201BN

Shower Rings
SR22010WB

MODEL NO.	DESCRIPTION	CASE QTY.
SR2201CH	Chrome Double Shower Rings	2
SR2201BN	Brushed Nickel Double Shower Rings	12
SR22010WB	Old World Bronze Double Shower Rings	2

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Donner Collection

Towel Ring/Metal Ring / P5860 | **Wallmount Soap Holder** / P5360 | **Wallmount Toothbrush Holder** / P5340
Double Robe Hook / P5030 | **18" Towel Bar Set with Aluminum Bar** / PS118

Contemporary




Chrome Finish Plastic Roller
3C

Chrome Finish Metal Roller
3CH

White Plastic Roller
3W

Double Robe Hook
P5030

Paper Holder, Chrome Roller
P5050

Paper Holder, White Roller
P5080

18" Towel Bar Set with Aluminum Bar
P5118

24" Towel Bar Set with Aluminum Bar
P5124

30" Towel Bar Set with Aluminum Bar
P5130

Wallmount Toothbrush Holder
P5340

Wallmount Soap Holder
P5360

Towel Ring/Lucite Ring
P5500

Towel Ring/Metal Ring
P5860

White Plastic Roller
225

Chrome Plated Plastic Roller
226

Double Robe Hook
2030

18" Towel Bar Set
2218

24" Towel Bar Set
2224

30" Towel Bar Set
2230

▲ Wholesale Box

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Towel Ring/Lucite Ring
2500

Towel Ring/Metal Ring
2860

Paper Holder, Chrome Roller
2050CH

Paper Holder, Plastic Roller
2080CH

MODEL NO.		DESCRIPTION	CASE QTY.
Chrome			
23418A	▲	18" Aluminum Bar Only	50
23424A	▲	24" Aluminum Bar Only	50
23430A	▲	30" Aluminum Bar Only	50
3C	▲	Chrome Finish Plastic Roller	250
3CH	▲	Chrome Finish Metal Roller	200
3W	▲	White Plastic Roller	250
P5030	▲	Double Robe Hook	100
P5050	▲	Paper Holder, Chrome Roller	100
P5080	▲	Paper Holder, White Roller	100
P5100	▲	3/4" Chrome Towel Bar Posts for Square Bars (Pair)	100
P5118	▲	18" Towel Bar Set with Aluminum Bar	50
P5124	▲	24" Towel Bar Set with Aluminum Bar	50
P5130	▲	30" Towel Bar Set with Aluminum Bar	12
P5340	▲	Wallmount Toothbrush Holder	50
P5360	▲	Wallmount Soap Holder	100
P5500	▲	Towel Ring/Lucite Ring	50
P5860	▲	Towel Ring/Metal Ring	100
Chrome, Plastic & Metal			
225	▲	White Plastic Roller	12
226	▲	Chrome Plated Plastic Roller	2
2030		Double Robe Hook	6
2218		18" Towel Bar Set	6
2224		24" Towel Bar Set	6
2230		30" Towel Bar Set	6
2500		Towel Ring/Lucite Ring	6
2860	▲	Towel Ring/Metal Ring	6
2050CH	▲	Paper Holder, Chrome Roller	6
2080CH	▲	Paper Holder, Plastic Roller	6
Brushed Nickel			
P5030BN	▲	Double Robe Hook	100
P5050BN	▲	Paper Holder, Brushed Nickel Roller	100
P5118BN	▲	18" Towel Bar Set with Aluminum Bar	36
P5124BN	▲	24" Towel Bar Set with Aluminum Bar	36
P5130BN	▲	30" Towel Bar Set with Aluminum Bar	12
P5860BN	▲	Towel Ring/Metal Ring	100

Stainless Steel

18" Stainless Steel Bar Only
23418SS

24" Stainless Steel Bar Only
23424SS

30" Stainless Steel Bar Only
23430SS



3/4" Stainless Steel Towel Bar Posts (Pair)
P1700

Double Robe Hook
P1703

18" Towel Bar Set
P1718

24" Towel Bar Set
P1724

Wallmount Toothbrush Holder
P1740

Wallmount Soap Holder
P1760

Paper Holder, Plastic Roller
P1780

Towel Ring
P1786

MODEL NO.	DESCRIPTION	CASE QTY.
Chrome		
23418SS	18" Stainless Steel Bar Only	50
23424SS	24" Stainless Steel Bar Only	50
23430SS	30" Stainless Steel Bar Only	50
P1700	3/4" Stainless Steel Towel Bar Posts (Pair)	100
P1703	Double Robe Hook	50
P1718	18" Towel Bar Set	50
P1724	24" Towel Bar Set	50
P1740	Wallmount Toothbrush Holder	50
P1760	Wallmount Soap Holder	96
P1780	Paper Holder, Plastic Roller	50
P1786	Towel Ring	100

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Economy Metal

Robe Hook
902

Paper Holder, White Roller
908

5/8" Square Towel Bar Posts (Pair)
910

Towel Ring/Lucite Ring
950

18" Aluminum Bar Only
25818A

24" Aluminum Bar Only
25824A

18" Towel Bar Set, Aluminum Bar
910A18

24" Towel Bar Set, Aluminum Bar
910A24

MODEL NO.	DESCRIPTION	CASE QTY.
Chrome		
902	Robe Hook	50
908	Paper Holder, White Roller	50
910	5/8" Square Towel Bar Posts (Pair)	50
950	Towel Ring/Lucite Ring	50
25818A	18" Aluminum Bar Only	50
25824A	24" Aluminum Bar Only	50
910A18	18" Towel Bar Set, Aluminum Bar	24
910A24	24" Towel Bar Set, Aluminum Bar	24

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Hotel/Motel

18" Towel Shelf with Single Towel Bar
5207-181CH

24" Towel Shelf with Single Towel Bar
5207-241CH

24" Towel Shelf with Extra Bar and Support Bracket
R5519

Extra Roll Recessed Paper Holder
5571

Double Recessed Paper Holder, Horizontal
5577

Recessed Coverless Tissue Box
5520NC

Double Roll Surface Paper Holder
R5580

Heavy-Duty Retractable Clothesline
RR5506HD

Recessed Facial Tissue Box
RR5520SS

MODEL NO.		DESCRIPTION	CASE QTY.
Hotel Shelves • Chrome			
5207-181CH		Stainless Steel 18" Towel Shelf with Single Towel Bar	6
5207-241CH		Stainless Steel 24" Towel Shelf with Single Towel Bar	6
R5519	▲	Stainless Steel 24" Towel Shelf with Extra Bar and Support Bracket (Towel Shelves Have Chrome Plated Brackets with Polished Stainless Steel Rods)	10
Miscellaneous Items			
5571		Extra Roll Recessed Paper Holder, White Roller, Overall Dimensions 6¼" × 6¼" Wall Opening 5¼" × 5¼" × 4	20
5577		Double Recessed Paper Holder, Chrome Roller, Horizontal, Overall Dimensions 12½" × 6¼" Wall Opening 11⅜" × 5¼" × 1½"	20
5520NC		Recessed Coverless Tissue Box, Chrome Finish Fits Wall Opening 10½" × 5 × 2¼"	24
R5580		Double Roll Surface Paper Holder, Chrome Roller, Chrome Plated, Brackets on Polished Aluminum Plate	24
RR5506HD		Heavy-Duty Retractable Clothesline, Polished Stainless Steel, 7'6" Length	60
RR5520SS		Recessed Facial Tissue Box, Chrome Finish Fits Wall Opening 10½" × 5 × 2¼"	24

▲ Wholesale Box

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Recessed Fixtures

Paper Holder, Chrome Roller*
575

Recessed Paper Holder, Matching Roller*
2575

Soap Holder and Utility Bar*
2565CH

Recessed Paper Holder
DN5075

Paper Holder, White Roller*
1576SS

Recessed Paper Holder
DN5075W

C-Clamp (Boxed)
588

Clamp with Retaining Spring (Boxed)
BR587

MODEL NO.	DESCRIPTION	CASE QTY.
Chrome		
575	Paper Holder, Chrome Roller (Utilizes BR587 or 588 Clamp)*	20
2575	Recessed Paper Holder, Matching Roller (Utilizes BR587 or 588 Clamp)*	3
2565CH	Soap Holder and Utility Bar (Utilizes BR587 or 588 Clamp)*	3
DN5075	Recessed Paper Holder (Includes 588 Clamp)	3
Polished Stainless Steel		
1576SS	Paper Holder, White Roller (Utilizes BR587 or 588 Clamp)*	40
White		
DN5075W	Recessed Paper Holder (Includes 588 Clamp)	3
Installation Clamps		
588	C-Clamp (Boxed)	80
BR587	Clamp with Retaining Spring (Boxed)	72

***Clamps must be ordered separately.**

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Standard Size • Chrome Plated
Overall Dimensions 6¼" × 6¼"
Wall Opening 5¼" × 5¼" × 2"

Polished Stainless Steel
Overall Dimensions 6¼" × 6¼"
Wall Opening 5¼" × 5¼" × 2"

Economy Size • Zinc Die Cast
Overall Dimensions 6¼" × 5¼"
Wall Opening 5¼" × 4¼" × 1½"

Bath Safety

Grab Bar with Paper Holder / LR2352D | **Handheld Shower** / DN8001CA | **Mesh Shower Chair** / DN7100 | **Designer Hand Grip** / LR2250

SecureMount™ Grab Bars and Anchors make installation fast and easy — with or without studs.

From designer collections to standard models, Moen® grab bars help make bathrooms safer — beautifully.

SecureMount Grab Bars
Many of our grab bars feature SecureMount, whose unique flange makes it easy to connect to studs at multiple points and at any angle!

SecureMount Anchors
In addition, many Moen grab bars are compatible with our SecureMount Anchors, which can be installed almost anywhere — no studs required.

Things to Consider When Selecting Grab Bars

Grab bars help reduce the risk of falling for people of every age. Health professionals typically recommend three placements:

- at least one along the back wall in the bathtub or shower
- at least one along the showerhead wall or whichever end of the tub/shower is used to enter and exit
- at least one near the toilet



Note: Wall stud spacing may vary

Length: Select a suitable length for the bath or shower area

Finish: Coordinate the grab bars with other fixtures

Weight capacity: Choose a grab bar that at least meets ADA requirements (250 lbs.). Moen SecureMount Grab Bars have a 500-pound weight-pull capacity that exceeds ADA requirements when securely installed per instructions.

Installation: SecureMount Grab Bars allow for secure installation into a stud or wood backing at any angle. When using SecureMount Anchors, there is no need for installation into a stud or wood backing.

Grip surface: Consider a grab bar with a textured surface or grip feature that provides a better hold in a wet bathroom environment.

Designer Grab Bars



LENGTH OPTIONS

Available in 16" and 24" lengths

COMPATIBLE WITH:

See page 89 for details.

SecureMount™ Anchors for non stud installation sold separately.

GRAB BAR

Designer Elegance with Grip Pads
LR8724D1GCH

Designer Elite
LR8724D2CH

Designer Ultima
LR8724D3CH

Designer Ultima with Curl Grips
LR8716D3GCH

1¼" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Designer Elegance with Grip Pads		
LR8724D1GCH	Chrome 24" Grab Bar with Grip Pads	3
LR8724D1GBN	Brushed Nickel 24" Grab Bar with Grip Pads	3
LR8724D1GOWB	Old World Bronze 24" Grab Bar with Grip Pads	3
Designer Elite		
LR8724D2CH	Chrome 24" Grab Bar	3
LR8724D2BN	Brushed Nickel 24" Grab Bar	3
Designer Ultima		
LR8716D3CH	Chrome 16" Grab Bar	3
LR8724D3CH	Chrome 24" Grab Bar	3
LR8716D3BN	Brushed Nickel 16" Grab Bar	3
LR8724D3BN	Brushed Nickel 24" Grab Bar	3
Designer Ultima with Curl Grips		
LR8716D3GCH	Chrome 16" Grab Bar with Curl Grip	3
LR8724D3GCH	Chrome 24" Grab Bar with Curl Grip	3
LR8716D3GBN	Brushed Nickel 16" Grab Bar with Curl Grip	3
LR8724D3GBN	Brushed Nickel 24" Grab Bar with Curl Grip	3
LR8716D3GOWB	Old World Bronze 16" Grab Bar with Curl Grip	3
LR8724D3GOWB	Old World Bronze 24" Grab Bar with Curl Grip	3

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Concealed Grab Bars



LENGTH OPTIONS

Available in 16", 18", 24" and 36" lengths

COMPATIBLE WITH:

See page 89 for details.

SecureMount™ Anchors for non stud installation sold separately.

GRAB BAR

Polished Stainless
LR8724PS

Stainless
L8718

Glacier
LR8716W

1¼" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Polished Stainless		
LR8724PS	24" Grab Bar	3
Stainless		
L8718	18" Grab Bar	3
L8724	24" Grab Bar	3
L8736	36" Grab Bar	3
Glacier		
LR8716W	16" Grab Bar	3

1½" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Glacier		
LR8918W	18" Grab Bar	3
LR8924W	24" Grab Bar	3

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Peened and Exposed Grab Bars

Textured Grips for added security.

GRAB BAR

1½" Peened Grab Bar
R8916P

Exposed Grab Bar
LR7518

LENGTH OPTIONS

Available in 16", 18", 24" 36" and 42" lengths

PEENED GRAB BARS COMPATIBLE WITH:

See page 89 for details.

SecureMount™ Anchors for non stud installation sold separately.

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

1¼" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Peened		
LR8716P	16" Grab Bar	3
LR8724P	24" Grab Bar	3

1½" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Stainless Steel Peened		
R8916P	16" Grab Bar	6
LR8918P	18" Grab Bar	3
LR8924P	24" Grab Bar	3
LR8936P	36" Grab Bar	3
LR8942P	42" Grab Bar	3

1¼" EXPOSED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Stainless Steel Exposed		
LR7518	18" Grab Bar	3
LR7524	24" Grab Bar	3
LR7536	36" Grab Bar	3
LR7542	42" Grab Bar	3

1½" Peened Grab Bar / LR8918P

Integrated Grab Bars



LENGTH OPTIONS

Available in 8", 9", 16" and 24" lengths

COMPATIBLE WITH:

See page 89 for details.

SecureMount™ Anchors for non stud installation sold separately.

GRAB BAR

Grab Bar with Paper Holder
LR2352D

Grab Bar with Corner Shelf
(Not Compatible with SecureMount)
LR2354D

Grab Bar with Shelf
LR2356D

Grab Bar with Towel Bar
LR2350D

1" CONCEALED SCREW

MODEL NO.	DESCRIPTION	CASE QTY.
Grab Bar with Paper Holder		
LR2352DCH	Chrome 8" Grab Bar with Paper Holder	3
LR2352DBN	Brushed Nickel 8" Grab Bar with Paper Holder	3
LR2352DOWB	Old World Bronze 8" Grab Bar with Paper Holder	3
Grab Bar with Corner Shelf		
LR2354DCH	Chrome 9" Grab Bar with Corner Shelf	3
LR2354DBN	Brushed Nickel 9" Grab Bar with Corner Shelf	3
LR2354DOWB	Old World Bronze 9" Grab Bar with Corner Shelf	3
Grab Bar with Shelf		
LR2356DCH	Chrome 16" Grab Bar with Shelf	3
LR2356DBN	Brushed Nickel 16" Grab Bar with Shelf	3
LR2356DOWB	Old World Bronze 16" Grab Bar with Shelf	3
Grab Bar with Towel Bar		
LR2350DCH	Chrome 24" Grab Bar with Towel Bar	3
LR2350DBN	Brushed Nickel 24" Grab Bar with Towel Bar	3
LR2350DOWB	Old World Bronze 24" Grab Bar with Towel Bar	3

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

SecureMount™ Anchors



Precision-engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

COMPATIBLE WITH:

See page 89 for details.

SecureMount™ Anchors for non stud installation sold separately.

ANCHORS

SecureMount, One Pair
SMA1000

SecureMount, ProPak of 10 Pairs
SMA1001

SecureMount, Single Anchor Retail Pack
SMA1005

ANCHORS

MODEL NO.	DESCRIPTION	CASE QTY.
SecureMount - One Pair		
SMA1000CH	Chrome SecureMount - One Pair	24
SMA1000OWB	Old World Bronze SecureMount - One Pair	24
SecureMount - ProPak of 10 Pairs		
SMA1001CH	Chrome SecureMount - ProPack of 10 Pairs	10
SecureMount - Single Anchor Retail Pack		
SMA1005CH	Chrome SecureMount - Single Anchor Retail Pack	3

Product can be ordered by case quantity or individually.

FINISH OPTIONS



SECUREMOUNT CAN ATTACH TO A VARIETY OF SUBSTRATES:

- ½" Drywall
- ½" Drywall with tile
- ½" Drywall with marble
- ⅛" Fiberglass tub surround
- ⅝" Drywall
- ⅝" Drywall with tile
- ⅝" Drywall with marble
- ¼" Fiberglass tub surround

*Including multiple layers up to 1½" thick.

300-pound weight capacity when securely installed per instructions. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Bath Safety Furniture






PRODUCT DETAILS

Caution: The Elevated Locking Toilet Seat with Support Handles fits most toilet seats. Check package for fit instructions.

BATH SAFETY FURNITURE

Elevated Toilet Seat
DN7020

Toilet Safety Rails
DN7015

Transfer Bench
DN7105

Bath Mat
DN7050

Tread Strips
DN7045

Tub Grip
DN7075

SecureLock™ Tub Grip
DN7175

Multi-Grip Safety Bar
DN7005

Low-Profile Safety Bar
DN7010

Adjustable Shower Seat
DN7030

Adjustable Tub and Shower Chair
DN8060

Adjustable Tub and Shower Seat
DN7025

Mesh Shower Chair
DN7100

Tool-Free Shower Chair
DN7060

Tool-Free Shower Chair
DN7064

Tub and Shower Seat
DN7038

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

MODEL NO.	DESCRIPTION	CASE QTY.
Toilet Safety		
DN7020	Glacier Elevated Toilet Seat	2
DN7015	Glacier Toilet Safety Rails	2
Transfer Benches		
DN7065	Glacier Tool-Free Transfer Bench	1
DN7105	Glacier Transfer Bench	2
Tub and Shower Safety		
DN7050	Bath Mat	24
DN7045	Glacier Tread Strips	12
DN7075	Glacier Locking Dual Tub Grip	2
DN7175	Glacier SecureLock Tub Grip	2
DN7005	Glacier Multi-Grip Safety Bar	2
DN7010	Glacier Low-Profile Safety Bar	2
DN7030	White Adjustable Shower Seat	2
DN8060	Glacier Adjustable Tub and Shower Chair	2
DN7025	Glacier Adjustable Tub and Shower Seat	2
DN7100	Glacier Mesh Shower Chair	2
DN7060	Glacier Tool-Free Shower Chair	2
DN7064	Glacier Tool-Free Shower Chair	2
DN7038	Glacier Tub and Shower Seat	2

Hand Grips

Designer Hand Grips provide safety with added style. Each hand grip is tested to a 250 lb weight capacity (when securely installed per instructions) and is easy to install.

EXPOSED SCREW HAND GRIPS

9" Exposed Screw Hand Grip
LR2250

16" Exposed Screw Hand Grip
LR2260

Curved Hand Grip
LRC2250DBN

Designer Hand Grips
LR2250DCH

MODEL NO.	DESCRIPTION	CASE QTY.
Exposed Screw Hand Grips		
LR2250	Chrome 9" Hand Grip	3
LR2250SN	Satin Nickel 9" Hand Grip	3
LR2260	Chrome 16" Hand Grip	3
LR2260SN	Satin Nickel 16" Hand Grip	3
Curved Hand Grip		
LRC2250DBN	Brushed Nickel 9" Curved Hand Grip	3
9" Designer Hand Grips		
LR2250DCH	Chrome 9" Designer Hand Grip	3
LR2250DBN	Brushed Nickel 9" Designer Hand Grip	3
LR2250DOWB	Old World Bronze 9" Designer Hand Grip	3
LR2250DW	White 9" Designer Hand Grip	3

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Handshowers

PRODUCT DETAILS

Multi-Function Design

- Shower Spray
- Massage Spray
- Pulsating Spray
- Pause Feature
- 1.75 gpm (6.6 L/min)
- CEC Compliant

HANDSHOWERS

Handshower
DN8001CH

Handshower
DN8001CA

MODEL NO.	DESCRIPTION	CASE QTY.
DN8001CH	Chrome Pause Control Handshower	3
DN8001CA	White Pause Control Handshower	3

Complies with Americans with Disabilities Act (ADA) specifications.

Product can be ordered by case quantity or individually.

FINISH OPTIONS

Merchandising

- To order literature and the catalog stand, please contact Great Lakes at moenfulfill.com and register to set up an account if you don't have one already.
- To order all other merchandising materials, please utilize the Moen Promotional Expenditure process at extranet.moen.com. This is for sales rep use only and a username and password is required.

MF36
WHOLESALE SPECIAL ORDER CATALOG

MF1319
WHOLESALE COLOR CATALOG



Kitchen Pullout/ Pulldown w/Logo – Black
27145ABL

Posi-Temp® w/Logo – Black
27242ABL

Posi-Temp Shower-Only w/Logo – Black
27242SABL

2-H Tub/Shower w/Logo – Black
27244ABL

3-H Tub/Shower w/Logo – Black
27246ABL

7" Lav 1 Hole w/Logo – Black
27252ABL

7" Lav 3 Hole w/Logo – Black
27256ABL

11" Widespread or 3 Hole Kitchen w/Logo – Black
27260ABL

11" Widespread 1 Hole w/Logo – Black
27261ABL

15" Kitchen 4 Hole w/Logo – Black
27264ABL

8" Kitchen or RT 4 Hole w/Logo – Black
27265ABL

15" Roman Tub 3 Hole w/Logo – Black
27266ABL



16" Black Display Plate
28544BL

Showering Peg Hook – Maple
29741

Showering Slat Wall – Maple
29740

Small AC Display Board - 18" × 8" × 3/4"

Large AC Display Board - 20" × 12" × 1/2"

Finish Ring – Contains 1 of Each Available Finish
28729

	**29769**	**Double-Side Slatwall Floor Display** (2' Slatwall is White with Beige flecks) Shipped As: 2 – #29751 1 – #29753 1 – #29758	25½"w × 74½"h × 16"d
MOEN Buy it for looks. Buy it for life.®	**29748**	**Unit Header** Unit header with screened color Moen® logo with slatwall clips (Can be used with 29769 Slatwall Floor Display)	22"w × 6"h
	29746	**Large Brochure Holder** • Holds 8½" × 11" literature • Clear plexiglass • Mounts to slatwall or flat surface	22"w × 6"h
	29747	**Small Stuffer Holder** • Clear plexi, mounts to slatwall or flat surface	4"w × 5½"h
	94192	**HDWR Pack SWD 2H & 3V TS**	

4' Slatwall Display Fixture
28068WG (28091WG + 28092WG + 28544BL-Qty. 4)

2' Slatwall Display Fixture
28647WG + 28648WG

Index

Bexley™ Two-Handle High-Arc Kitchen Faucet / 87403SRS

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
202R2EP	61	026508324288	4.50	7.13	9.75	312.61	0.18	2	10026508324285	10.70	7.90	7.80	659.33	0.38	2.95
209H0	60	026508322925	4.00	6.25	13.25	331.25	0.19	2	10026508322922	14.90	9.20	7.60	1,041.81	0.60	3.25
209W0SRN	57	026508322956	4.38	5.375	8.0	188.34	0.11	2	10026508322953	11.30	9.60	7.50	813.60	0.47	2.10
900-001	9	860000103503	10.20	9.60	4.60	450.43	0.26	2	10860000103500	10.80	10.70	9.70	1,120.93	0.65	9.00
900-006	9	860000103572	10.20	9.60	4.60	450.43	0.26	2	10860000103579	10.90	10.80	9.70	1,141.88	0.66	9.00
900-002	9	860000103534	12.10	11.00	6.20	825.22	0.48	2	10860000103531	13.50	12.70	11.90	2,040.26	1.18	14.70
920-001	9	860000103527	8.50	6.25	2.50	132.81	0.08	14	10860000103524	19.20	13.90	9.80	2,615.42	1.51	38.15
920-003	9	860000103510	9.50	3.00	3.50	99.75	0.06	10	10860000103517	12.40	9.30	9.20	1,060.94	0.61	5.55
920-004	9	860000103596	4.50	4.13	2.00	37.13	0.02	25	10860000103593	23.10	11.20	4.80	1,241.86	0.72	7.25
920-005	9	850015061004	10.40	4.50	2.00	93.60	0.05	12	10850015061001	14.30	11.00	9.00	1,415.70	0.82	10.08
920-006	9	850015061011	43.00	4.60	1.06	20.967	0.01	36	10850015061018	14.40	9.10	7.50	982.80	0.57	3.60
930-001	9	860000103541	12.30	10.25	7.75	977.08	0.57	24	10860000103548	13.10	10.66	8.20	1,138.65	0.66	12.00
930-002	9	860000103558	12.30	10.25	7.75	977.08	0.57	24	10860000103555	14.10	10.20	8.30	1,193.71	0.69	11.90
930-003	9	026508325438	2.40	2.40	8.85	50.98	0.03	24	10026508325435	11.02	8.26	19.68	1,791.37	1.04	34.56
930-004	9	026508325445	2.40	2.40	7.08	40.78	0.02	24	10026508325442	11.02	8.26	17.32	1,576.55	0.91	34.56
930-005	9	026508325452	2.87	2.87	8.07	66.47	0.04	12	–	12.99	9.84	9.44	1,206.63	0.70	19.80
930-006	9	026508325469	2.87	2.87	8.07	66.47	0.04	12	–	12.99	9.84	9.44	1,206.63	0.70	19.80
1011	34	26508269176	5.00	5.00	1.00	25.00	0.01	24	10026508269173	11.60	6.10	9.10	643.92	0.37	6.00
1016	34	26508269183	5.00	5.00	1.00	25.00	0.01	100	10026508269180	13.00	6.70	15.50	1,350.05	0.78	8.00
1023	34	29122010230	6.50	5.00	2.00	65.00	0.04	24	20029122010234	8.20	6.50	6.20	330.46	0.19	4.80
1024	35	29122010247	6.50	5.00	2.00	65.00	0.04	24	20029122010241	8.20	6.50	6.20	330.46	0.19	4.80
1026	35	29122010261	5.25	3.50	2.00	36.75	0.02	6	10029122010268	5.25	3.50	2.00	36.75	0.02	1.50
1037	35	629122000000	11.60	8.50	1.10	108.46	0.06	10	10629122010857	14.70	13.20	12.80	2,483.71	1.44	9.50
1039	35	26508275214	7.00	6.40	6.10	273.28	0.16	1	–	7.00	6.40	6.10	273.28	0.16	1.95
1200	66	26508012000	7.50	2.62	0.75	14.74	0.01	36	30026508012001	10.38	10.38	3.88	418.05	0.24	6.34
1222	66	26508014004	1.25	2.13	6.50	17.27	0.01	18	40026508014002	10.88	10.88	9.25	1,094.96	0.63	5.94
1224	66	26508187586	8.56	5.31	2.81	127.98	0.07	6	10026508187583	16.06	9.25	6.60	980.65	0.57	8.10
1225	66	26508012253	8.50	2.50	1.00	21.25	0.01	36	30026508012254	10.88	10.88	9.25	1,094.96	0.63	5.76
1234	66	26508251669	1.25	2.13	6.50	17.27	0.01	18	20026508251663	10.88	10.88	9.25	1,094.96	0.63	1.44
1248	66	26508004623	4.75	3.62	1.25	21.49	0.01	18	50026508004628	12.25	10.00	7.25	888.13	0.51	14.53
1255	67	26508199022	6.44	2.13	1.32	18.06	0.01	72	10026508199029	20.38	12.88	6.50	1,705.80	0.99	12.96
3919	65	26508039199	3.75	2.62	1.25	12.28	0.01	18	50026508039194	7.75	6.25	10.38	502.78	0.29	1.44
3924	65	26508039243	3.75	3.75	1.00	14.06	0.01	18	50026508039248	7.75	6.25	10.38	502.78	0.29	1.08
3942	65	26508187586	8.56	5.31	2.81	127.98	0.07	6	10026508187583	16.06	9.25	6.60	980.65	0.57	8.10
3942V	65	26508187906	8.56	5.31	2.81	127.98	0.07	6	10026508187903	16.06	9.25	6.60	980.65	0.57	7.80
3942W	65	26508187913	8.56	5.31	2.81	127.98	0.07	6	10026508187910	16.06	9.25	6.60	980.65	0.57	7.80
3942BC	65	26508187883	8.56	5.51	2.81	127.98	0.08	6	10026508187880	16.06	9.25	6.60	980.65	0.57	8.10
3942BL	65	26508187890	8.56	5.31	2.81	127.98	0.07	6	10026508187897	16.06	9.25	6.60	980.65	0.57	9.42
3942SL	65	26508187609	8.56	5.31	2.81	127.98	0.07	6	10026508187606	16.06	9.25	6.60	980.65	0.57	8.22
3942CSL	65	26508187593	8.50	5.25	2.75	122.72	0.07	6	10026508187590	16.06	9.25	6.60	980.65	0.57	8.16
3944	65	26508187616	8.56	5.31	2.81	127.98	0.07	12	10026508187613	16.06	9.25	6.60	980.65	0.57	7.50
3944W	65	26508187951	8.56	5.31	2.81	127.98	0.07	6	10026508187958	16.00	8.88	6.60	852.48	0.54	7.38
3944BB	65	26508187920	5.25	2.63	8.25	113.91	0.07	6	10026508187927	16.44	9.13	6.50	975.64	0.56	7.08
3944PW	65	26508187944	8.56	5.31	2.81	127.98	0.07	6	10026508187941	16.44	9.13	6.50	975.63	0.56	7.20
3944SL	65	26508187630	8.56	5.31	2.81	127.98	0.07	6	10026508187637	16.06	9.25	6.60	980.65	0.57	7.68
3944CSL	65	26508187623	8.56	5.31	2.81	127.98	0.07	6	10026508187620	16.37	9.25	6.60	999.39	0.58	7.50
3944ORB	65	26508187937	8.56	5.31	2.81	127.98	0.07	6	10026508187934	16.06	8.69	5.69	793.56	0.46	7.20
4000R	67	26508250396	6.50	2.12	1.37	18.88	0.01	18	20026508250390	10.80	10.80	9.20	1,073.09	0.62	4.00
4903	26	26508085325	10.25	7.00	4.00	287.00	0.17	6	10026508085322	20.75	14.00	12.38	3,596.40	2.08	28.68

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
9501	65	26508153963	3.12	3.06	11.50	109.79	0.06	150	10026508153960	12.00	9.75	7.63	892.71	0.52	10.26
14699	69	26508000809	1.75	1.75	0.75	2.30	0.00	2	20026508000803	20.38	14.38	5.75	1,684.12	0.97	7.50
20016	62	26508253885	4.00	7.88	12.00	378.24	0.22	3	10026508253882	14.75	9.25	9.63	1,313.21	0.76	6.40
20016SRN	62	26508278956	4.13	8.25	13.25	451.46	0.26	2	10026508278953	14.70	10.60	10.20	1,589.36	0.92	5.35
20090	57	26508261712	7.62	5.37	4.60	188.23	0.11	3	10026508261719	14.80	9.21	7.17	977.33	0.57	2.85
20090SRN	57	26508278963	4.38	5.38	8.00	188.34	0.11	3	10026508278960	15.00	9.50	7.40	1,054.50	0.61	3.05
20091	60	26508261729	4.00	6.25	13.25	331.25	0.19	2	10026508261726	14.00	11.50	7.50	1,207.50	0.70	1.60
20091SRN	60	26508266540	12.90	6.30	4.80	390.10	0.23	2	10026508266547	14.20	13.10	6.90	1,283.54	0.74	4.45
20200	65	26508202005	4.75	3.62	2.25	38.69	0.02	18	50026508202000	12.25	10.00	7.25	888.13	0.51	3.42
21005	62	26508203293	4.50	11.50	13.75	711.56	0.41	2	10026508203290	14.38	12.50	9.75	1,751.95	1.01	6.90
21532EP	60	26508266557	6.00	6.00	12.63	454.50	0.26	2	10026508266554	12.75	7.00	14.19	1,266.28	0.73	4.40
21532EPSRN	60	26508281963	4.75	10.00	12.50	593.75	0.34	2	10026508281960	11.25	10.00	13.25	1,490.63	0.86	4.10
21538	29	26508264690	36.90	24.20	14.60	13,037.51	7.54	1	–	36.88	24.25	14.63	13,077.95	7.57	31.30
21579	29	026508284889	37.60	23.90	12.60	11,322.86	6.55	1	10026508284886	37.75	23.75	12.50	11,207.03	6.49	28.00
21595	29	26508266595	36.40	24.00	14.50	12,667.20	7.33	1	–	36.88	24.25	14.63	13,077.95	7.57	36.40
21999	60	26508160145	5.00	9.44	11.75	554.60	0.32	2	20026508160149	19.50	12.13	5.75	1,360.08	0.79	8.30
21999EP	60	26508187883	8.56	5.31	2.81	127.98	0.07	6	10026508187880	16.06	9.25	6.60	980.65	0.57	8.10
23026	57	26508224281	5.38	5.50	6.63	196.18	0.11	4	10026508224288	22.50	6.00	8.00	1,080.00	0.63	4.20
23026EP	57	26508266489	5.50	5.38	6.60	195.29	0.11	4	10026508266486	22.60	7.70	6.20	1,078.92	0.62	3.70
23026EPW	57	26508266496	6.50	5.40	5.00	175.50	0.10	4	10026508266493	22.70	7.70	6.20	1,083.70	0.63	3.65
23027SRN	57	26508187906	8.56	5.31	2.81	127.98	0.07	6	10026508187903	16.06	9.25	6.60	980.65	0.57	7.80
23027EPSRN	57	26508187609	8.56	5.31	2.81	127.98	0.07	6	10026508187606	16.06	9.25	6.60	980.65	0.57	8.22
23040W	58	26508224304	5.56	6.13	13.90	473.36	0.27	2	10026508224301	14.50	9.50	7.25	998.69	0.58	4.00
23040EPW	58	26508266502	5.56	6.13	13.90	473.75	0.27	2	10026508266509	14.60	9.90	7.20	1,040.69	0.60	4.20
23045	57	26508263822	5.00	5.56	7.88	219.04	0.13	4	10026508263829	21.90	9.00	7.10	1,399.41	0.81	3.90
23045W	57	26508187630	8.56	5.31	2.81	127.98	0.07	6	10026508187637	16.06	9.25	6.60	980.65	0.57	7.68
23045BRB	57	26508263839	6.30	4.90	3.90	120.39	0.07	4	10026508263836	21.90	9.00	7.00	1,379.70	0.80	4.00
23045SRN	57	26508263846	8.00	5.00	4.60	184.00	0.11	4	10026508263843	22.00	9.10	7.10	1,421.42	0.82	3.95
23046	58	26508271698	10.08	8.19	5.43	448.27	0.26	3	10026508271695	24.80	10.63	6.30	1,660.83	0.96	11.95
23046W	58	26508264300	13.40	6.25	4.25	355.94	0.21	4	10026508264307	17.30	14.80	7.50	1,920.30	1.11	7.40
23046BRB	58	26508187951	8.56	5.31	2.81	127.98	0.07	6	10026508187958	16.00	8.88	6.00	852.48	0.49	7.38
23046SRN	58	26508263884	13.50	6.30	4.00	340.20	0.20	3	10026508263881	14.70	14.10	7.70	1,595.98	0.92	5.40
23333	58	26508190869	5.31	5.56	6.56	193.67	0.11	3	10026508190866	18.00	6.38	7.50	861.30	0.50	3.60
23333SRN	58	26508207666	5.31	5.56	6.56	193.67	0.11	3	10026508207663	18.63	6.13	6.75	770.03	0.45	3.00
26009	61	26508279113	7.25	7.38	15.25	815.40	0.47	2	10026508279110	15.60	14.80	8.60	1,985.57	1.15	7.50
26009SRN	61	26508279120	7.25	7.38	15.25	815.40	0.47	1	10026508279127	14.00	7.50	7.10	745.50	0.43	3.15
26010	61	26508279816	6.75	9.50	12.50	801.56	0.46	2	10026508279813	14.00	13.80	10.50	2,028.60	1.17	7.70
26010SRN	61	026508280478	6.75	9.50	12.50	801.56	0.46	2	10026508280475	14.00	13.70	10.30	1,975.54	1.14	7.20
26034	60	26508277430	5.50	6.13	13.00	437.94	0.25	2	10026508277437	13.31	9.63	7.50	961.03	0.56	2.10
26034SRN	60	26508277447	5.50	6.13	13.00	437.94	0.25	2	10026508277444	13.00	9.80	7.50	955.50	0.55	4.40
26035SRN	62	26508277454	26.50	7.00	4.63	857.94	0.50	2	10026508277451	27.38	7.88	10.63	2,290.52	1.33	4.36
26100EP	59	26508266540	6.00	6.00	14.00	504.00	0.29	2	10026508266547	14.20	13.10	6.90	1,283.54	0.74	4.45
26100BL	59	026508329269	4.88	6.20	12.63	382.13	0.22	2	10026508329266	13.10	10.50	6.90	949.10	0.55	4.34
26100SRN	59	026508258033	11.30	6.10	2.60	179.22	0.10	2	10026508258030	13.10	10.70	6.80	953.16	0.55	3.95
26100BRB	59	026508315804	4.88	6.00	12.63	369.28	0.21	2	10026508315801	13.20	10.40	7.00	960.96	0.56	4.10
26100EPBL	59	026508329276	4.88	6.14	12.63	378.44	0.22	2	10026508329273	13.00	10.00	6.85	890.50	0.52	4.34
26100EPSRN	59	26508266557	6.00	6.00	12.63	454.50	0.26	2	10026508266554	12.75	7.00	14.19	1,266.28	0.73	4.40
26112	59	26508258040	6.00	7.00	13.63	572.25	0.33	2	10026508258047	13.00	8.00	15.13	1,573.00	0.91	3.94
26112EP	59	26508281376	6.00	7.00	13.63	572.25	0.33	2	10026508281373	13.00	8.00	15.13	1,573.00	0.91	3.94

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
26112SRN	59	26508258057	6.00	7.00	13.63	572.46	0.33	2	10026508258054	13.00	8.00	15.13	1,573.52	0.91	3.94
26112EPSRN	59	26508281383	6.00	7.00	13.63	572.46	0.33	2	10026508281380	13.00	8.00	15.13	1,573.53	0.91	3.94
26310	62	26508257913	4.50	8.25	13.25	491.91	0.28	2	10026508257910	14.00	9.25	9.88	1,278.81	0.74	6.40
26500SRN	58	26508210604	5.00	5.56	7.88	219.06	0.13	3	10026508210601	13.75	8.63	7.00	830.64	0.48	3.00
28501SRN	61	026508309674	23.00	9.00	4.00	828.00	0.48	2	10026508309671	24.00	9.75	9.25	2,164.50	1.25	8.38
74998	26	26508028070	10.25	7.00	4.00	287.00	0.17	12	10026508028077	20.75	14.00	12.38	3,596.40	2.08	27.60
82228	50	26508822289	10.10	8.20	5.40	447.23	0.26	2	20026508822283	20.80	8.90	6.30	1,166.26	0.67	9.35
82228SRN	50	26508269114	10.13	8.13	5.50	452.96	0.26	2	10026508269111	20.88	8.75	6.50	1,187.55	0.69	8.90
82510	71	26508223925	6.88	6.88	5.13	242.24	0.14	2	10026508223922	14.38	7.50	6.13	660.35	0.38	3.50
82537	51	26508276204	10.13	8.13	5.50	452.96	0.26	2	10026508276201	20.88	8.75	6.50	1,187.55	0.69	7.60
82537BRB	51	26508276211	10.13	8.13	5.50	452.96	0.26	2	10026508276218	20.88	8.75	6.50	1,187.55	0.69	7.60
82537SRN	51	26508276228	10.13	8.13	5.50	452.96	0.26	2	10026508276225	20.88	8.75	6.50	1,187.55	0.69	7.60
82550	50	026508251683	10.13	8.13	5.50	452.96	0.26	2	10026508251680	20.60	8.90	6.20	1,136.71	0.66	10.20
82550SRN	50	026508248102	10.13	8.13	5.50	452.96	0.26	2	10026508248109	20.50	8.75	6.25	1,121.09	0.65	10.26
82602	51	26508271681	10.08	8.11	5.51	450.44	0.26	3	10026508271688	24.72	10.71	6.06	1,604.39	0.93	10.95
82603	49	26508271698	10.08	8.19	5.43	448.27	0.26	1	10026508271695	10.10	8.10	5.30	433.59	0.25	3.60
82603SRN	49	26508271704	10.10	8.20	5.30	438.95	0.25	3	10026508271701	24.70	10.70	6.30	1,665.03	0.96	11.95
82604	52	26508271711	10.16	8.11	5.43	447.42	0.26	3	10026508271718	24.80	10.71	6.22	1,652.08	0.96	10.40
82604SRN	52	26508222492	17.13	11.38	2.88	560.04	0.32	2	10026508222499	17.75	11.75	6.50	1,355.66	0.78	11.10
82613SRN	49	26508271735	10.10	8.20	5.40	447.23	0.26	2	10026508271732	20.80	8.80	6.20	1,134.85	0.66	8.20
82663	52	26508271742	10.00	8.20	5.40	442.80	0.26	3	10026508271749	24.70	10.90	6.20	1,669.23	0.97	16.05
82770	49	026508278406	13.12	9.13	5.50	658.46	0.38	2	10026508278403	18.75	13.63	6.50	1,661.16	0.96	8.70
82770BL	49	026508282885	13.12	9.13	5.50	658.46	0.38	2	10026508282882	18.60	13.50	6.30	1,581.93	0.92	11.05
82770SRN	49	026508299340	13.10	9.20	5.50	662.86	0.38	2	10026508299347	18.60	13.60	6.20	1,568.35	0.91	11.00
82830	50	026508221235	10.13	8.13	5.50	452.96	0.26	2	10026508221232	20.88	8.75	6.50	1,187.55	0.69	10.70
82830SRN	50	026508221242	10.13	8.13	5.50	452.96	0.26	2	10026508221249	20.88	8.75	6.50	1,187.55	0.69	10.90
82835EP	52	26508236154	10.13	8.13	5.50	452.96	0.26	2	10026508236151	20.88	8.75	6.50	1,187.55	0.69	8.38
82835EPSRN	52	26508273050	24.50	12.30	3.80	1,145.13	0.66	2	10026508273057	25.00	13.10	8.00	2,620.00	1.52	16.40
82850SRN	51	26508252581	18.50	9.62	4.75	845.36	0.49	2	10026508252588	19.12	10.25	10.50	2,057.79	1.19	11.00
82879	51	026508828793	18.50	9.62	4.75	845.36	0.49	2	10026508828790	18.90	10.40	10.30	2,024.57	1.17	11.90
82879SRN	51	026508282793	18.50	9.62	4.75	845.36	0.49	2	10026508282790	19.00	10.40	10.30	2,035.28	1.18	11.95
82879BRB	51	026508282786	18.50	9.62	4.75	845.36	0.49	2	10026508282783	18.90	10.30	10.30	2,005.10	1.16	12.10
82910	49	26508184172	10.13	8.13	5.50	452.96	0.26	2	10026508184179	20.88	8.75	6.50	1,187.55	0.69	10.00
82910BRB	49	26508203729	10.13	8.13	5.50	452.46	0.26	2	10026508203726	20.88	8.75	6.50	1,187.55	0.69	9.00
82910SRN	49	26508209530	10.13	8.13	5.50	452.96	0.26	2	10026508209537	20.80	8.80	6.40	1,171.46	0.68	7.85
82912SRN	52	26508209547	10.13	8.13	5.50	452.96	0.26	2	10026508209544	20.88	8.75	6.50	1,187.55	0.69	9.20
82922	50	26508269060	18.50	9.62	4.75	845.36	0.49	2	10026508269067	19.12	10.25	10.50	2,057.79	1.19	10.70
82922SRN	50	26508269077	18.60	9.80	4.70	856.72	0.50	2	10026508269074	19.10	10.40	10.30	2,045.99	1.18	11.50
84137SRN	42	026508275191	10.00	8.40	5.40	453.60	0.26	2	10026508275198	20.80	8.70	6.20	1,121.95	0.65	8.00
84144SRN	39	026508282083	12.13	7.63	6.00	555.31	0.32	2	10026508282080	15.90	12.60	6.80	1,362.31	0.79	9.26
84144BRB	39	026508282076	12.13	7.63	6.00	555.31	0.32	2	10026508282073	15.90	12.60	6.80	1,362.31	0.79	9.26
84504SRN	46	026508282694	13.12	9.13	5.50	658.46	0.38	2	10026508282691	18.50	13.60	6.30	1,585.08	0.92	13.00
84505SRN	38	026508282700	20.75	9.44	3.00	587.64	0.34	2	10026508282707	21.00	10.00	7.00	1,470.00	0.85	10.75
84506SRN	42	026508282717	10.10	8.40	5.50	466.62	0.27	2	10026508282714	20.60	8.80	6.30	1,142.06	0.66	9.10
84532	41	026508282755	10.13	8.13	5.50	452.96	0.26	2	10026508282752	20.70	8.70	6.20	1,116.56	0.65	8.40
84532SRN	41	026508282779	10.13	8.13	5.50	452.96	0.26	2	10026508282776	20.70	8.60	6.10	1,085.92	0.63	8.55
84532BRB	41	026508282762	10.13	8.13	5.50	452.96	0.26	2	10026508282769	20.80	8.70	6.30	1,140.05	0.66	8.45
84535	38	026508282816	20.75	9.44	3.00	587.64	0.34	2	10026508282813	21.20	9.90	6.80	1,427.18	0.83	8.55
84535SRN	38	026508282830	20.75	9.44	3.00	587.64	0.34	2	10026508282837	21.30	9.90	7.00	1,476.09	0.85	8.55

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
84535BRB	38	026508282823	20.75	9.44	3.00	587.64	0.34	2	10026508282820	21.20	9.90	6.90	1,448.17	0.83	8.50
84537	42	26508276174	10.13	8.13	5.50	452.96	0.26	2	10026508276171	20.71	8.82	6.22	1,136.16	0.66	7.20
84537BRB	42	26508276181	10.13	8.13	5.50	452.96	0.26	2	10026508276188	20.79	8.82	6.30	1,155.22	0.67	7.20
84537SRN	42	26508276198	10.13	8.13	5.50	452.96	0.26	2	10026508276195	20.71	8.74	6.14	1,111.37	0.64	7.30
84539	45	026508282847	13.12	9.13	5.50	658.46	0.38	2	10026508282844	18.60	13.50	6.30	1,581.93	0.92	10.55
84539SRN	45	026508282861	13.13	9.13	5.50	658.71	0.38	2	10026508282868	18.70	13.60	6.30	1,602.22	0.93	10.75
84539BRB	45	026508282854	13.12	9.13	5.50	658.46	0.38	2	10026508282851	18.60	13.50	6.40	1,607.04	0.93	10.70
84603	39	26508271759	10.16	8.19	5.51	458.49	0.27	3	10026508271756	24.60	10.80	6.10	1,620.65	0.94	9.95
84603SRN	39	26508271766	10.20	8.20	5.40	451.66	0.26	2	10026508271763	20.70	8.80	6.30	1,147.61	0.66	6.95
84728SRN	41	026508289143	10.24	8.19	5.51	462.10	0.27	2	10026508289140	21.02	8.66	5.98	1,088.56	0.63	10.40
84748SRN	44	026508290026	13.07	9.13	5.51	657.50	0.38	2	10026508290023	18.58	13.62	6.14	1,553.79	0.90	13.90
84768SRN	40	026508278895	10.13	8.13	5.50	452.96	0.26	2	10026508278892	20.80	8.70	6.10	1,103.86	0.64	7.60
84770	37	026508278420	20.90	9.50	3.10	615.51	0.36	2	10026508278427	21.10	10.00	6.80	1,434.80	0.83	8.40
84770BL	37	026508282878	20.75	9.44	3.00	587.64	0.34	2	10026508282875	21.20	10.00	6.90	1,462.80	0.85	7.55
84770SRN	37	026508299326	20.60	9.50	3.40	665.38	0.39	2	10026508299323	21.00	10.10	7.00	1,484.70	0.86	7.80
84970SRN	38	026508295519	20.70	9.50	3.20	629.28	0.36	2	10026508295516	21.10	9.90	6.90	1,441.34	0.83	9.30
84971SRN	42	026508295526	10.60	8.50	5.60	504.56	0.29	2	10026508295523	21.50	8.80	6.10	1,154.12	0.67	8.55
84972SRN	45	026508295533	13.20	9.20	6.00	728.64	0.42	2	10026508295530	18.60	13.60	6.70	1,694.83	0.98	12.75
86440	53	26508221167	13.25	9.13	6.13	740.55	0.43	2	10026508221164	18.75	13.63	7.00	1,788.94	1.04	13.70
86440BRB	53	26508221181	13.25	9.13	6.13	740.55	0.43	2	10026508221188	18.75	13.63	7.00	1,788.94	1.04	13.50
86440SRN	53	26508221174	13.25	9.13	6.13	740.55	0.43	2	10026508221171	18.75	13.63	7.00	1,788.94	1.04	13.60
86924	53	026508237373	13.25	9.13	6.13	740.55	0.43	2	10026508237370	18.80	13.70	6.70	1,725.65	1.00	12.65
86924SRN	53	026508237397	13.25	9.13	6.13	740.55	0.43	2	10026508237394	18.60	13.70	6.70	1,707.29	0.99	12.55
86924BRB	53	026508237380	13.25	9.13	6.13	740.55	0.43	2	10026508237387	18.70	13.70	6.90	1,767.71	1.02	12.80
87017	16	26508235256	20.75	9.44	3.00	587.64	0.34	3	10026508235253	21.38	9.88	10.13	2,137.17	1.24	14.22
87017W	16	26508235287	20.75	9.44	3.00	587.64	0.34	3	10026508235284	21.38	9.88	10.13	2,137.17	1.24	14.22
87017SRS	16	26508043745	20.75	9.44	3.00	587.64	0.34	3	10026508043742	21.38	9.88	10.13	2,137.17	1.24	15.33
87022BRB	16	26508268803	24.60	12.40	3.90	1,189.66	0.69	2	10026508268800	24.90	13.20	8.10	2,662.31	1.54	15.50
87022SRS	16	26508258873	24.50	12.25	3.63	1,087.95	0.63	2	10026508258870	25.13	8.00	13.25	2,663.25	1.54	14.60
87035SRS	17	26508245620	23.25	9.56	3.00	666.81	0.39	2	10026508245627	23.88	10.00	7.00	1,671.25	0.97	15.10
87039SRS	17	26508268827	20.70	9.50	3.10	609.62	0.35	2	10026508268824	21.30	10.00	6.90	1,469.70	0.85	10.65
87042BRB	19	26508260371	24.50	12.25	3.63	1,087.95	0.63	2	10026508260378	25.13	8.00	13.25	2,663.25	1.54	16.36
87042SRS	19	26508260388	24.50	12.25	3.63	1,087.95	0.63	2	10026508260385	25.13	8.00	13.25	2,663.25	1.54	16.36
87044SRS	19	26508269015	24.60	12.30	3.90	1,180.06	0.68	2	10026508269012	24.90	13.10	8.00	2,609.52	1.51	17.90
87046	22	26508268834	17.10	10.30	2.90	510.78	0.30	2	10026508268831	17.40	10.90	6.30	1,194.86	0.69	9.75
87047BRB	18	26508258880	23.25	9.56	3.00	666.81	0.39	2	10026508258887	23.88	10.00	7.00	1,671.25	0.97	13.90
87047SRS	18	26508250341	23.25	9.56	3.00	666.81	0.39	2	10026508250348	23.88	10.00	7.00	1,671.25	0.97	15.00
87048SRS	24	026508275207	17.00	10.40	2.90	512.72	0.30	3	10026508275204	17.40	11.00	9.60	1,837.44	1.06	13.00
87066	14	26508250358	24.50	12.25	3.63	1,087.95	0.63	2	10026508250355	25.13	8.00	13.25	2,663.25	1.54	14.62
87066BL	14	026508285473	24.50	12.25	3.63	1,087.95	0.63	2	10026508285470	24.90	13.20	8.00	2,629.44	1.52	14.80
87066SRS	14	26508250365	24.50	12.25	3.63	1,087.95	0.63	2	10026508250362	25.13	8.00	13.25	2,663.25	1.54	14.80
87230BRB	19	26508240953	20.75	12.31	3.38	862.08	0.50	2	10026508240950	21.38	13.38	7.75	2,215.65	1.28	12.54
87230SRS	19	26508240946	20.75	12.31	3.38	862.08	0.50	2	10026508240943	21.38	13.38	7.75	2,215.65	1.28	11.64
87233BL	11	026508325346	24.70	12.30	3.80	1,154.48	0.67	2	10026508325343	24.80	8.00	13.25	2,628.80	1.52	11.50
87233SRS	11	026508309100	24.70	12.30	3.80	1,154.48	0.67	2	10026508309107	24.80	13.20	8.00	2,618.88	1.52	12.45
87233BRB	11	026508309094	24.50	12.25	3.63	1,087.95	0.63	2	10026508309091	24.80	13.10	8.10	2,631.53	1.52	12.30
87235SRS	16	026508278307	24.50	12.25	3.63	1,087.95	0.63	2	10026508278304	24.90	12.90	8.30	2,666.04	1.54	14.55
87245	12	026508872451	24.50	12.25	3.63	1,087.95	0.63	2	10026508872458	24.40	12.20	3.80	1,131.18	0.65	13.70
87292SRS	24	026508299197	17.00	11.40	3.20	620.16	0.36	2	20026508299191	17.75	12.00	6.81	1,450.53	0.84	8.50

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
87699SRS	14	026508297575	24.50	12.30	3.70	1,114.99	0.64	2	10026508297572	24.80	13.60	8.00	2,698.24	1.56	14.05
87301SRS	18	26508222478	24.50	12.25	3.63	1,087.95	0.63	2	10026508222475	25.13	8.00	13.25	2,663.25	1.54	15.30
87304SRS	11	26508258897	24.50	12.25	3.63	1,087.95	0.63	2	10026508258894	25.13	8.00	13.25	2,663.25	1.54	16.50
87355SRS	12	026508281413	24.50	12.25	3.63	1,087.95	0.63	2	10026508281410	24.80	13.50	8.00	2,678.40	1.55	16.00
87359E2SRS	12	26508256220	26.63	14.25	4.19	1,588.95	0.92	2	10026508256227	27.19	14.88	9.44	3,817.74	2.21	17.30
87377SRS	17	026508297537	20.60	9.50	3.10	606.67	0.35	2	10026508297534	21.10	10.00	6.70	1,413.70	0.82	10.65
87377BRB	17	026508297520	20.70	9.50	3.20	629.28	0.36	2	10026508297527	21.00	10.00	6.90	1,449.00	0.84	10.65
87394SRS	14	026508297551	24.60	12.30	4.10	1,240.58	0.72	2	10026508297558	24.90	13.00	8.20	2,654.34	1.54	14.90
87394BRB	14	026508297544	24.50	12.30	3.90	1,175.27	0.68	2	10026508297541	24.80	13.20	8.00	2,618.88	1.52	14.85
87395SRS	16	026508290613	24.40	12.30	3.90	1,170.47	0.68	2	10026508290610	24.90	13.20	8.00	2,629.44	1.52	15.10
87402SRS	12	26508275870	24.50	12.25	3.63	1,087.95	0.63	2	10026508275877	24.80	12.99	8.03	2,586.88	1.50	14.60
87403	23	26508874035	17.13	10.38	2.88	512.09	0.30	2	10026508874032	17.40	10.94	6.54	1,244.93	0.72	8.70
87403SRS	23	26508275856	17.13	10.38	2.88	512.09	0.30	2	10026508275853	17.48	10.79	6.38	1,203.33	0.70	8.95
87454SRS	18	026508290620	20.75	9.44	3.00	587.64	0.34	2	10026508290627	21.38	10.00	7.00	1,496.25	0.87	9.85
87519SRS	13	26508273050	24.50	12.30	3.80	1,145.13	0.66	2	10026508273057	25.00	13.10	8.00	2,620.00	1.52	16.40
87593SRS	26	026508284896	20.75	9.44	3.00	587.64	0.34	2	10026508284893	21.20	10.00	6.90	1,462.80	0.85	8.10
87599SRS	13	26508232903	24.50	12.25	3.63	1,087.95	0.63	2	10026508232900	25.13	8.00	13.25	2,663.25	1.54	17.62
87603	20	026508289334	15.20	12.00	2.90	528.96	0.31	3	10026508289331	15.40	12.40	9.20	1,756.83	1.02	9.30
87604	21	026508289358	15.20	12.00	2.90	528.96	0.31	2	10026508289355	15.60	12.40	6.30	1,218.67	0.71	7.45
87605	21	026508289372	15.20	12.00	2.90	528.96	0.31	3	10026508289379	15.90	12.40	9.10	1,794.16	1.04	10.80
87650SRS	18	26508221297	24.50	12.25	3.63	1,087.95	0.63	2	10026508221294	25.13	8.00	13.25	2,663.25	1.54	15.80
87682SRS	26	26508221310	20.75	9.44	3.00	587.64	0.34	2	10026508221317	21.38	10.00	7.00	1,496.25	0.87	8.80
87696EWSRS	14	026508285480	26.63	14.25	3.63	1,375.35	0.80	1	10026508285487	27.00	14.80	4.50	1,798.20	1.04	9.45
87910	13	26508214251	24.50	12.25	3.63	1,087.95	0.63	2	10026508214258	25.13	8.00	13.25	2,663.25	1.54	15.24
96778	70	26508967782	3.75	2.62	1.62	15.92	0.01	36	50026508967787	12.50	10.75	6.44	865.38	0.50	2.02
96782	68	26508967829	5.50	4.75	1.88	49.12	0.03	18	50026508967824	20.50	5.88	10.38	1,251.21	0.72	3.78
98035	68	26508042564	5.50	4.62	2.25	57.17	0.03	18	50026508042569	20.50	5.88	10.38	1,251.21	0.72	2.34
98036	68	26508042571	3.75	2.62	1.00	9.83	0.01	18	50026508042576	7.75	6.25	10.38	502.78	0.29	4.50
98037	68	26508042588	5.50	4.62	2.00	50.82	0.03	18	50026508042583	20.50	5.88	10.38	1,251.21	0.72	2.88
98039	68	26508042601	5.50	4.62	2.00	50.82	0.03	18	50026508042606	20.50	5.88	10.38	1,251.21	0.72	4.50
98040	67	26508043400	5.50	4.50	2.00	49.50	0.03	18	50026508043405	12.25	10.00	7.25	888.13	0.51	2.70
100112	66	26508055670	3.75	2.75	1.00	10.31	0.01	72	30026508055671	8.88	8.25	10.38	760.44	0.44	5.76
100429	69	26508057476	4.00	3.00	0.50	6.00	0.00	250	20026508057470	20.38	14.38	11.00	3,221.80	1.86	25.00
100710	68	26508059524	5.50	4.75	1.88	49.12	0.03	18	50026508059529	20.50	5.88	10.38	1,251.21	0.72	4.50
104421	67	26508074589	7.50	1.40	1.50	15.75	0.01	36	20026508074583	25.59	11.02	11.62	3,276.86	1.90	32.40
179100	69	26508229781	3.60	6.25	7.75	174.38	0.10	3	10026508229788	12.20	10.40	7.40	938.91	0.54	2.80
179101	71	26508229798	3.40	6.00	9.42	192.17	0.11	3	10026508229795	12.00	10.40	7.50	936.00	0.54	3.80
179102	71	26508228272	1.13	8.50	11.00	105.19	0.06	6	10026508228279	11.20	9.20	6.30	649.15	0.38	2.90
179103	69	26508228289	5.50	4.75	1.88	49.12	0.03	18	10026508228286	20.50	5.88	10.38	1,251.21	0.72	1.08
179104	69	26508228296	5.50	4.75	1.88	49.12	0.03	18	10026508228293	20.20	10.30	6.10	1,269.17	0.73	4.15
179107	67	26508233122	0.50	2.63	3.75	4.92	0.00	36	20026508233126	12.30	10.70	6.40	842.30	0.49	1.90
179108	67	26508233139	3.00	7.38	10.69	236.45	0.14	3	10026508233136	11.40	8.50	7.90	765.51	0.44	3.20
179110	71	26508246795	12.50	4.50	2.00	112.50	0.07	3	10026508246792	14.10	10.80	5.60	852.77	0.49	3.15
186117	59	026508284742	2.44	4.00	6.00	58.56	0.03	6	10026508284749	12.50	6.00	5.80	435.00	0.25	2.35
186117BL	59	026508329221	2.44	4.00	6.00	58.56	0.03	6	10026508329228	9.00	8.50	6.40	489.60	0.28	1.02
186117SRN	59	026508284759	2.44	4.00	6.00	58.56	0.03	6	20026508284753	9.13	8.35	6.54	498.58	0.29	2.55
186589	35	26508266533	13.80	6.00	5.70	471.96	0.27	2	10026508266530	14.60	9.90	7.10	1,026.23	0.59	4.35
ARC-4200	34	29122010520	5.90	5.00	4.40	129.80	0.08	60	10029122010527	5.90	5.00	4.40	129.80	0.08	48.00
ARC-4200-CH/SN	34	29122010711	3.25	7.25	8.13	191.56	0.11	6	10029122010718	14.19	9.88	9.25	1,296.83	0.75	4.80

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
AS-4201-AL	34	29122010667	1.75	1.75	1.00	3.06	0.00	100	10029122010664	1.75	1.75	1.00	3.06	0.00	5.00
AS-4201-BG	34	026508292075	1.75	1.75	1.00	3.06	0.00	100	10026508292072	11.50	10.20	9.10	1,067.43	0.62	10.00
AS-4201-BIS	34	29122010643	1.75	1.75	1.00	3.06	0.00	100	10029122010640	1.75	1.75	1.00	3.06	0.00	5.00
AS-4201-BL	34	026508294369	1.75	1.75	1.00	3.06	0.00	100	10026508294366	11.50	10.20	9.10	1,067.43	0.62	10.00
AS-4201-BLS	34	026508294574	1.75	1.75	1.00	3.06	0.00	100	10026508294571	11.50	10.20	9.10	1,067.43	0.62	10.00
AS-4201-BR	34	29122010650	1.75	1.75	1.00	3.06	0.00	100	10029122010657	1.75	1.75	1.00	3.06	0.00	5.00
AS-4201-BRB	34	26508251706	1.75	1.75	1.00	3.06	0.00	100	10026508251703	1.75	1.75	1.00	3.06	0.00	5.00
AS-4201-CH	34	29122010681	1.75	1.75	1.00	3.06	0.00	100	10029122010688	11.50	10.20	9.10	1,067.43	0.62	10.00
AS-4201-NL	34	026508294376	1.75	1.75	1.00	3.06	0.00	100	10026508294373	11.50	10.20	9.10	1,067.43	0.62	10.00
AS-4201-SN	34	29122010674	1.75	1.75	1.00	3.06	0.00	100	10029122010671	1.75	1.75	1.00	3.06	0.00	5.00
AS-4201-WH	34	29122010636	1.75	1.75	1.00	3.06	0.00	100	10029122010633	1.75	1.75	1.00	3.06	0.00	5.00
CA3919	65	26508266410	3.75	2.62	1.25	12.28	0.01	18	20026508266414	7.75	6.25	10.38	502.78	0.29	1.44
CA3924	65	26508266427	3.75	2.62	1.00	9.83	0.01	18	20026508266421	10.50	7.60	6.20	494.76	0.29	1.45
CA87003BRB	11	26508200414	24.50	12.25	3.63	1,087.95	0.63	2	10026508200411	25.13	8.00	13.25	2,663.25	1.54	16.18
CA87003SRS	11	26508209097	24.50	12.25	3.63	1,087.95	0.63	2	10026508209094	25.13	8.00	13.25	2,663.25	1.54	17.50
CA87009	21	26508200124	18.38	11.38	3.43	716.92	0.41	2	10026508200121	19.00	12.00	7.88	1,795.50	1.04	10.10
CA87009SRS	21	26508210932	18.38	11.38	3.43	716.92	0.41	2	10026508210939	19.00	12.00	7.88	1,795.50	1.04	10.40
CA87011BL	13	026508284445	24.50	12.25	3.63	1,087.95	0.63	2	10026508284442	25.00	13.40	8.00	2,680.00	1.55	14.25
CA87011SRS	13	26508209448	24.50	12.25	3.63	1,087.95	0.63	2	10026508209445	25.13	8.00	13.25	2,663.25	1.54	16.80
CA87015	24	26508200179	18.38	11.38	3.43	716.92	0.41	2	10026508200176	19.00	12.00	7.88	1,796.64	1.04	11.60
CA87015SRS	24	26508210949	18.38	11.38	3.43	716.92	0.41	2	10026508210946	19.00	12.00	7.88	1,796.64	1.04	10.80
CA87016	20	26508201374	18.38	11.38	3.43	716.92	0.41	2	20026508201378	19.00	12.00	7.88	1,796.64	1.04	10.13
CA87060SRS	24	26508207529	17.13	11.38	2.88	560.04	0.32	2	10026508207526	17.75	12.00	6.81	1,451.17	0.84	9.60
CA87094BRB	11	26508210154	24.50	12.25	3.63	1,087.95	0.63	2	10026508210151	25.13	8.00	13.25	2,663.25	1.54	17.10
CA87094SRS	11	26508210161	24.50	12.25	3.63	1,087.95	0.63	2	10026508210168	25.13	8.00	13.25	2,663.25	1.54	17.30
CA87316BL	17	26508194928	20.88	9.44	3.00	591.18	0.34	2	10026508194925	21.38	10.00	7.00	1,496.25	0.87	9.40
CA87316C	17	26508194935	20.75	9.44	3.00	587.64	0.34	3	10026508194932	21.38	9.88	10.13	2,137.17	1.24	14.19
CA87316SRS	17	26508209462	20.75	9.44	3.00	587.64	0.34	3	10026508209469	21.38	9.88	10.13	2,137.17	1.24	12.99
CA87316W	17	26508194959	20.88	9.44	3.00	591.18	0.34	3	10026508194956	21.38	9.88	10.13	2,137.17	1.24	14.00
CA87480	22	26508192528	15.19	11.94	2.75	498.70	0.29	3	10026508192525	16.13	12.50	9.38	1,890.66	1.09	14.20
CA87480SRS	22	26508209479	15.19	11.94	2.75	498.70	0.29	2	10026508209476	15.75	12.50	6.63	1,304.30	0.75	9.00
CA87484SRS	22	26508209486	15.19	11.94	2.75	498.70	0.29	2	10026508209483	15.75	12.50	6.63	1,304.30	0.75	9.50
CA87520SRS	22	26508210987	18.38	11.37	3.43	716.61	0.41	2	10026508210984	19.00	12.00	7.88	1,796.64	1.04	10.70
CA87524SRS	21	26508210994	18.38	11.38	3.43	716.92	0.41	2	10026508210991	19.00	12.00	7.88	1,796.64	1.04	10.30
CA87530	20	26508192634	18.38	11.38	3.43	716.92	0.41	3	10026508192631	19.00	12.00	11.38	2,593.50	1.50	15.09
CA87534	19	26508192641	18.38	11.38	3.44	719.53	0.42	3	10026508192648	19.00	12.00	11.38	2,593.50	1.50	15.09
CA87553	23	26508195154	17.13	10.38	2.88	510.81	0.30	3	10026508195151	17.75	11.00	9.75	1,903.69	1.10	14.28
CA87554C	20	26508192672	18.38	11.38	3.43	716.92	0.41	3	10026508192679	19.00	12.00	11.38	2,593.50	1.50	15.00
CA87685	23	026508195208	15.25	11.25	2.75	471.80	0.27	2	10026508195205	15.50	12.00	6.75	1,255.50	0.73	8.90
CA87888	23	26508195246	17.13	11.38	2.88	560.04	0.32	3	10026508195243	18.00	11.88	9.75	2,084.06	1.21	15.00
CA100112	66	26508266403	3.75	2.75	1.00	10.31	0.01	18	20026508266407	7.75	6.25	1.00	502.78	0.03	1.44
EXL100C	31	026508295670	17.60	9.80	9.70	1,673.06	0.97	2	10026508295677	19.50	18.00	10.00	3,510.00	2.03	36.30
GX50C	32	26508261798	9.69	9.39	14.88	1,353.92	0.78	2	10026508261795	20.28	10.20	15.63	3,233.16	1.87	25.96
GX100C	31	26508277720	9.69	9.69	17.52	1,645.06	0.95	1	10026508277727	17.70	10.20	10.00	1,805.40	1.04	17.38
GXB75C	31	26508274453	9.69	9.69	17.52	1,645.06	0.95	2	10026508274450	20.00	10.30	18.50	3,811.00	2.21	19.68
GXP33C	33	26508261811	14.70	6.50	6.40	611.52	0.35	2	10026508261818	15.40	13.20	6.90	1,402.63	0.81	20.70
GXP50C	33	26508261804	14.60	6.40	6.40	598.02	0.35	2	10026508261801	15.50	13.20	6.90	1,411.74	0.82	21.15
GXS75C	32	26508261781	14.90	9.70	9.70	1,401.94	0.81	2	10026508261788	19.90	15.60	10.30	3,197.53	1.85	27.85
IN208C2	56	026508323496	7.31	9.56	15.13	1,057.42	0.61	2	10026508323493	18.27	15.20	8.19	2,274.40	1.32	10.00

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
IN208C2SRN	56	026508323502	7.31	9.56	15.13	1,057.42	0.61	2	10026508323509	18.20	15.30	8.20	2,283.37	1.32	10.05
IN208H2	56	026508323519	5.00	7.19	12.63	453.74	0.26	2	10026508323516	13.07	10.47	8.03	1,098.85	0.64	5.85
IN208H2SRN	56	026508323526	5.00	7.19	12.63	453.74	0.26	2	10026508323523	13.07	10.71	7.95	1,112.84	0.64	5.85
INC20801	56	3760094160819	1.85	1.45	6.69	17.95	0.01	6	13760094160816	7.30	5.00	4.30	156.95	0.09	1.55
INC20802	56	3760094160826	1.85	1.45	6.69	17.95	0.01	6	13760094160823	7.30	5.00	4.30	156.95	0.09	1.55
INC20803	56	3760094160833	1.85	1.45	6.69	17.95	0.01	6	13760094160830	7.30	5.00	4.30	156.95	0.09	1.60
INC20804	56	3760094160840	1.85	1.45	6.69	17.95	0.01	6	13760094160847	7.40	5.00	4.30	159.10	0.09	1.55
L84533SRN	39	026508252635	20.90	9.50	3.20	635.36	0.37	2	10026508252632	21.40	10.10	6.80	1,469.75	0.85	10.15
N207C0BL	55	026508324028	26.50	15.25	4.31	1,742.99	1.01	2	10026508324025	27.50	16.75	10.00	4,606.25	2.67	16.00
N207C0BLC	55	026508324035	26.50	15.25	4.31	1,742.99	1.01	2	10026508324032	27.50	16.75	10.00	4,606.25	2.67	16.00
N207C0CH	55	026508324042	26.50	15.25	4.31	1,742.99	1.01	2	10026508324049	27.50	16.75	10.00	4,606.25	2.67	16.00
N207C0SRN	55	026508324059	26.50	15.25	4.31	1,742.99	1.01	2	10026508324056	27.50	16.75	10.00	4,606.25	2.67	16.00
N207H0BL	55	026508318089	4.75	6.25	12.63	374.80	0.22	2	10026508318086	13.75	10.50	7.25	1,046.72	0.61	6.00
N207H0BLC	55	026508324066	4.75	6.25	12.63	374.80	0.22	2	10026508324063	13.75	10.50	7.25	1,046.72	0.61	6.00
N207H0CH	55	026508318096	4.75	6.25	12.63	374.80	0.22	2	10026508318093	13.75	10.50	7.25	1,046.72	0.61	6.00
N207H0SRN	55	026508318102	4.75	6.25	12.63	374.80	0.22	2	10026508318109	13.75	10.50	7.25	1,046.72	0.61	6.00
N207R0BL	55	026508318119	26.50	15.25	4.31	1,742.99	1.01	2	10026508318116	27.50	16.75	10.00	4,606.25	2.67	16.00
N207R0BLC	55	026508324073	26.50	15.25	4.31	1,742.99	1.01	2	10026508324070	27.50	16.75	10.00	4,606.25	2.67	16.00
N207R0CH	55	026508318126	26.50	15.25	4.31	1,742.99	1.01	2	10026508318123	27.50	16.75	10.00	4,606.25	2.67	16.00
N207R0SRN	55	026508318133	26.50	15.25	4.31	1,742.99	1.01	2	10026508318130	27.50	16.75	10.00	4,606.25	2.67	16.00
N207Z0BL	55	026508324080	2.44	4.00	6.00	58.56	0.03	6	20026508324084	12.40	6.40	5.90	468.22	0.27	48.00
N207Z0GLC	55	026508324097	2.44	4.00	6.00	58.56	0.03	6	20026508324091	12.40	6.40	5.90	468.22	0.27	48.00
N207Z0SRN	55	026508324103	2.44	4.00	6.00	58.56	0.03	6	20026508324107	12.40	6.40	5.90	468.22	0.27	48.00
WS84228	41	26508269046	12.00	7.70	5.80	535.92	0.31	2	10026508269043	15.70	12.50	6.70	1,314.88	0.76	8.60
WS84228BRB	41	26508269053	12.00	7.60	5.50	501.60	0.29	2	10026508269050	15.80	12.50	6.70	1,323.25	0.77	8.60
WS84228SRN	41	26508262931	12.10	7.70	5.90	549.70	0.32	2	10026508262938	15.70	12.50	6.80	1,334.50	0.77	8.85
WS84229SRN	45	26508262948	13.10	9.20	5.70	686.96	0.40	2	10026508262945	18.60	13.60	6.30	1,593.65	0.92	12.05
WS84503	37	26508262290	11.42	6.38	4.96	361.38	0.21	3	10026508262297	19.53	12.05	5.91	1,390.84	0.80	9.10
WS84550	40	026508262191	10.10	8.20	5.50	455.51	0.26	2	10026508262198	20.70	9.00	6.20	1,155.06	0.67	8.45
WS84550SRN	40	026508262207	10.10	8.20	5.40	447.23	0.26	2	10026508262204	20.60	8.90	6.40	1,173.38	0.68	8.60
WS84551	45	026508262979	13.10	9.20	5.50	662.86	0.38	2	10026508262976	18.50	13.60	6.30	1,585.08	0.92	11.95
WS84551SRN	45	026508262283	13.10	9.20	5.50	662.86	0.38	2	10026508262280	18.60	13.60	6.60	1,669.54	0.97	12.05
WS84660	43	026508277362	10.13	8.13	5.50	452.96	0.26	2	10026508277369	20.70	8.80	6.10	1,111.18	0.64	9.80
WS84660SRN	43	026508262924	10.10	8.20	5.50	455.51	0.26	2	10026508262921	20.60	9.00	6.30	1,168.02	0.68	9.75
WS84661	46	026508277379	13.10	9.20	5.60	674.91	0.39	2	10026508277376	18.50	13.60	6.30	1,585.08	0.92	13.80
WS84661SRN	46	026508263006	13.10	9.20	5.60	674.91	0.39	2	10026508263003	18.60	13.70	6.30	1,605.37	0.93	13.90
WS84800	40	26508262955	10.20	8.20	5.40	451.66	0.26	2	10026508262952	20.80	9.00	6.20	1,160.64	0.67	9.20
WS84800SRN	40	26508262962	10.10	8.20	5.30	438.95	0.25	2	10026508262969	20.70	8.90	6.20	1,142.23	0.66	9.30
WS84805SRN	37	26508262467	20.60	9.50	3.00	587.10	0.34	2	10026508262464	21.40	10.00	6.80	1,455.20	0.84	10.25
WS84820	44	26508262511	13.10	9.20	5.50	662.86	0.38	2	10026508262518	18.60	13.70	6.20	1,579.88	0.91	12.80
WS84820SRN	44	26508262504	20.80	9.60	3.00	599.04	0.35	2	10026508262501	21.20	10.00	6.80	1,441.60	0.83	10.40
WS84850SRN	44	26508262474	12.10	7.70	5.80	540.39	0.31	2	10026508262471	15.90	12.60	6.80	1,362.31	0.79	8.85
WS84855SRN	46	26508262481	13.10	9.20	5.60	674.91	0.39	2	10026508262488	18.70	13.60	6.30	1,602.22	0.93	13.15
WS84876	43	26508262634	10.10	8.30	5.50	461.07	0.27	2	10026508262631	20.80	8.90	6.10	1,129.23	0.65	8.45
WS84876BRB	43	26508262627	10.20	8.20	5.40	451.66	0.26	2	10026508262624	20.70	8.80	6.30	1,147.61	0.66	8.60
WS84876SRN	43	26508262641	10.13	8.13	5.50	452.96	0.26	2	10026508262648	20.88	8.75	6.50	1,187.55	0.69	8.66
WS84912	39	26508262375	10.08	8.11	5.43	443.90	0.26	3	10026508262372	24.80	10.63	5.98	1,576.47	0.91	10.55
WS84912SRN	39	26508262382	10.10	8.20	5.50	455.51	0.26	2	10026508262389	10.10	8.30	5.50	461.07	0.27	0.00
WS84913	41	26508262405	10.10	8.10	5.40	441.77	0.26	3	10026508262402	24.90	10.80	6.10	1,640.41	0.95	10.70

FAUCETS

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
WS84913BRB	41	26508262399	10.20	8.20	5.50	460.02	0.27	2	10026508262396	20.70	8.90	6.30	1,160.65	0.67	7.90
WS84913SRN	41	26508262412	10.10	8.10	5.40	441.77	0.26	2	10026508262419	20.90	8.90	6.20	1,153.26	0.67	7.25
WS84922	40	26508262535	10.20	8.40	5.40	462.67	0.27	2	10026508262532	21.00	8.80	6.30	1,164.24	0.67	9.40
WS84922SRN	40	26508262559	10.10	8.40	5.40	458.14	0.27	2	10026508262556	20.80	8.70	6.00	1,085.76	0.63	9.25
WS84923	37	26508269084	20.70	9.50	3.00	589.95	0.34	2	10026508269081	21.30	10.10	6.80	1,462.88	0.85	10.40
WS84923SRN	37	26508269091	20.80	9.60	3.00	599.04	0.35	2	10026508269098	21.20	10.00	6.80	1,441.60	0.83	10.40
WS84924	44	26508262986	13.10	9.20	5.60	674.91	0.39	2	10026508262983	18.70	13.60	6.60	1,678.51	0.97	11.20
WS84924BRB	44	26508262429	13.00	9.70	5.60	706.16	0.41	2	10026508262426	18.50	13.60	6.60	1,660.56	0.96	11.20
WS84924SRN	44	26508262436	13.12	9.13	5.50	658.46	0.38	2	10026508262433	18.70	13.80	6.70	1,729.00	1.00	11.25
WSL84502SRN	37	26508262443	11.50	6.40	4.90	360.64	0.21	2	10026508262440	13.00	12.30	5.90	943.41	0.55	5.80
WSL84533	39	026508262887	20.50	9.50	3.20	623.20	0.36	2	10026508262884	21.50	10.00	6.90	1,483.50	0.86	9.95
WSL84733	38	26508262900	17.20	8.10	3.10	431.89	0.25	2	10026508262907	18.50	8.50	6.60	1,037.85	0.60	8.10
WSL84733SRN	38	26508262894	20.75	9.44	3.00	587.64	0.34	2	10026508262891	21.38	10.00	7.00	1,496.25	0.87	9.18

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
3C	101	34584100641	6.50	1.00	1.00	6.50	0.00	250	10034584100648	14.00	13.75	11.50	2,213.75	1.28	7.50
3CH	101	34584015945	4.00	1.50	1.50	9.00	0.01	200	10034584015942	19.10	9.65	10.63	1,957.94	1.13	28.00
3W	101	34584100658	6.00	1.00	1.00	6.00	0.00	250	10034584100655	14.00	13.75	11.25	2,165.63	1.25	11.75
225	101	34584700018	9.00	1.00	1.00	9.00	0.01	288	10034584700015	18.50	14.80	14.00	3,833.20	2.22	15.20
226	101	34584700025	9.00	1.00	1.00	9.00	0.01	288	10034584700015	18.60	14.80	14.00	3,853.92	2.23	15.50
575	105	34584700230	6.50	6.69	3.35	145.48	0.08	20	10034584700237	17.25	13.50	13.50	3,143.81	1.82	18.40
588	105	34584701305	6.80	4.75	2.00	64.60	0.04	80	10034584701302	11.00	8.00	7.25	638.00	0.37	70.40
902	103	34584711007	4.00	3.00	1.50	18.00	0.01	50	10034584711004	16.75	8.50	5.00	711.88	0.41	5.00
908	103	34584712004	6.25	4.00	1.00	25.00	0.01	100	30034584712005	23.50	16.80	8.20	3,237.36	1.87	32.05
910	103	34584719003	3.75	3.00	0.90	10.13	0.01	200	10034584719000	16.50	15.20	10.90	2,733.72	1.58	50.20
910A18	103	34584713001	0.01	0.01	0.01	0.00	0.00	24	–	0.01	0.01	0.01	0.00	0.00	2.40
910A24	103	34584714008	0.01	0.01	0.01	0.00	0.00	24	–	0.01	0.01	0.01	0.00	0.00	2.40
950	103	34584718006	6.00	4.50	0.50	13.50	0.01	200	20034584718000	28.60	27.10	12.00	9,300.72	5.38	46.60
1576SS	105	34584704504	6.50	5.80	3.20	120.64	0.07	40	10034584704501	24.00	16.00	13.50	5,184.00	3.00	21.20
2030	101	34584700032	3.75	3.70	2.00	27.75	0.02	144	20034584700036	16.60	14.30	13.00	3,085.94	1.79	31.85
2050CH	101	34584700339	10.50	4.88	1.50	76.86	0.04	72	20034584700333	23.30	19.00	15.30	6,773.31	3.92	37.60
2080CH	101	34584700346	10.25	4.50	2.40	110.70	0.06	72	20034584700340	19.90	18.90	15.20	5,716.87	3.31	38.20
2218	101	34584700353	22.25	4.34	2.62	253.00	0.15	36	20034584700357	24.30	18.40	17.00	7,601.04	4.40	28.40
2224	101	34584700360	29.00	4.38	2.38	302.31	0.17	36	20034584700364	30.20	18.80	16.50	9,368.04	5.42	33.20
2230	101	34584700377	29.50	1.60	5.00	236.00	0.14	36	20034584700371	35.80	18.50	16.70	11,060.41	6.40	37.40
2500	101	34584700407	1.46	7.00	8.50	86.87	0.05	6	10034584700404	8.94	7.48	8.94	597.83	0.35	2.84
2565CH	105	34584700131	8.00	6.40	3.40	174.08	0.10	36	10034584700138	21.60	21.10	16.00	7,292.16	4.22	27.55
2575	105	34584700162	7.90	6.50	3.30	169.46	0.10	36	20034584700166	21.50	16.00	21.50	7,396.00	4.28	22.68
2860	101	34584700414	8.50	7.00	2.50	148.75	0.09	72	20034584700418	23.10	19.30	18.90	8,426.19	4.88	30.85
5207-181CH	104	34584741059	19.09	9.84	1.81	340.36	0.20	6	10034584741056	20.00	11.00	10.75	2,365.00	1.37	23.63
5207-241CH	104	34584741042	25.08	9.84	1.81	447.05	0.26	6	10034584741049	25.75	10.50	10.25	2,771.34	1.60	25.68
5303CH	93	34584823076	4.70	4.10	2.60	50.10	0.03	24	40034584823074	18.00	11.10	8.70	1,738.26	1.01	10.75
5308CH	93	34584823083	11.10	4.90	3.60	195.80	0.11	24	40034584823081	23.30	21.50	11.70	5,861.12	3.39	26.70
5318CH	93	34584823090	20.90	5.00	3.60	376.20	0.22	3	30034584823091	21.10	11.40	5.60	1,347.02	0.78	4.10
5324CH	93	34584823106	26.30	5.00	3.60	473.40	0.27	3	30034584823107	26.60	11.20	5.30	1,578.98	0.91	4.60
5386CH	93	34584823113	9.10	6.80	3.00	185.64	0.11	24	40034584823111	29.00	18.80	10.20	5,561.04	3.22	19.05
5520NC	104	34584741066	12.00	5.50	2.50	165.00	0.10	24	10034584741063	13.75	12.37	25.00	4,254.18	2.46	22.56
5571	104	34584115713	6.37	6.37	6.74	273.83	0.16	20	10034584115710	33.00	14.50	13.75	6,579.38	3.81	29.00
5577	104	34584700605	7.13	3.63	12.75	329.50	0.19	20	10034584700602	19.00	3.25	29.25	1,807.42	1.05	41.00
5802CH	73	34584220011	4.80	4.00	2.60	49.92	0.03	24	40034584220019	17.30	11.80	9.40	1,918.92	1.11	9.10
5802W	73	34584230010	4.80	4.10	2.70	53.14	0.03	24	40034584230018	17.10	12.10	9.60	1,986.34	1.15	9.35
5808CH	73	34584220028	11.10	4.30	2.80	133.64	0.08	3	30034584220029	11.60	8.90	4.60	474.90	0.27	3.05
5808W	73	34584230027	10.90	4.30	2.70	126.55	0.07	3	30034584230028	11.60	8.90	4.70	485.23	0.28	2.65
5818CH	73	34584220035	20.10	4.20	2.60	219.49	0.13	3	30034584220036	20.80	8.70	4.80	868.61	0.50	4.20
5818W	73	34584230034	20.20	4.30	2.60	225.84	0.13	3	30034584230035	20.60	8.60	5.00	885.80	0.51	3.95
5824CH	73	34584220042	26.10	4.20	2.60	285.01	0.16	3	30034584220043	26.80	8.90	4.80	1,144.90	0.66	4.60
5824W	73	34584230041	26.20	4.10	2.60	279.29	0.16	3	30034584230042	26.80	8.80	4.70	1,108.45	0.64	4.55
5886CH	73	34584220073	7.90	6.80	2.50	134.30	0.08	3	30034584220074	8.80	7.80	7.20	494.21	0.29	1.95
5886W	73	34584230072	7.70	6.80	2.50	130.90	0.08	3	30034584230073	8.70	7.80	7.20	488.59	0.28	2.00
7603BN	93	34584017123	11.90	3.20	2.50	95.20	0.06	24	20034584017127	14.90	13.80	13.40	2,755.31	1.59	14.70
7603CB	93	34584656094	13.00	7.14	2.00	185.64	0.11	24	40034584560948	15.00	13.50	13.80	2,794.50	1.62	16.32
7603CH	93	34584656056	12.60	3.80	2.25	107.73	0.06	24	40034584656054	14.80	13.80	13.70	2,798.09	1.62	15.20
7603OWB	93	34584017130	12.60	3.80	2.25	107.73	0.06	24	20034584017134	14.80	13.80	13.50	2,757.24	1.60	14.85
7603W	93	34584656100	13.00	7.14	2.00	185.64	0.11	24	40034584656108	14.90	13.70	13.50	2,755.76	1.60	15.30
23418A	101	34584100122	18.00	0.75	0.75	10.13	0.01	50	10034584100129	18.75	8.25	4.50	696.09	0.40	10.00
23418SS	102	34584100016	18.00	0.75	0.75	10.13	0.01	50	10034584100013	19.00	8.25	4.50	705.38	0.41	12.50
23424A	101	34584100146	23.90	0.90	1.00	21.51	0.01	50	10034584100143	24.75	8.25	4.50	918.84	0.53	7.25
23430A	101	34584100160	30.00	0.75	0.75	16.88	0.01	50	10034584100167	30.25	8.00	4.25	1,028.50	0.60	9.25

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
23430SS	102	34584100030	30.00	0.75	0.75	16.88	0.01	50	10034584100037	30.50	8.50	4.50	1,166.63	0.68	21.00
23424SS	102	34584100023	24.00	0.60	0.60	8.64	0.01	50	10034584100020	25.00	8.50	4.75	1,009.37	0.58	17.50
25818A	103	34584100184	18.50	0.62	0.62	7.11	0.00	50	10034584100181	0.01	0.01	0.01	0.00	0.00	4.00
25824A	103	34584100191	24.00	0.50	0.50	6.00	0.00	50	10034584100198	24.75	7.25	4.00	717.75	0.42	6.25
90410	70	026508904107	16.80	5.10	3.60	308.45	0.18	10	10026508904104	17.00	10.50	18.50	3,302.25	1.91	41.00
90410BN	70	026508132050	16.80	5.10	3.60	308.45	0.18	10	10026508132057	17.00	10.50	18.50	3,302.25	1.91	41.00
90410ORB	70	026508132067	16.90	4.80	3.75	304.20	0.18	10	10026508132064	17.00	10.50	18.50	3,302.25	1.91	41.00
90480	70	026508904800	22.30	5.80	4.30	556.16	0.32	8	10026508904807	22.50	12.12	18.00	4,908.60	2.84	47.12
90480BN	70	026508120873	22.30	5.80	4.30	556.16	0.32	8	10026508120870	23.88	11.25	15.25	4,096.05	2.37	46.40
90480ORB	70	026508132081	22.30	5.80	4.30	556.16	0.32	8	10026508132088	22.50	12.12	18.00	4,908.60	2.84	45.84
90530	70	026508905302	16.80	5.10	3.60	308.45	0.18	10	10026508905309	17.00	10.50	18.50	3,302.25	1.91	17.50
94192	119	–	5.50	3.50	2.25	43.31	0.03	72	–	16.40	16.00	16.20	4,250.90	2.46	89.28
181119	71	026508288498	4.00	8.50	11.00	374.00	0.22	3	10026508288495	12.10	11.90	9.20	1,324.71	0.77	4.20
181119SRN	71	026508288504	4.00	8.50	11.00	374.00	0.22	3	10026508288501	12.00	11.90	9.20	1,313.76	0.76	4.30
BH2903BN	77	34584023445	4.72	4.13	2.56	49.90	0.03	12	20034584023449	19.00	9.10	6.60	1,141.14	0.66	6.50
BH2908BN	77	34584023452	11.02	4.72	2.36	122.75	0.07	3	10034584023459	11.40	7.90	5.30	477.32	0.28	3.70
BH2918BN	77	34584023469	18.90	4.65	2.36	207.41	0.12	3	10034584023466	19.50	8.00	5.20	811.20	0.47	4.25
BH2924BN	77	34584023476	25.00	4.65	2.36	274.35	0.16	3	10034584023473	25.40	7.90	5.20	1,043.43	0.60	4.70
BH2986BN	77	34584023483	8.27	6.89	3.94	224.50	0.13	3	10034584023480	12.70	9.20	7.50	876.30	0.51	3.75
BH4603CH	84	34584027566	6.00	4.00	3.25	78.00	0.05	12	20034584027560	14.00	11.50	10.75	1,730.75	1.00	7.80
BH4608CH	84	34584027580	7.87	5.12	11.57	466.21	0.27	3	10034584027587	7.87	5.12	11.57	466.21	0.27	3.54
BH4618CH	84	34584027603	21.91	5.62	2.75	338.68	0.20	3	10034584027600	21.91	5.62	2.75	338.68	0.20	4.20
BH4624CH	84	34584027627	27.00	5.50	2.50	371.25	0.21	3	10034584027624	27.20	6.50	5.30	937.04	0.54	4.83
BH4686CH	84	34584027641	10.37	7.37	2.66	203.30	0.12	3	10034584027648	10.37	8.00	7.37	611.42	0.35	4.35
BH5294BN	88	34584024770	27.40	11.20	3.50	1,074.08	0.62	2	10034584024777	27.80	11.90	7.20	2,381.90	1.38	8.85
BP5303OWB	93	34584007643	3.60	3.20	2.90	33.41	0.02	24	20034584007647	19.20	16.20	4.10	1,275.26	0.74	10.00
BP5303SN	93	34584002549	4.20	3.10	3.10	40.36	0.02	24	10034584002546	19.00	15.50	6.25	1,840.63	1.07	11.40
BP5308OWB	93	34584007650	6.40	3.40	3.30	71.81	0.04	6	10034584007657	10.30	7.30	6.80	511.29	0.30	4.60
BP5308SN	93	34584002556	6.40	3.50	3.10	69.44	0.04	6	10034584002553	10.20	7.40	6.80	513.26	0.30	4.45
BP5318OWB	93	34584007667	18.30	4.00	3.30	241.56	0.14	6	10034584007664	18.80	10.20	8.40	1,610.78	0.93	6.65
BP5318SN	93	34584002563	18.30	4.00	3.30	241.56	0.14	6	10034584002560	18.80	10.10	8.40	1,594.99	0.92	6.55
BP5324OWB	93	34584007674	24.10	4.00	3.30	318.12	0.18	6	10034584007671	24.60	10.20	8.30	2,082.64	1.21	7.95
BP5324SN	93	34584002570	24.20	4.00	3.20	309.76	0.18	6	10034584002577	24.60	10.40	8.20	2,097.89	1.21	7.40
BP5380CH	93	34584014627	7.75	4.10	3.62	115.03	0.07	6	10034584014624	12.50	7.75	7.50	726.56	0.42	3.90
BP5380OWB	93	34584014641	7.75	4.10	3.62	115.03	0.07	6	10034584014648	12.40	7.72	7.32	700.86	0.41	3.90
BP5380SN	93	34584014634	7.20	3.90	3.40	95.47	0.06	6	10034584014631	12.40	8.00	7.50	744.00	0.43	3.60
BP5386OWB	93	34584007681	6.80	6.20	2.20	92.75	0.05	6	110034584007688	13.00	7.60	6.90	681.72	0.39	2.90
BP5386SN	93	34584002587	6.90	6.20	2.00	85.56	0.05	6	10034584002584	13.10	7.50	6.90	677.93	0.39	2.85
BP5808CH	73	34584007384	4.50	2.24	5.71	57.56	0.03	6	10034584007381	7.25	7.25	6.50	341.66	0.20	4.56
BP5824CH	73	34584007391	24.20	3.30	2.40	191.66	0.11	6	10034584007398	24.30	8.40	7.10	1,449.25	0.84	7.35
BP5886CH	73	34584007407	6.30	2.40	5.83	88.15	0.05	6	10034584007404	15.00	6.75	6.50	658.13	0.38	2.76
BR587	105	34584701183	7.00	2.10	1.90	27.93	0.02	72	20034584701187	20.10	19.50	8.80	3,449.16	2.00	20.25
DN0703BN	82	34584012890	4.70	4.00	2.60	48.88	0.03	24	20034584012894	17.50	11.50	9.90	1,992.38	1.15	15.00
DN0703CH	82	34584008268	4.70	4.00	2.70	50.76	0.03	12	30034584008269	11.60	10.10	8.90	1,042.72	0.60	7.85
DN0708BN	82	34584012906	11.10	4.90	3.00	163.17	0.09	3	10034584012903	11.50	9.60	5.40	596.16	0.35	4.80
DN0708CH	82	34584008275	11.10	4.80	3.00	159.84	0.09	3	10034584008272	11.50	9.80	5.30	597.31	0.35	4.65
DN0709BN	82	34584017307	9.10	5.30	3.00	144.69	0.08	3	10034584017304	10.00	9.70	5.70	552.90	0.32	3.80
DN0709CH	82	34584017314	9.10	5.30	3.00	144.69	0.08	3	10034584017311	10.30	9.60	5.70	563.62	0.33	3.70
DN0718BN	82	34584012913	4.84	3.03	20.87	306.06	0.18	3	10034584012910	24.50	9.50	5.50	1,280.13	0.74	5.40
DN0718CH	82	34584008282	20.80	4.90	3.00	305.76	0.18	3	10034584008289	21.30	9.50	5.30	1,072.46	0.62	5.05
DN0722BN	82	34584012920	26.30	7.20	3.60	681.70	0.39	3	10034584012927	26.70	11.20	7.50	2,242.80	1.30	8.70
DN0722CH	82	34584008299	26.30	7.10	3.60	672.23	0.39	3	10034584008296	26.80	11.50	7.50	2,311.50	1.34	8.85
DN0724BN	82	34584012937	4.33	2.56	4.69	51.99	0.03	12	20034584020271	12.25	6.50	4.00	318.50	0.18	7.68

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
DN0724CH	82	34584008305	26.20	4.90	3.00	385.14	0.22	3	10034584008302	26.70	9.60	5.40	1,384.13	0.80	5.65
DN0786BN	82	34584012982	4.57	2.56	20.28	237.26	0.14	3	10034584020298	24.00	9.50	5.50	1,254.00	0.73	4.90
DN0786CH	82	34584008312	4.57	2.56	26.26	307.22	0.18	3	10034584020304	26.65	4.96	8.27	1,093.17	0.63	5.26
DN0790BN	83	34584012999	25.00	3.07	5.55	425.96	0.25	3	10034584012996	24.50	9.50	6.00	1,396.50	0.81	12.30
DN0790CH	83	34584008329	25.00	3.07	5.55	425.96	0.25	3	10034584008326	25.50	10.00	6.25	1,593.75	0.92	12.30
DN0792BN	83	34584013101	23.90	23.70	3.50	1,982.51	1.15	3	10034584013108	24.50	24.20	10.40	6,166.16	3.57	30.65
DN0792CH	83	34584008336	23.90	23.80	3.50	1,990.87	1.15	3	10034584008333	24.70	24.20	10.50	6,276.27	3.63	30.90
DN0794BN	83	34584015174	29.00	13.10	8.60	3,267.14	1.89	2	10034584015171	29.70	17.90	14.10	7,495.98	4.34	18.80
DN0794CH	83	34584015167	28.90	13.00	8.60	3,231.02	1.87	2	10034584015164	29.70	18.00	14.20	7,591.32	4.39	18.25
DN1803BRB	92	34584020277	4.33	2.56	4.69	51.99	0.03	12	20034584020271	12.25	6.50	9.50	756.44	0.44	7.68
DN1808BRB	92	34584020284	4.57	2.56	10.94	127.99	0.07	3	10034584020281	11.34	4.96	8.27	465.16	0.27	3.86
DN1818BRB	92	34584020291	4.57	2.56	20.28	237.26	0.14	3	10034584020298	24.00	9.50	5.50	1,254.00	0.73	4.90
DN1824BRB	92	34584020307	4.57	2.56	26.26	307.22	0.18	3	10034584020304	26.65	4.96	8.27	1,093.16	0.63	5.26
DN1886BRB	92	34584020314	6.69	2.36	7.76	122.52	0.07	3	10034584020311	8.15	7.09	7.68	443.78	0.26	2.78
DN2141BN	95	34584017543	37.70	7.40	3.00	836.94	0.48	2	10034584017540	39.40	8.30	6.40	2,092.93	1.21	9.80
DN2141CH	95	34584017536	37.50	7.30	2.70	739.13	0.43	2	10034584017533	39.00	7.80	6.00	1,825.20	1.06	9.40
DN2141OWB	95	34584017550	37.70	7.30	3.00	825.63	0.48	2	10034584017557	38.90	8.10	6.00	1,890.54	1.09	9.75
DN2160BN	96	34584011343	41.00	5.50	3.79	854.65	0.49	3	10034584011340	41.00	11.37	5.50	2,563.94	1.48	9.90
DN2160CH	96	34584011350	41.00	5.50	3.79	854.65	0.49	3	10034584011357	41.00	11.37	5.50	2,563.94	1.48	9.81
DN2160OWB	96	34584011367	40.10	3.80	3.50	533.33	0.31	3	10034584011364	40.25	11.25	5.50	2,490.47	1.44	10.11
DN2171BN	96	34584021434	5.12	3.54	39.76	720.64	0.42	3	10034584021431	5.35	11.22	40.55	2,434.09	1.41	8.13
DN2171CH	96	34584021441	5.12	3.54	39.76	720.64	0.42	3	10034584021448	5.35	11.22	40.55	2,434.09	1.41	9.81
DN2171OWB	96	34584021458	5.12	3.54	39.76	720.64	0.42	3	10034584021455	40.75	11.50	5.5	2,577.43	1.49	8.13
DN3601ORB	75	34584020239	4.33	2.76	6.69	79.95	0.05	12	20034584020233	20.00	9.25	8.50	1,572.50	0.91	8.40
DN3603ORB	75	34584016195	4.33	2.83	7.36	90.19	0.05	24	20034584016199	20.75	15.00	10.00	3,112.50	1.80	19.80
DN3608ORB	75	34584016201	4.80	3.15	13.50	204.12	0.12	3	10034584016208	15.50	10.00	5.25	813.75	0.47	4.68
DN3618ORB	75	34584016218	4.92	2.91	25.20	360.79	0.21	3	10034584016215	25.70	5.52	9.84	1,395.94	0.81	5.58
DN3622ORB	75	34584016225	7.09	3.54	27.27	684.44	0.40	3	10034584016222	27.50	11.75	7.50	2,423.44	1.40	8.58
DN3624ORB	75	34584016232	7.86	3.54	27.76	772.41	0.45	3	10034584016239	26.50	9.50	5.50	1,384.63	0.80	6.30
DN3686ORB	75	34584016249	6.93	4.06	11.00	309.49	0.18	3	10034584016246	13.00	11.00	7.50	1,072.50	0.62	4.59
DN4103BN	90	34584483430	4.70	4.00	2.70	50.76	0.03	12	30034584483431	10.80	9.60	9.20	953.86	0.55	8.45
DN4108BN	90	34584483454	10.90	4.80	3.60	188.35	0.11	3	10034584483451	11.40	11.20	5.30	676.70	0.39	4.20
DN4118BN	90	34584483478	20.90	4.80	3.40	341.09	0.20	3	10034584483475	21.30	11.10	5.30	1,253.08	0.73	4.80
DN4122BN	90	34584483492	27.00	7.10	4.20	805.14	0.47	3	10034584483499	27.50	12.00	7.70	2,541.00	1.47	9.60
DN4124BN	90	34584483515	27.10	4.80	3.60	468.29	0.27	3	10034584483512	27.40	11.30	5.30	1,640.99	0.95	6.15
DN4150BN	90	34584483539	21.40	7.10	3.50	531.79	0.31	2	10034584483536	21.90	7.80	7.10	1,212.82	0.70	12.50
DN4186BN	90	34584483553	9.10	6.80	3.00	185.64	0.11	3	10034584483550	9.90	9.50	7.30	686.57	0.40	3.25
DN4190BN	90	34584483577	24.80	5.80	3.80	546.59	0.32	3	10034584483574	25.10	11.40	6.30	1,802.68	1.04	10.80
DN4403BN	91	34584016683	3.20	4.50	5.38	77.47	0.04	12	20034584016687	29.25	13.00	4.50	1,711.13	0.99	10.56
DN4403CH	91	34584016676	3.20	4.50	5.38	77.47	0.04	12	20034584016670	22.44	6.46	10.04	1,455.42	0.84	11.64
DN4403ORB	91	34584016690	5.38	4.50	3.20	77.47	0.04	12	20034584016694	22.50	10.00	6.50	1,462.50	0.85	12.14
DN4408BN	91	34584016713	4.92	3.07	12.13	183.22	0.11	3	10034584016710	9.96	5.79	13.15	758.34	0.44	3.75
DN4408CH	91	34584016706	4.92	3.07	12.13	183.22	0.11	3	10034584016703	11.50	9.50	5.00	546.25	0.32	3.81
DN4408ORB	91	34584016720	12.13	4.92	3.07	183.22	0.11	3	10034584016727	11.50	9.50	5.25	573.56	0.33	4.10
DN4418BN	91	34584016744	4.92	3.03	23.82	355.10	0.21	3	10034584016741	24.00	11.50	5.00	1,380.00	0.80	5.16
DN4418CH	91	34584016737	4.92	3.03	23.82	355.10	0.21	3	10034584016734	24.53	5.31	9.65	1,256.95	0.73	5.25
DN4418ORB	91	34584016751	23.82	4.92	3.03	355.10	0.21	3	10034584016758	24.75	10.00	5.00	1,237.50	0.72	6.17
DN4424BN	91	34584016775	4.92	3.03	26.38	393.26	0.23	3	10034584016772	10.16	5.79	27.09	1,593.61	0.92	5.73
DN4424CH	91	34584016768	4.92	3.03	26.38	393.26	0.23	3	10034584016765	26.97	5.31	9.65	1,381.98	0.80	17.58
DN4424ORB	91	34584016782	26.38	4.92	3.03	393.26	0.23	3	10034584016789	26.97	5.31	9.65	1,381.98	0.80	7.28
DN4486BN	91	34584016805	7.95	2.83	10.24	230.38	0.13	2	20034584016809	11.00	8.50	6.25	584.38	0.34	1.02
DN4486CH	91	34584016799	7.95	2.83	10.24	230.38	0.13	2	20034584016793	8.46	6.10	10.94	564.57	0.33	2.18
DN4486ORB	91	34584016812	7.62	7.12	4.16	225.70	0.13	3	10034584014846	12.38	7.63	7.00	660.52	0.38	4.64

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
DN5075	105	34584014856	7.10	6.50	3.90	179.99	0.10	3	10034584014853	12.30	7.60	7.00	654.36	0.38	3.60
DN5075W	105	34584014863	7.30	6.60	4.20	202.36	0.12	3	10034584014860	12.40	7.60	7.00	659.68	0.38	3.70
DN6703BN	76	34584000811	4.70	4.00	2.60	48.88	0.03	24	20034584000815	18.90	12.10	9.00	2,058.21	1.19	14.25
DN6703ORB	76	34584483591	4.70	4.00	2.60	48.88	0.03	24	20034584483595	18.90	12.20	9.10	2,098.28	1.21	13.95
DN6708BN	76	34584000828	11.10	4.90	3.00	163.17	0.09	3	10034584000825	11.60	9.90	5.30	608.65	0.35	3.20
DN6708ORB	76	34584483614	11.10	4.90	3.00	163.17	0.09	3	10034584483611	11.60	9.90	5.30	608.65	0.35	3.15
DN6718BN	76	34584000835	20.80	4.90	3.00	305.76	0.18	3	10034584000832	21.30	9.80	5.30	1,106.32	0.64	5.20
DN6718ORB	76	34584483638	20.90	4.90	3.00	307.23	0.18	3	10034584483635	21.40	9.60	5.40	1,109.38	0.64	5.25
DN6724BN	76	34584000842	26.30	4.90	3.00	386.61	0.22	3	10034584000849	26.70	9.70	5.30	1,372.65	0.79	5.70
DN6724ORB	76	34584483652	26.20	4.90	3.00	385.14	0.22	3	10034584483659	26.70	10.10	5.60	1,510.15	0.87	5.65
DN6786BN	76	34584000859	9.20	6.90	3.00	190.44	0.11	3	10034584000856	10.00	9.70	7.30	708.10	0.41	3.10
DN6786ORB	76	34584483676	9.20	6.90	3.00	190.44	0.11	3	10034584483673	10.10	9.70	7.30	715.18	0.41	3.10
DN6801BN	88	34584001146	6.88	4.25	2.75	80.35	0.05	12	30034584001147	20.00	9.00	8.00	1,440.00	0.83	9.84
DN6801CH	88	34584001139	6.88	4.25	2.75	80.35	0.05	3	10034584001136	9.00	5.00	7.60	342.00	0.20	2.46
DN6801ORB	88	34584009333	6.88	4.25	2.75	80.35	0.05	12	30034584009334	20.00	8.98	7.87	1,413.45	0.82	9.84
DN6803BN	88	34584483317	6.08	3.12	3.00	56.91	0.03	12	30034584483318	13.50	10.50	8.00	1,134.00	0.66	11.99
DN6803CH	88	34584483300	5.75	3.13	3.00	53.91	0.03	3	10034584483307	20.25	13.25	6.50	1,744.03	1.01	1.83
DN6803ORB	88	34584015983	5.75	3.13	3.00	53.91	0.03	24	20034584015987	19.92	10.75	7.68	1,644.60	0.95	3.26
DN6808BN	88	34584483331	12.91	5.62	2.91	211.13	0.12	3	10034584483338	12.00	9.50	5.00	570.00	0.33	4.80
DN6808CH	88	34584483324	12.44	5.20	3.16	204.31	0.12	3	10034584483321	12.75	10.50	5.50	736.31	0.43	4.68
DN6808ORB	88	34584015990	12.91	5.62	2.91	211.13	0.12	3	10034584015997	11.50	10.00	5.25	603.75	0.35	3.60
DN6818BN	88	34584483355	24.02	4.81	2.94	339.53	0.20	3	10034584483352	24.10	5.51	9.45	1,254.94	0.73	5.94
DN6818CH	88	34584483348	23.50	4.88	3.00	344.04	0.20	3	10034584483345	24.10	5.51	9.45	1,254.94	0.73	5.82
DN6818ORB	88	34584016003	23.50	4.88	3.00	344.04	0.20	3	10034584016000	24.00	9.25	5.50	1,221.00	0.71	4.86
DN6822BN	88	34584002297	27.40	7.50	3.80	780.90	0.45	3	10034584002294	28.00	11.00	8.25	2,541.00	1.47	11.20
DN6824BN	88	34584483379	26.25	5.30	3.12	434.07	0.25	3	10034584483376	26.75	5.30	9.38	1,329.85	0.77	7.76
DN6824CH	88	34584483362	26.64	4.81	2.94	376.76	0.22	3	10034584483369	27.00	9.50	5.25	1,346.63	0.78	6.03
DN6824ORB	88	34584016010	26.64	4.81	2.94	376.76	0.22	3	10034584016017	27.00	9.50	5.25	1,346.63	0.78	5.28
DN6850BN	88	34584483416	21.50	7.00	3.50	526.75	0.30	2	10034584483413	22.25	7.50	7.25	1,209.84	0.70	10.40
DN6886BN	88	34584483393	10.46	6.75	2.75	194.09	0.11	3	10034584483390	10.75	7.50	8.75	705.47	0.41	4.22
DN6886CH	88	34584483386	10.46	6.75	2.75	194.09	0.11	3	10034584483383	10.25	8.75	7.00	627.81	0.36	2.61
DN6886ORB	88	34584016027	10.46	6.75	2.75	194.09	0.11	3	10034584016024	9.50	9.50	7.00	631.75	0.37	2.58
DN6890BN	88	34584485564	25.38	6.00	4.00	609.12	0.35	3	10034584485561	25.25	11.50	6.50	1,887.44	1.09	12.00
DN6892BN	88	34584002235	28.00	21.00	3.00	1,764.00	1.02	3	10034584002232	28.25	22.00	9.50	5,904.25	3.42	34.98
DN6899BN	88	34584024763	11.00	4.90	3.00	161.70	0.09	3	10034584024760	11.30	9.80	5.20	575.85	0.33	3.45
DN6903PW	85	34584190819	5.71	3.27	3.58	66.84	0.04	24	40034584190817	10.00	6.75	4.25	286.88	0.17	16.08
DN6908PW	85	34584190826	11.10	4.90	3.40	184.93	0.11	3	30034584190827	11.50	11.10	5.30	676.55	0.39	4.35
DN6918PW	85	34584190833	21.00	5.00	3.50	367.50	0.21	3	30034584190834	21.30	11.20	5.20	1,240.51	0.72	5.35
DN6924PW	85	34584190840	26.30	4.90	3.60	463.93	0.27	3	30034584190841	26.70	11.10	5.30	1,570.76	0.91	5.90
DN6986PW	85	34584190857	9.20	7.20	3.30	218.59	0.13	3	30034584190858	9.90	9.70	7.50	720.23	0.42	3.20
DN7005	115	34584179623	19.70	17.70	1.40	488.17	0.28	2	10034584179620	20.30	19.30	3.30	1,292.91	0.75	6.60
DN7010	115	34584179630	19.50	10.80	1.80	379.08	0.22	2	10034584179637	19.90	11.50	3.60	823.86	0.48	5.50
DN7015	115	34584179647	21.90	9.20	4.10	826.07	0.48	2	10034584179644	23.30	9.70	8.80	1,988.89	1.15	11.45
DN7020	115	34584179654	16.20	15.70	8.60	2,187.32	1.27	2	10034584179651	17.30	16.90	16.70	4,882.58	2.83	10.70
DN7025	115	34584179661	23.40	13.40	3.80	1,191.53	0.69	2	10034584179668	24.30	13.80	8.30	2,783.32	1.61	10.65
DN7030	115	34584179678	23.50	13.30	5.40	1,687.77	0.98	2	10034584179675	24.50	13.70	11.00	3,692.15	2.14	15.80
DN7038	115	34584017154	22.05	16.93	20.00	7,466.13	4.32	2	10034584017151	25.50	21.70	16.90	9,351.62	5.41	17.25
DN7045	115	34584179708	4.85	0.75	7.25	26.37	0.02	12	20034584179702	11.40	8.00	6.40	583.68	0.34	3.00
DN7050	115	34584179715	16.80	3.10	2.00	104.16	0.06	24	10034584179712	18.70	14.60	13.90	3,794.98	2.20	22.20
DN7060	115	34584484277	25.10	18.40	6.60	3,048.14	1.76	2	10034584484274	26.00	18.90	13.30	6,535.62	3.78	23.15
DN7064	115	34584017161	21.60	19.50	8.10	3,411.72	1.97	2	10034584017168	22.30	20.10	17.10	7,664.73	4.44	30.40
DN7065	115	34584484284	21.65	8.66	19.39	3,635.41	2.10	1	20034584484288	22.83	9.84	20.47	4,598.53	2.66	13.84
DN7075	115	34584484307	20.10	7.80	7.00	1,097.46	0.64	2	10034584484304	20.70	14.90	8.40	2,590.81	1.50	13.35

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
DN7100	115	34584011923	20.30	18.40	7.60	2,838.75	1.64	2	10034584011920	21.00	19.30	16.30	6,606.39	3.82	26.55
DN7105	115	34584011947	34.10	19.20	7.00	4,583.04	2.65	2	10034584011944	35.10	20.00	14.20	9,968.40	5.77	39.85
DN7175	115	34584011916	13.00	7.70	7.50	750.75	0.43	2	10034584011913	15.00	14.20	8.10	1,725.30	1.00	9.40
DN7703BN	85	34584004215	4.70	4.10	2.60	50.10	0.03	24	20034584004219	18.10	11.20	9.10	1,844.75	1.07	14.95
DN7703CH	85	34584004154	4.70	4.00	2.60	48.88	0.03	24	20034584004158	18.10	11.20	9.10	1,844.75	1.07	14.95
DN7708BN	85	34584004222	11.00	4.80	3.60	190.08	0.11	3	10034584004229	11.50	11.40	5.30	694.83	0.40	3.15
DN7708CH	85	34584004161	10.90	4.90	3.50	186.94	0.11	3	10034584004168	11.60	11.40	5.40	714.10	0.41	3.15
DN7718BN	85	34584004239	20.80	4.90	2.90	295.57	0.17	3	10034584004236	21.20	9.60	5.40	1,099.01	0.64	4.40
DN7718CH	85	34584004178	20.90	4.90	2.90	296.99	0.17	3	10034584004175	21.30	9.30	5.40	1,069.69	0.62	4.40
DN7722BN	85	34584004871	27.20	7.30	4.10	814.10	0.47	3	10034584004878	27.40	12.30	7.50	2,527.65	1.46	6.95
DN7722CH	85	34584004864	27.00	7.30	3.80	748.98	0.43	3	10034584004861	27.40	12.60	7.70	2,658.35	1.54	6.95
DN7724BN	85	34584004246	26.20	4.90	3.10	397.98	0.23	3	10034584004243	26.60	9.50	5.40	1,364.58	0.79	4.95
DN7724CH	85	34584004185	26.20	5.00	3.00	393.00	0.23	3	10034584004182	26.60	9.40	5.30	1,325.21	0.77	4.90
DN7786BN	85	34584004253	9.10	6.80	3.00	185.64	0.11	3	10034584004250	9.70	9.60	7.30	679.78	0.39	2.65
DN7786CH	85	34584004192	9.10	6.70	3.00	182.91	0.11	3	10034584004199	9.60	9.50	7.20	656.64	0.38	2.60
DN7790BN	85	34584004260	24.70	5.60	3.70	511.78	0.30	3	10034584004267	25.20	11.70	6.40	1,886.98	1.09	11.40
DN7790CH	85	34584004208	24.70	5.60	3.70	511.78	0.30	3	10034584004205	25.10	11.50	6.30	1,818.50	1.05	11.55
DN7903BN	73	34584018311	4.21	2.56	4.69	50.55	0.03	12	20034584018315	15.71	12.72	5.51	1,101.07	0.64	8.60
DN7903BRB	73	34584018328	4.21	2.56	4.69	50.55	0.03	12	20034584018322	13.25	12.75	7.00	1,182.56	0.68	8.60
DN7903CH	73	34584018335	4.21	2.56	4.69	50.55	0.03	12	20034584018339	15.71	12.72	5.51	1,101.07	0.64	8.60
DN7908BN	73	34584018342	3.94	2.95	10.94	127.16	0.07	3	10034584018349	6.06	5.47	11.34	375.90	0.22	3.81
DN7908BRB	73	34584018359	3.94	2.95	10.94	127.16	0.07	3	10034584018356	13.00	10.00	5.75	747.50	0.43	3.81
DN7908CH	73	34584018366	3.94	2.95	10.94	127.16	0.07	3	10034584018363	6.06	5.47	11.34	375.90	0.22	3.81
DN7918BN	73	34584018373	4.57	2.95	20.87	281.36	0.16	3	10034584018370	7.95	5.47	21.26	924.52	0.54	5.14
DN7918BRB	73	34584018380	4.57	2.95	20.87	281.36	0.16	3	10034584018387	24.50	9.00	5.50	1,212.75	0.70	5.14
DN7918CH	73	34584018397	4.57	2.95	20.87	281.36	0.16	3	10034584018394	7.95	5.47	21.26	924.52	0.54	5.14
DN7924BN	73	34584018403	4.57	2.95	26.26	354.02	0.20	3	10034584018400	7.95	5.47	26.65	1,158.92	0.67	6.12
DN7924BRB	73	34584018410	4.57	2.95	26.26	354.02	0.20	3	10034584018417	27.00	9.50	5.50	1,410.75	0.82	6.12
DN7924CH	73	34584018427	4.57	2.95	26.26	354.02	0.20	3	10034584018424	7.95	5.47	26.65	1,158.92	0.67	6.12
DN7986BN	73	34584018434	4.57	2.36	7.76	83.69	0.05	2	10034584018431	7.95	5.59	8.15	362.19	0.21	2.02
DN7986BRB	73	34584018441	4.57	2.36	7.76	83.69	0.05	2	10034584018448	11.00	7.25	6.75	538.31	0.31	2.02
DN7986CH	73	34584018458	4.57	2.36	7.76	83.69	0.05	2	10034584018455	7.95	5.59	8.15	362.19	0.21	1.85
DN8001CA	117	34584025326	11.50	5.20	3.70	221.26	0.13	3	10034584025323	14.50	7.30	13.25	1,402.51	0.81	4.90
DN8001CH	117	34584011701	12.50	6.80	4.70	399.50	0.23	3	10034584011708	14.70	13.60	7.40	1,479.41	0.86	6.50
DN8060	115	34584007766	24.75	18.75	6.10	2,830.78	1.64	2	10034584007763	25.50	19.00	12.75	6,177.38	3.57	21.60
DN8203BN	92	34584004345	4.80	4.00	2.60	49.92	0.03	24	20034584004349	17.10	11.60	9.90	1,963.76	1.14	14.30
DN8208BN	92	34584004352	11.00	4.90	2.90	156.31	0.09	3	10034584004359	11.50	9.60	5.40	596.16	0.35	5.30
DN8218BN	92	34584004369	20.80	4.80	3.10	309.50	0.18	3	10034584004366	21.50	9.60	5.30	1,093.92	0.63	5.80
DN8222BN	92	34584004376	7.05	3.54	26.38	658.37	0.38	3	10034584004373	26.60	11.30	7.50	2,254.35	1.30	8.85
DN8224BN	92	34584004383	26.20	4.90	3.10	397.98	0.23	3	10034584004380	26.70	9.60	5.40	1,384.13	0.80	6.35
DN8286BN	92	34584004390	9.10	6.80	3.00	185.64	0.11	3	10034584004397	10.10	9.70	7.30	715.18	0.41	3.20
DN8303BN	87	34584004482	4.06	2.68	4.84	52.66	0.03	24	20034584004486	17.75	14.00	11.00	2,733.50	1.58	20.16
DN8303CH	87	34584004413	4.06	2.68	4.84	52.66	0.03	24	20034584004417	17.75	13.75	11.00	2,684.69	1.55	16.80
DN8308BN	87	34584004499	11.10	4.90	3.00	163.17	0.09	3	10034584004496	11.50	9.80	5.40	608.58	0.35	4.20
DN8308CH	87	34584004420	11.10	4.90	3.00	163.17	0.09	3	10034584004427	11.40	9.80	5.40	603.29	0.35	4.25
DN8318BN	87	34584004505	20.80	4.90	3.00	305.76	0.18	3	10034584004502	21.20	9.50	5.30	1,067.42	0.62	4.60
DN8318CH	87	34584004437	20.90	4.90	3.00	307.23	0.18	3	10034584004434	21.30	9.60	5.30	1,083.74	0.63	4.55
DN8322BN	87	34584004512	26.30	7.10	3.60	672.23	0.39	3	10034584004519	27.80	12.70	7.60	2,683.26	1.55	8.20
DN8322CH	87	34584004444	27.00	7.30	4.00	788.40	0.46	3	10034584004441	27.40	12.50	7.70	2,637.25	1.53	8.15
DN8324BN	87	34584004529	26.20	4.90	3.00	385.14	0.22	3	10034584004526	26.70	9.60	5.30	1,358.50	0.79	5.20
DN8324CH	87	34584004451	26.20	4.90	3.00	385.14	0.22	3	10034584004458	26.60	9.60	5.40	1,378.94	0.80	5.30
DN8386BN	87	34584004536	7.80	7.30	2.40	136.66	0.08	3	10034584004533	8.30	8.20	7.70	524.06	0.30	2.60
DN8386CH	87	34584004468	7.80	7.20	2.40	134.78	0.08	3	10034584004465	8.30	8.20	7.60	517.26	0.30	2.75

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
DN8390BN	87	34584004543	25.00	5.70	3.00	427.50	0.25	3	10034584004540	25.50	9.50	6.10	1,477.73	0.86	11.30
DN8390CH	87	34584004475	24.90	5.60	3.00	418.32	0.24	3	10034584004472	25.40	9.40	6.00	1,432.56	0.83	11.50
DN8403BN	86	34584002242	5.59	3.07	2.95	50.63	0.03	12	30034584002243	14.00	10.50	8.25	1,212.75	0.70	7.64
DN8403CH	86	34584141118	5.59	3.07	2.95	50.63	0.03	12	10034584141115	14.00	10.50	8.25	1,212.75	0.70	6.72
DN8408BN	86	34584002259	12.33	4.06	2.69	134.67	0.08	3	10034584002256	11.75	8.75	4.75	488.36	0.28	3.00
DN8408CH	86	34584141125	12.33	4.06	2.69	134.67	0.08	3	30034584141126	13.00	5.30	10.60	730.34	0.42	3.00
DN8418BN	86	34584002266	24.02	4.06	2.69	262.32	0.15	3	10034584002263	24.61	4.72	8.86	1,029.17	0.60	3.60
DN8418CH	86	34584141132	24.02	4.06	2.69	262.32	0.15	3	30034584141133	24.50	5.00	9.00	1,102.50	0.64	3.38
DN8422CH	86	34584141187	26.64	6.25	2.69	447.89	0.26	3	30034584141188	27.00	9.00	7.25	1,761.75	1.02	5.85
DN8424BN	86	34584002273	26.64	4.06	2.69	290.99	0.17	3	10034584002270	26.77	4.72	8.86	1,119.50	0.65	3.84
DN8424CH	86	34584141149	26.64	4.06	2.69	290.99	0.17	3	30034584141140	27.77	4.72	8.86	1,161.32	0.67	3.67
DN8433BN	86	34584005496	8.62	19.17	2.87	474.25	0.27	4	10034584005493	20.00	12.25	9.50	2,327.50	1.35	8.96
DN8433CH	86	34584007353	8.62	19.17	2.87	474.25	0.27	4	10034584007350	20.00	12.25	9.25	2,266.25	1.31	9.71
DN8486BN	86	34584002280	10.46	6.75	2.75	194.09	0.11	3	10034584002287	8.75	7.50	7.50	492.19	0.28	2.34
DN8486CH	86	34584141156	10.46	6.75	2.75	194.16	0.11	3	30034584141157	11.00	9.75	7.50	804.38	0.47	3.03
DN8490CH	86	34584481849	5.43	2.91	24.92	393.77	0.23	3	10034584481846	25.25	9.50	6.00	1,439.25	0.83	9.36
DN9103BN	78	34584018946	3.03	3.66	6.30	69.87	0.04	12	20034584018940	11.65	5.12	14.57	869.07	0.50	9.12
DN9103BRB	78	34584018953	3.03	3.66	6.30	69.87	0.04	12	20034584018957	11.65	5.12	14.57	869.07	0.50	11.36
DN9103CH	78	34584018960	3.03	3.66	6.30	69.87	0.04	12	20034584018964	14.00	12.00	8.50	1,428.00	0.83	11.36
DN9108BN	78	34584018977	4.92	3.03	13.39	199.61	0.12	3	10034584018974	10.12	5.71	13.19	762.19	0.44	3.63
DN9108BRB	78	34584018984	4.92	3.03	13.39	199.61	0.12	3	10034584018981	12.75	10.00	5.50	701.25	0.41	4.29
DN9108CH	78	34584018991	4.92	3.03	13.39	199.61	0.12	3	10034584018998	10.12	5.71	13.19	762.19	0.44	4.29
DN9118BN	78	34584019004	4.92	3.03	25.20	375.67	0.22	3	10034584019001	23.70	5.67	9.84	1,322.29	0.77	4.98
DN9118BRB	78	34584019011	4.92	3.03	25.20	375.67	0.22	3	10034584019018	24.50	10.00	6.00	1,470.00	0.85	7.20
DN9118CH	78	34584019028	4.92	3.03	25.20	375.67	0.22	3	10034584019025	23.70	5.67	9.84	1,322.29	0.77	7.17
DN9124BRB	78	34584019042	4.92	3.03	27.83	414.87	0.24	3	10034584019049	27.00	9.50	5.50	1,410.75	0.82	8.25
DN9124BN	78	34584019035	4.92	3.03	27.83	414.88	0.24	3	10034584019032	26.97	5.67	9.84	1,504.73	0.87	5.70
DN9124CH	78	34584019059	4.92	3.03	27.83	414.88	0.24	3	10034584019056	26.97	5.67	9.84	1,504.73	0.87	5.31
DN9186BN	78	34584019066	6.81	2.83	11.61	223.75	0.13	2	10034584019063	7.44	6.30	12.24	573.71	0.33	2.06
DN9186BRB	78	34584019073	6.81	2.83	11.61	223.75	0.13	2	10034584019070	7.44	6.30	12.24	573.71	0.33	2.66
DN9186CH	78	34584019080	6.81	2.83	11.61	223.75	0.13	2	10034584019087	10.75	7.50	6.25	503.91	0.29	2.66
L8718	109	34584485342	21.40	3.50	0.20	14.98	0.01	3	10034584485349	22.10	9.80	4.00	866.32	0.50	4.80
L8724	109	34584485359	27.50	3.50	3.10	298.38	0.17	3	10034584485356	27.90	9.90	4.20	1,160.08	0.67	5.60
L8736	109	34584485366	39.50	3.25	3.00	385.13	0.22	3	10034584485363	40.25	10.50	4.25	1,796.16	1.04	7.50
LR2250	116	34584485496	11.73	3.37	2.70	106.73	0.06	3	10034584485493	12.25	8.00	3.50	343.00	0.20	3.86
LR2250DBN	116	34584009012	12.80	2.90	2.75	102.08	0.06	3	10034584009019	13.40	9.10	3.30	402.40	0.23	3.51
LR2250DCH	116	34584009005	12.70	2.90	2.80	103.12	0.06	3	10034584009002	13.60	9.10	3.60	445.54	0.26	3.40
LR2250DOWB	116	34584017567	12.72	2.80	2.87	102.22	0.06	3	10034584017564	13.75	9.50	4.00	522.50	0.30	3.60
LR2250DW	116	34584008992	12.72	2.80	2.87	102.22	0.06	3	10034584008999	13.25	7.00	4.00	371.00	0.21	3.51
LR2250SN	116	34584001801	11.70	2.90	2.50	84.83	0.05	3	10034584001808	18.50	7.00	4.50	582.75	0.34	4.08
LR2260	116	34584485502	18.80	2.70	2.50	126.90	0.07	3	10034584485509	19.30	8.20	3.20	506.43	0.29	4.35
LR2260SN	116	34584001818	18.80	2.80	2.30	121.07	0.07	3	10034584001815	19.10	8.20	3.40	532.51	0.31	3.10
LR2350DBN	112	34584017598	27.50	5.10	3.40	476.85	0.28	3	10034584017595	27.80	10.30	5.60	1,603.50	0.93	8.90
LR2350DCH	112	34584020857	27.40	5.20	3.20	455.94	0.26	3	10034584020854	28.00	10.70	6.00	1,797.60	1.04	9.25
LR2350DOWB	112	34584020864	27.50	5.20	3.20	457.60	0.26	3	10034584020861	27.70	10.20	5.70	1,610.48	0.93	8.85
LR2352DBN	112	34584017604	12.90	7.60	3.40	333.34	0.19	3	10034584017601	13.30	10.40	8.20	1,134.22	0.66	5.90
LR2354DCH	112	34584020918	13.20	7.00	4.20	388.08	0.22	3	10034584020915	13.90	13.00	7.30	1,319.11	0.76	6.70
LR2356DBN	112	34584017611	18.80	5.40	4.40	446.69	0.26	3	10034584017618	19.50	14.00	6.50	1,774.50	1.03	9.15
LR2356DOWB	112	34584020901	18.90	5.30	4.50	450.77	0.26	3	10034584020908	19.75	13.75	6.50	1,765.16	1.02	9.39
LR7518	110	34584485397	21.40	3.50	3.20	239.68	0.14	3	10034584485394	22.10	10.50	4.20	974.61	0.56	4.90
LR7524	110	34584485403	27.40	3.40	3.30	307.43	0.18	3	10034584485400	27.90	10.20	3.90	1,109.86	0.64	5.85
LR7542	110	34584485427	45.60	3.50	3.10	494.76	0.29	3	10034584485424	46.20	10.60	4.30	2,105.80	1.22	10.75
LR8176D3GCH	108	34584005311	19.20	3.40	29.00	189.31	0.11	3	10034584005318	9.90	10.70	3.80	809.13	0.47	4.65

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
LR8716D3BN	108	34584005212	19.40	3.50	2.90	196.91	0.11	3	10034584005219	19.90	9.60	3.80	725.95	0.42	4.50
LR8716D3CH	108	34584005236	19.40	3.30	3.00	192.06	0.11	3	10034584005233	19.80	9.60	3.80	722.30	0.42	4.35
LR8716D3GBN	108	34584005298	19.20	3.40	2.90	189.31	0.11	3	10034584005295	20.00	10.50	3.80	798.00	0.46	4.60
LR8716D3OWB	108	–	19.25	3.25	3.00	187.68	0.11	3	–	20.75	10.75	3.50	780.71	0.45	5.40
LR8716P	110	34584014771	19.50	3.40	3.00	198.90	0.12	3	10034584014778	20.00	9.70	3.90	756.60	0.44	4.50
LR8716W	109	34584014788	19.50	3.50	3.00	204.75	0.12	3	10034584014785	19.90	9.60	3.80	725.95	0.42	5.05
LR8724D1GBN	108	34584005267	27.50	3.20	3.10	272.80	0.16	3	10034584005264	27.72	9.92	3.70	1,017.43	0.59	7.10
LR8724D1GCH	108	34584005281	27.40	3.40	2.90	270.16	0.16	3	10034584005288	27.80	9.60	3.70	987.46	0.57	7.00
LR8724D1GOWB	108	34584007773	27.40	3.20	3.00	263.04	0.15	3	10034584007770	27.95	9.84	3.70	1,017.60	0.59	7.30
LR8724D2BN	108	34584005182	27.40	3.50	2.90	278.11	0.16	3	10034584005189	27.80	9.50	3.80	1,003.58	0.58	5.55
LR8724D2CH	108	34584005205	27.30	3.30	3.00	270.27	0.16	3	10034584005202	27.80	9.60	3.70	987.46	0.57	5.45
LR8724D3BN	108	34584005229	27.40	3.30	3.10	280.30	0.16	3	10034584005226	27.90	9.60	4.00	1,071.36	0.62	5.70
LR8724D3CH	108	34584005243	27.40	3.50	2.90	278.11	0.16	3	10034584005240	28.10	9.60	4.00	1,079.04	0.62	5.65
LR8724D3GBN	108	34584005304	27.40	3.40	2.90	270.16	0.16	3	10034584005301	28.10	10.60	3.60	1,072.30	0.62	5.80
LR8724D3GCH	108	34584005328	27.40	3.40	2.90	270.16	0.16	3	10034584005325	28.10	10.60	3.60	1,072.30	0.62	5.80
LR8724D3GOWB	108	34584007797	27.20	3.50	2.90	276.08	0.16	3	10034584007794	27.90	10.80	3.70	1,114.88	0.65	5.95
LR8724PS	109	34584000798	27.50	3.30	3.00	272.25	0.16	3	10034584000795	27.90	9.60	3.80	1,017.79	0.59	5.55
LR8918P	110	34584485434	21.60	3.50	3.30	249.48	0.14	3	10034584485431	22.10	10.50	4.10	951.41	0.55	5.15
LR8918W	109	34584485373	21.40	3.30	3.30	233.05	0.13	3	10034584485370	21.90	10.10	3.90	862.64	0.50	5.45
LR8924P	110	34584485441	27.40	3.50	3.30	316.47	0.18	3	10034584485448	28.00	10.50	4.10	1,205.40	0.70	6.30
LR8924W	109	34584485380	27.50	3.40	3.20	299.20	0.17	3	10034584485387	28.10	10.40	4.30	1,256.63	0.73	7.05
LR8936P	110	34584485458	39.50	3.50	3.30	456.23	0.26	3	10034584485455	40.30	10.70	4.20	1,811.08	1.05	9.15
LR8942P	110	34584485465	45.50	3.30	3.25	487.99	0.28	3	10034584485462	46.40	10.80	4.60	2,305.15	1.33	10.90
LRC2250DBN	116	34584026590	3.94	2.64	4.76	49.51	0.03	3	10034584026597	11.43	8.67	3.35	331.98	0.19	2.76
MDN2170BN	96	34584029140	40.00	3.90	3.50	546.00	0.32	3	10034584029147	40.50	11.00	4.10	1,826.55	1.06	9.70
MDN2170CH	96	34584029157	39.90	3.90	3.50	544.63	0.32	3	10034584029154	40.60	11.00	4.10	1,831.06	1.06	9.75
MY0303BN	79	34584030849	4.13	2.56	4.72	49.90	0.03	12	20034584030843	18.98	8.81	6.22	1,040.07	0.60	6.00
MY0308BN	79	34584029997	11.00	4.50	2.20	108.90	0.06	3	10034584029994	11.70	8.10	5.40	511.75	0.30	3.80
MY0318BN	79	34584030009	19.00	4.70	2.50	223.25	0.13	3	10034584030006	19.50	8.50	5.30	878.47	0.51	4.15
MY0324BN	79	34584030016	25.00	4.70	2.50	293.75	0.17	3	10034584030013	25.70	8.40	5.40	1,165.75	0.67	4.60
MY0386BN	79	34584030023	7.90	6.80	2.40	128.92	0.07	3	10034584030020	8.80	7.90	7.30	507.49	0.29	2.25
MY1503BN	77	34584025517	4.72	4.02	2.52	47.81	0.03	12	20034584025511	14.60	11.20	6.30	1,030.17	0.60	6.80
MY1503CH	77	34584025524	4.80	4.09	2.44	47.90	0.03	12	20034584025528	14.49	11.50	6.46	1,076.46	0.62	6.85
MY1509BN	77	34584025531	9.00	5.20	3.00	140.40	0.08	3	10034584025538	9.80	9.70	6.00	570.36	0.33	3.00
MY1509CH	77	34584025548	9.29	5.51	3.23	165.33	0.10	3	10034584025545	9.72	5.75	9.92	554.42	0.32	2.76
MY1518BN	77	34584025555	20.10	4.70	2.60	245.62	0.14	3	10034584025552	20.90	8.60	5.30	952.62	0.55	3.95
MY1518CH	77	34584025562	4.57	2.56	20.28	237.26	0.14	3	10034584025569	20.91	5.04	8.54	900.00	0.52	3.42
MY1524BN	77	34584025579	26.00	4.80	2.60	324.48	0.19	3	10034584025576	26.70	8.50	5.40	1,225.53	0.71	5.05
MY1524CH	77	34584025586	26.26	2.56	4.57	307.22	0.18	3	10034584025583	26.93	5.04	8.54	1,159.11	0.67	4.98
MY1586BN	77	34584025593	7.80	6.69	2.44	127.32	0.07	3	10034584025590	8.50	8.03	7.48	510.54	0.30	2.45
MY1586CH	77	34584025609	7.76	2.36	6.69	122.51	0.07	3	10034584025606	8.50	8.00	7.50	510.00	0.30	1.98
MY2703BN	81	34584028105	4.72	4.09	2.68	51.74	0.03	12	20034584028109	13.54	12.20	5.91	976.26	0.56	7.80
MY2703BRB	81	34584028112	4.72	4.09	2.68	51.74	0.03	12	20034584028116	13.54	12.20	5.91	976.26	0.56	7.80
MY2703CH	81	34584028129	4.72	4.09	2.68	51.74	0.03	12	20034584028123	13.54	12.20	5.91	976.26	0.56	7.80
MY2708BN	81	34584028136	10.94	4.72	2.36	121.86	0.07	2	10034584028133	11.57	5.43	5.12	321.66	0.19	2.10
MY2708BRB	81	34584028143	10.94	4.72	2.28	117.73	0.07	2	10034584028140	11.50	5.35	5.04	310.09	0.18	2.10
MY2708CH	81	34584028150	10.94	4.72	2.36	121.86	0.07	2	10034584028157	11.57	5.43	5.12	321.66	0.19	2.10
MY2718BN	81	34584028167	19.06	4.65	2.28	202.07	0.12	2	10034584028164	19.68	5.28	4.96	515.40	0.30	2.40
MY2718BRB	81	34584028174	18.90	4.88	2.44	225.05	0.13	2	10034584028171	19.61	5.59	5.12	561.25	0.32	2.40
MY2718CH	81	34584028181	19.06	4.65	2.28	202.07	0.12	2	10034584028188	19.68	5.28	4.96	515.40	0.30	2.40
MY2722BN	81	34584028198	6.89	3.54	25.20	614.64	0.36	2	10034584028195	25.79	7.59	7.78	1,522.90	0.88	4.40
MY2722BRB	81	34584028204	6.89	3.54	25.20	614.64	0.36	2	10034584028201	25.79	7.59	7.78	1,522.90	0.88	4.40
MY2722CH	81	34584028211	6.89	3.54	25.20	614.64	0.36	2	10034584028218	25.79	7.59	7.78	1,522.90	0.88	4.40

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
MY2724BN	81	34584028228	25.04	4.65	1.73	201.43	0.12	2	10034584028225	25.75	5.28	5.20	706.99	0.41	2.70
MY2724BRB	81	34584028235	25.04	4.72	1.34	158.37	0.09	2	10034584028232	25.75	5.51	5.12	726.44	0.42	2.70
MY2724CH	81	34584028242	25.04	4.65	1.73	201.43	0.12	2	10034584028249	25.75	5.28	5.20	706.99	0.41	2.70
MY2786BN	81	34584028259	8.66	7.95	2.52	173.49	0.10	2	10034584028256	9.29	8.43	5.67	444.04	0.26	1.96
MY2786BRB	81	34584028266	7.88	2.56	8.67	174.90	0.10	2	10034584028263	9.30	8.50	5.60	442.68	0.26	1.96
MY2786CH	81	34584028273	8.66	7.95	2.52	173.49	0.10	2	10034584028270	9.29	8.43	5.67	444.04	0.26	1.96
MY4803BN	91	34584026620	4.72	4.09	2.68	51.74	0.03	12	20034584026624	13.54	12.20	5.91	976.26	0.56	8.65
MY4803BRB	91	34584026637	3.94	2.64	4.73	49.20	0.03	12	20034584026631	12.00	14.18	5.52	939.28	0.54	7.32
MY4808BN	91	34584026644	10.94	4.72	2.36	121.86	0.07	2	10034584026641	11.57	5.43	5.12	321.66	0.19	2.30
MY4808BRB	91	34584026651	10.94	4.72	2.28	117.73	0.07	2	10034584026658	11.50	5.35	5.04	310.09	0.18	2.30
MY4818BN	91	34584026668	19.06	4.65	2.28	202.07	0.12	2	10034584026665	19.68	5.28	4.96	515.40	0.30	2.80
MY4818BRB	91	34584026675	18.90	4.88	2.44	225.05	0.13	2	10034584026672	19.61	5.59	5.12	561.25	0.32	2.80
MY4824BN	91	34584026682	25.04	4.65	1.73	201.43	0.12	2	10034584026689	25.75	5.28	5.20	706.99	0.41	3.20
MY4824BRB	91	34584026699	25.04	4.72	1.34	158.37	0.09	2	10034584026696	25.75	5.51	5.12	726.43	0.42	3.20
MY4886BN	91	34584026705	8.66	7.95	2.52	173.49	0.10	2	10034584026702	9.29	8.43	5.67	444.04	0.26	2.35
MY4886BRB	91	34584026712	7.88	2.56	8.67	174.90	0.10	2	10034584026719	9.30	8.50	5.60	442.68	0.26	2.35
MY8703BN	84	34584028051	3.95	2.56	4.69	47.42	0.03	12	20034584028055	9.33	16.73	5.55	866.30	0.50	7.40
MY8708BN	84	34584028068	4.57	2.56	10.94	127.99	0.07	3	10034584028065	4.96	11.57	8.15	467.70	0.27	3.15
MY8718BN	84	34584028075	4.57	2.56	18.98	222.05	0.13	3	10034584028072	4.96	19.49	8.15	787.86	0.46	4.05
MY8724BN	84	34584028082	4.57	2.56	25.04	292.94	0.17	3	10034584028089	4.96	25.39	8.15	1,026.36	0.59	4.07
MY8786BN	84	34584028099	6.81	3.94	8.19	219.75	0.13	3	10034584028096	7.36	12.32	8.62	781.62	0.45	3.55
P1700	102	34584751904	2.63	2.13	4.00	22.33	0.01	100	10034584751901	23.00	13.75	8.50	2,688.13	1.56	20.00
P1703	102	34584751805	4.00	2.13	2.13	18.08	0.01	50	10034584751802	23.50	11.00	8.50	2,197.25	1.27	12.50
P1718	102	34584029171	0.01	0.01	0.01	0.00	0.00	50	–	0.01	0.01	0.01	0.00	0.00	5.00
P1724	102	34584029188	0.01	0.01	0.01	0.00	0.00	50	–	0.01	0.01	0.01	0.00	0.00	5.00
P1740	102	34584751607	4.40	4.20	2.20	40.66	0.02	50	10034584751604	22.50	11.00	9.50	2,351.25	1.36	15.95
P1760	102	34584750211	9.25	3.50	2.50	80.94	0.05	96	10034584700183	20.50	19.50	17.50	6,995.63	4.05	32.54
P1780	102	34584751409	3.00	2.00	6.00	36.00	0.02	50	10034584751406	12.63	10.75	16.25	2,206.29	1.28	20.00
P1786	102	34584751706	5.50	2.00	5.50	60.50	0.04	100	10034584751703	21.37	11.63	28.75	7,144.70	4.13	48.00
P5030	101	34584090300	2.00	1.50	2.00	6.00	0.00	100	20034584090304	12.50	9.25	9.25	1,069.53	0.62	20.00
P5030BN	101	34584027481	2.00	1.50	2.00	6.00	0.00	100	20034584027485	12.76	9.84	9.45	1,186.53	0.69	17.70
P5050	101	34584090454	6.00	1.00	1.00	6.00	0.00	100	20034584090458	19.10	17.30	12.10	3,998.20	2.31	40.95
P5050BN	101	34584027498	6.00	1.00	1.00	6.00	0.00	100	20034584027492	19.13	16.85	12.13	3,909.99	2.26	48.55
P5080	101	34584090317	6.00	4.00	1.00	24.00	0.01	100	20034584090311	18.90	17.20	12.10	3,933.47	2.28	41.00
P5100	101	34584090478	6.00	5.00	1.50	45.00	0.03	100	10034584090475	19.10	17.40	9.70	3,223.70	1.87	37.15
P5118	101	34584090324	0.01	0.01	0.01	0.00	0.00	50	10034584090321	0.01	0.01	0.01	0.00	0.00	5.00
P5118BN	101	34584027511	20.00	3.00	3.00	180.00	0.10	36	20034584027515	24.17	18.19	16.54	7,271.85	4.21	27.70
P5124	101	34584090331	0.01	0.01	0.01	0.00	0.00	50	10034584090338	0.01	0.01	0.01	0.00	0.00	5.00
P5124BN	101	34584027528	26.00	3.00	3.00	234.00	0.14	36	20034584027522	30.08	18.82	16.06	9,091.66	5.26	31.35
P5130	101	34584090515	4.10	3.12	4.87	62.30	0.04	12	20034584015901	19.10	4.87	6.12	3,151.51	0.33	10.08
P5130BN	101	34584027535	4.33	2.76	6.69	79.95	0.05	12	20034584021377	15.75	12.99	7.68	1,571.28	0.91	14.40
P5340	101	34584090348	4.50	3.50	1.50	23.63	0.01	50	10034584090345	20.25	11.00	9.75	2,171.81	1.26	14.00
P5360	101	34584090355	4.25	3.25	1.50	20.72	0.01	100	10034584090352	20.20	10.80	9.90	2,159.78	1.25	29.30
P5500	101	34584090362	7.00	6.00	2.50	105.00	0.06	50	10034584090369	20.00	21.25	14.00	5,950.00	3.44	18.50
P5860	101	34584090379	7.25	6.00	2.50	108.75	0.06	100	10034584090376	21.40	19.40	14.60	6,061.34	3.51	27.15
P5860BN	101	34584027542	7.25	6.00	2.50	108.75	0.06	100	20034584027546	21.42	19.13	14.57	5,970.27	3.46	27.40
R5519	104	34584700544	26.30	8.60	3.50	791.63	0.46	10	10034584700541	26.70	18.60	18.20	9,038.48	5.23	29.90
R5580	104	34584701190	13.00	3.70	3.00	144.30	0.08	24	10034584701197	27.70	13.10	12.20	4,427.01	2.56	29.00
R8916P	110	34584017857	19.00	3.25	3.00	185.25	0.11	6	10034584017854	20.40	7.40	6.70	1,011.43	0.59	9.45
RR5506HD	104	34584115263	4.00	3.80	2.10	31.92	0.02	60	20034584115267	20.30	14.70	8.60	2,566.33	1.49	35.05
RR5520SS	104	34584700551	12.20	6.60	3.00	241.56	0.14	24	20034584700555	26.90	19.20	12.80	6,610.94	3.83	42.05
SMA1000CH	113	34584007728	4.20	3.40	3.40	48.55	0.03	24	20034584007722	16.50	11.30	11.10	2,069.60	1.20	22.75
SMA10000WB	113	34584007735	4.20	3.50	3.30	48.51	0.03	24	20034584007739	16.40	11.60	11.10	2,111.66	1.22	14.70

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
SMA1001CH	113	34584007759	4.20	3.40	3.40	48.55	0.03	10	10034584007756	17.70	7.50	4.90	650.48	0.38	8.95
SMA1005CH	113	34584017628	7.00	2.00	9.00	126.00	0.07	3	10034584017625	9.50	7.50	6.75	480.94	0.28	1.41
SR2201BN	98	34584018823	6.40	4.30	2.30	63.30	0.04	12	20034584018827	19.20	8.00	7.60	1,167.36	0.68	12.30
SR2201CH	98	34584018830	24.80	5.70	3.60	508.90	0.29	2	10034584022698	25.50	7.90	6.40	1,289.28	0.75	7.40
SR2201OWB	98	34584018847	28.10	20.90	3.40	1,996.79	1.16	2	10034584022728	28.50	21.50	7.00	4,289.25	2.48	20.95
TR1000BN	97	34584017710	2.76	2.76	40.94	311.86	0.18	3	10034584017717	42.00	8.75	3.25	1,194.38	0.69	10.94
TR1000CH	97	34584017727	40.90	2.80	2.70	309.20	0.18	3	10034584017724	41.60	9.00	3.60	1,347.84	0.78	6.25
TR1000OWB	97	34584017734	2.76	2.76	40.94	311.86	0.18	3	10034584017731	42.00	8.75	3.25	1,194.38	0.69	10.13
TR1032BN	97	34584029164	41.00	3.40	3.30	460.02	0.27	3	10034584029161	41.40	10.30	4.00	1,705.68	0.99	7.65
Y1203BN	86	34584022950	4.70	4.00	2.60	48.88	0.03	12	20034584022954	17.90	8.70	5.80	903.23	0.52	7.95
Y1208BN	86	34584022967	11.00	4.70	2.60	134.42	0.08	3	10034584022964	11.40	8.40	5.10	488.37	0.28	3.85
Y1218BN	86	34584022974	20.30	4.80	2.60	253.34	0.15	3	10034584022971	20.80	8.30	5.20	897.72	0.52	4.60
Y1224BN	86	34584022981	26.20	4.70	2.70	332.47	0.19	3	10034584022988	26.70	8.00	5.10	1,089.36	0.63	5.40
Y1286BN	86	34584022998	10.20	8.40	4.20	359.85	0.21	3	10034584022995	12.60	10.80	8.40	1,143.07	0.66	4.25
Y2601BN	74	34584015907	4.10	3.12	4.87	62.30	0.04	12	20034584015901	19.10	15.00	11.00	3,151.50	1.82	10.08
Y2601BRB	74	34584021373	4.33	2.76	6.69	79.95	0.05	12	20034584021377	15.75	12.99	7.68	1,571.27	0.91	14.40
Y2603BN	74	34584012647	5.08	4.00	3.13	63.51	0.04	24	20034584012641	21.25	12.75	10.75	2,912.58	1.69	18.24
Y2603BRB	74	34584017253	4.13	3.15	4.72	61.40	0.04	12	40034584017251	13.39	11.10	7.87	1,169.71	0.68	15.80
Y2603CH	74	34584012845	6.00	4.00	3.25	78.00	0.05	12	40034584012843	14.00	11.50	10.75	1,730.75	1.00	9.44
Y2608BN	74	34584012654	11.35	4.57	2.37	122.86	0.07	3	10034584012651	7.95	5.35	11.81	502.31	0.29	3.33
Y2608BRB	74	34584017260	7.87	5.12	11.57	466.21	0.27	3	10034584017267	7.95	5.35	11.81	502.31	0.29	7.05
Y2608CH	74	34584012852	7.87	5.12	11.57	466.21	0.27	3	10034584012859	7.87	5.12	11.57	466.21	0.27	7.05
Y2618BN	74	34584012661	20.37	4.57	2.68	249.51	0.14	3	10034584012668	22.24	5.37	8.38	1,000.40	0.58	4.20
Y2618BRB	74	34584017277	21.91	5.62	2.35	289.42	0.17	3	10034584017274	21.20	5.32	7.60	857.16	0.50	3.99
Y2618CH	74	34584012869	21.91	5.62	2.75	338.68	0.20	3	10034584012866	21.91	5.62	2.75	338.68	0.20	3.99
Y2622BN	74	34584019509	26.00	4.10	2.75	293.15	0.17	2	10034584019506	26.10	6.30	6.25	1,027.69	0.59	4.40
Y2624BN	74	34584012678	27.37	5.50	2.75	413.97	0.24	3	10034584012675	27.37	8.25	5.50	1,241.91	0.72	4.80
Y2624BRB	74	34584017284	2.50	5.00	27.00	337.50	0.20	3	10034584017281	26.70	7.90	5.30	1,117.93	0.65	4.38
Y2624CH	74	34584012876	27.00	5.50	2.50	371.25	0.21	3	10034584012873	27.20	6.50	5.30	937.04	0.54	4.38
Y2633BN	74	34584022684	22.80	8.70	2.90	575.24	0.33	4	10034584022681	23.60	12.40	9.40	2,750.82	1.59	13.60
Y2686BN	74	34584012685	9.52	6.69	2.37	150.88	0.09	3	10034584012682	8.00	7.75	10.37	642.94	0.37	2.70
Y2686BRB	74	34584017291	10.37	7.37	2.66	203.30	0.12	3	10034584017298	10.37	8.00	7.37	611.42	0.35	2.58
Y2686CH	74	34584012883	10.37	7.37	2.66	203.30	0.12	3	10034584012880	10.37	8.00	7.37	611.42	0.35	2.58
Y2690BN	74	34584022691	24.80	5.70	3.70	523.03	0.30	2	10034584022698	25.30	8.10	6.30	1,291.06	0.75	7.35
Y2692BN	74	34584022721	28.10	20.90	3.40	1,996.79	1.16	2	10034584022728	28.50	21.50	7.00	4,289.25	2.48	20.95
Y2694BN	74	34584025500	27.40	11.70	3.40	1,089.97	0.63	2	10034584025507	27.80	12.20	7.20	2,441.95	1.41	10.10
Y3103BN	76	34584017338	3.03	3.94	6.10	72.82	0.04	12	20034584017332	14.17	12.60	7.09	1,265.86	0.73	15.72
Y3103BRB	76	34584017451	3.03	3.94	6.10	72.82	0.04	12	20034584017455	13.75	13.50	8.00	1,485.00	0.86	15.72
Y3103CH	76	34584017390	3.03	3.94	6.10	72.82	0.04	12	20034584017394	14.17	12.60	7.09	1,265.86	0.73	9.00
Y3108BN	76	34584017345	4.61	2.36	11.10	120.76	0.07	3	10034584017342	7.87	4.88	11.42	438.59	0.25	7.95
Y3108BRB	76	34584017468	4.61	2.36	11.10	120.76	0.07	3	10034584017465	11.50	8.25	5.25	498.09	0.29	7.95
Y3108CH	76	34584017406	4.61	2.36	11.10	120.76	0.07	3	10034584017403	11.75	8.00	5.00	470.00	0.27	3.30
Y3118BN	76	34584017352	4.61	2.36	23.60	256.76	0.15	3	10034584017359	7.68	5.00	23.62	907.01	0.52	7.02
Y3118BRB	76	34584017475	4.61	2.36	23.60	120.76	0.15	3	10034584017472	24.00	8.00	5.00	960.00	0.56	7.02
Y3118CH	76	34584017413	4.61	2.36	23.60	256.76	0.15	3	10034584017410	23.75	8.00	5.25	997.50	0.58	4.00
Y3122BN	76	34584017369	6.89	3.62	26.81	668.69	0.39	3	10034584017366	11.42	7.28	27.32	2,271.33	1.31	12.15
Y3122BRB	76	34584017482	6.89	3.62	26.81	668.69	0.39	3	10034584017489	11.42	7.28	27.32	2,271.33	1.31	12.15
Y3122CH	76	34584017420	6.89	3.62	26.81	668.69	0.39	3	10034584017427	27.50	11.25	7.75	2,397.66	1.39	7.10
Y3124BN	76	34584017376	4.61	2.36	26.81	291.68	0.17	3	10034584017373	7.68	5.00	27.32	1,049.09	0.61	9.21
Y3124BRB	76	34584017499	4.61	2.36	26.81	291.68	0.17	3	10034584017496	27.75	8.00	5.50	1,221.00	0.71	9.21
Y3124CH	76	34584017437	4.61	2.36	26.81	291.68	0.17	3	10034584017434	27.25	7.75	5.25	1,108.73	0.64	4.50
Y3186BN	76	34584017383	7.90	6.70	2.40	127.03	0.07	3	10034584017380	8.30	7.60	7.30	460.48	0.27	2.25
Y3186BRB	76	34584017505	6.77	2.40	9.29	150.95	0.09	3	10034584017502	10.00	7.75	7.25	561.88	0.33	5.07

ACCESSORIES

Model No.	Page	UPC	Unit Length	Unit Width	Unit Height	Unit Volume	Indiv Cube	Case Qty.	Master Carton UPC	Master Carton Length	Master Carton Width	Master Carton Height	Master Carton Volume	Master Cubes	Master Carton Weight
Y3186CH	76	34584017444	6.77	2.40	9.29	150.94	0.09	3	10034584017441	10.00	7.75	7.50	581.25	0.34	2.46
Y3203BN	75	34584020093	4.02	2.64	4.92	52.21	0.03	12	20034584020097	13.86	8.39	13.39	1,557.06	0.90	10.08
Y3203CH	75	34584020130	4.02	2.64	4.92	52.21	0.03	12	20034584020134	13.50	13.00	8.25	1,447.88	0.84	11.65
Y3208BN	75	34584020109	4.72	2.56	11.02	133.16	0.08	3	10034584020106	11.75	8.75	5.50	565.47	0.33	3.87
Y3208CH	75	34584020192	4.72	2.56	11.02	133.16	0.08	3	10034584020199	11.75	8.75	5.25	539.77	0.31	4.15
Y3218BN	75	34584020208	4.76	2.56	20.28	247.12	0.14	3	10034584020205	23.75	8.50	5.25	1,059.84	0.61	4.98
Y3218CH	75	34584020147	4.76	2.56	20.28	247.12	0.14	3	10034584020144	24.00	8.75	5.50	1,155.00	0.67	5.76
Y3224BN	75	34584020116	4.76	2.68	26.26	334.99	0.19	3	10034584020113	27.50	8.50	5.50	1,285.63	0.74	5.31
Y3224CH	75	34584020178	4.76	2.68	26.26	334.99	0.19	3	10034584020175	27.25	8.50	5.25	1,216.03	0.70	6.39
Y3286BN	75	34584020123	6.89	4.06	8.31	232.46	0.13	3	10034584020120	13.00	9.00	7.25	848.25	0.49	3.72
Y3286CH	75	34584020185	8.30	6.90	4.00	229.08	0.13	3	10034584020182	12.90	9.00	7.30	847.53	0.49	3.55
YG0712BN	83	34584021922	15.90	3.50	3.20	178.08	0.10	6	20034584021926	16.50	11.10	6.90	1,263.74	0.73	10.60
YG0712CH	83	34584021939	3.50	3.15	15.94	175.74	0.10	6	20034584021933	16.54	6.85	11.02	1,248.55	0.72	10.08
YG0718BN	83	34584021946	21.90	3.50	3.20	245.28	0.14	6	20034584021940	22.40	11.10	7.10	1,765.34	1.02	12.85
YG0718CH	83	34584021953	21.90	3.60	3.20	252.29	0.15	6	20034584021957	22.40	10.90	6.90	1,684.70	0.97	12.90
YG0724BN	83	34584021960	27.70	3.40	3.20	301.38	0.17	6	20034584021964	28.10	10.90	7.00	2,144.03	1.24	14.90
YG0724CH	83	34584021977	3.50	3.15	27.95	308.15	0.18	6	20034584021971	28.46	6.85	11.02	2,148.36	1.24	14.10
YG0736BN	83	34584021984	3.50	3.15	39.88	439.68	0.25	6	20034584021988	36.61	6.85	11.02	2,763.58	1.60	17.82
YG0736CH	83	34584021991	3.50	3.15	39.88	439.68	0.25	6	20034584021995	36.61	6.85	11.02	2,763.58	1.60	17.88
YG0742BN	83	34584022752	3.50	3.15	45.87	505.72	0.29	6	20034584022756	46.26	6.85	11.02	3,492.03	2.02	21.78
YG0742CH	83	34584022769	3.50	3.15	45.87	505.72	0.29	6	20034584022763	46.26	6.85	11.02	3,492.03	2.02	22.38
YG3216BN	75	34584026606	3.24	2.94	19.25	183.37	0.11	3	10034584026603	9.50	19.50	3.75	694.69	0.40	5.61

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

Google is a trademark of Google LLC.

Notes:

Notes:

Notes:

MOEN®

Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.
Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Connect with us:
moen.com/social

Visit our website at moen.com

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive, North Olmsted, OH
44070-8022

1-800-BUY-MOEN

Canada Headquarters:
Moen
2816 Bristol Circle, Oakville, Ontario
L6H 5S7

1-800-465-6130

CP1109 04/20 DENDIGTL

© 2020 Moen Incorporated